

**Federal Aviation
Administration**

Transmittal Letter 22-19

July 22, 2022

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
9/8/2022	AZ	Phoenix	Phoenix Sky Harbor Intl	2/8840	7/15/2022	RNAV (RNP) Z RWY 7R, Orig-C

AIRAC Date: 9 SEPTEMBER 2022

FDC 2/8840 PHX IAP PHOENIX SKY HARBOR INTL, PHOENIX, AZ. RNAV (RNP) Z RWY 7R, ORIG-C...
DELETE CHART NOTE: GPS REQUIRED. ADD PBN REQUIREMENTS NOTE: RNP AR APCH - GPS. CHANGE
CHART NOTE TO READ: FOR INOPERATIVE ALS, INCREASE RNP 0.30 ALL CATS VISIBILITY TO 1 1/8 SM.
CHANGE PLANVIEW NOTE TO READ: PROCEDURE NA FOR ARRIVAL ON BXK VORTAC AIRWAY RADIALS
077 CW 152. CHANGE NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS PROCEDURE NA
BELOW 2000 OR ABOVE 5400. 34:1 IS CLEAR. RNP 0.30 VISIBILITY ALL CATS 3/4 SM. THIS IS RNAV (RNP) Z
RWY 7R, ORIG-D. 2207072254-PERM