

**E.** 

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES, (CONT.):**

FROM	TO	COURSE AND DISTANCE	ALTITUDE
RW30 (MAP)	3852 MSL	305.39	
3852 MSL	DAKKA (FO)		5600

**NOTES, (CONT.):**

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON GLD VORTAC AIRWAY RADIALS 084 CW 140.

CHART NOTE: VDP NA WITH BURLINGTON, CO ALTIMETER SETTING.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE BURLINGTON, CO ALTIMETER SETTING AND INCREASE ALL DA 144 FEET AND ALL MDA 160 FEET. INCREASE LPV ALL CATS VISIBILITIES TO 5/8 MILE, LNAV/VNAV ALL CATS VISIBILITIES TO 7/8 MILE, LNAV CAT C/D VISIBILITIES TO 1 MILE, CIRCLING CAT C VISIBILITY TO 1 3/4, AND CAT D VISIBILITY TO 2 1/4 MILE.

QUALITY  
4  
CHECKED

**CITY AND STATE**  
 GOODLAND, KS

**ELEVATION:** 3656      **THRE:** 3652  
**AIRPORT NAME:**  
 RENNER FLD /GOODLAND MUNI/

**FACILITY IDENTIFIER:**  
 RNAV

**PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:**  
 RNAV (GPS) RWY 30, AMDT 1  
 10 MAR 2011

**SUP:**  
**AMDT:** ORIG  
**DATED:** 10/30/2003

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION****DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KGLD
RUNWAY	RW30
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	0
REFERENCE PATH DATA SELECTOR	W30A
REFERENCE PATH IDENTIFIER (APPROACH ID)	392151.0000N
LTP/FTP LATITUDE	1014128.2300W
LTP/FTP LONGITUDE	+10898
LTP/FTP ELLIPSOIDAL HEIGHT	392253.3500N
FPAP LATITUDE	1014250.3700W
FPAP LONGITUDE	00055.1
THRESHOLD CROSSING HEIGHT (TCH)	F
TCH UNITS SELECTOR (METERS OR FEET USED)	03.00
GLIDEPATH ANGLE (GPA)	106.50
COURSE WIDTH AT THRESHOLD	1072
LENGTH OFFSET	40.0
HORIZONTAL ALERT LIMIT (HAL)	35.0
VERTICAL ALERT LIMIT (VAL)	

**CRC REMAINDER**

99E1AC42

**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+11132
FPAP ORTHOMETRIC HEIGHT	+11132

QUALITY  
2  
CHECKED

CITY AND STATE  
GOODLAND, KS

ELEVATION: 3656      THRE: 3652  
AIRPORT NAME:  
RENNER FLD /GOODLAND MUNI/

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
RNAV (GPS) RWY 30, AMDT 1  
10 MAR 2011

SUP:  
AMDT: ORIG  
DATED: 10/30/2003

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

CITY AND STATE  GOODLAND, KS	ELEVATION: 3656	THRE: 3652	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:  RNAV (GPS) RWY 30, AMDT 1  10 MAR 2011	SUP:	
	AIRPORT NAME:				AMDT:	ORIG
	RENNER FLD /GOODLAND MUNI/				DATED:	10/30/2003

## U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

	1	2	3	4	5	6	7	8	9	0	1	2	3
RUNWAY	1234567890123456789012345678901234567890123456789012345678901234567890123456789012												
SUSAP KGLDK3GRW30	0054993054	N39215100W101412823	-0100										+1089803652000055100I
PP	1234567890123456789012345678901234567890123456789012345678901234567890123456789012												
SUSAP KGLDK3PR30	RW30 001	0000W30A0N3921510000W10141282300	+108980300N3922533500W10142503700106501072000551F40035099E1AC42										
SUSAP KGLDK3PR30	RW30 002E	+11132+11132LPV	48920										
MSA	1234567890123456789012345678901234567890123456789012345678901234567890123456789012												
SUSAP KGLDK3SRW30 K3PG		0	18018005725										M

CITY AND STATE  
GOODLAND, KS

ELEVATION: 3656      THRE: 3652  
AIRPORT NAME:  
RENNER FLD /GOODLAND MUNI

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:  
RNAV (GPS) RWY 30, AMDT 1  
10 MAR 2011

SUP:  
AMDT: ORIG  
DATED: 10/30/2003