

**Federal Aviation
Administration**

Transmittal Letter 19-09

March 8, 2019

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
25-Apr-19	FL	Tampa	Tampa Executive	8/2047	3/1/19	RNAV (GPS) RWY 23, Amdt 1C

AIRAC Date: 25 APRIL 2019

FDC **8/2047** VDF IAP TAMPA EXECUTIVE, Tampa, FL. RNAV (GPS) RWY 23, AMDT 1C... DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. CHART NOTE: RWY 23 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: NIGHT LANDING: RWY 18, 36 NA. CHART NOTE: CIRCLING RWY 18, 36 NA AT NIGHT. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE TAMPA INTL ALTIMETER SETTING AND INCREASE LPV DA TO 305, LNAV/VNAV DA TO 297; INCREASE ALL MDA 40 FEET; INCREASE LNAV AND CIRCLING CAT C VISIBILITY 1/4 MILE. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE TAMPA INTL ALTIMETER SETTING AND INCREASE LPV DA TO 323 FEET, LNAV/VNAV DA TO 513; INCREASE ALL MDAS 40 FT, AND LNAV AND CIRCLING CAT C VISIBILITIES 1/4 SM. THIS IS RNAV (GPS) RWY 23, AMDT 1D. 1810251629-PERM