

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23										Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES										MISSED APPROACH									
FROM		TO			COURSE AND DISTANCE			ALTITUDE		MAP: 4.91 NM AFTER MEADY INT/ACY 5.45 DME/RADAR OR AT XONUJ/ACY 0.54 DME FIX									
ACY VORTAC		MEADY INT/ACY 5.45 DME/RADAR			228.00 / 5.45			2000		CLIMBING RIGHT TURN TO 2000 ON ACY VORTAC R-090 TO SMITS INT/11.00 DME AND HOLD.									
VCN VOR/DME		MEADY INT/ACY 5.45 DME/RADAR			131.75 / 17.43			2000											
SIE VORTAC (IAF)		CARUM INT/ACY 10.45 DME (NOPT)			025.65 / 13.95			2000											
CARUM INT/ACY 10.45 DME (IF)		MEADY INT/ACY 5.45 DME/RADAR			048.00 / 5.00 (ACY R-228)			1700		ADDITIONAL FLIGHT DATA: HOLD E, RT, 270.00 INBOUND. CHART FAS OBST: 218 TOWER 392705N/0743556W CHART: ASR. CHART VDP AT 1.71 DME DISTANCE VDP TO THLD 1.17 NM. MEADY TO RW04: 3.05/47. FAC CROSSES RWY C/L EXTENDED 3405 FT FROM THLD.									
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																			
2. HOLD SW MEADY, LT, 048.00 INBOUND, 2000 FT. IN LIEU OF PT (IAF)																			
3. FAC 048.00 FAF MEADY INT/ACY 5.45 DME/RADAR _____ DIST FAF TO MAP 4.91 THLD 4.91																			
4. MIN. ALT MEADY 1700																			
8. MSA FROM: ACY VORTAC 2100										MAG VAR: 10W EPOCH YEAR: 1970									
MINIMUMS																			
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @							
CATEGORY =====>		A			B			C			D			E					
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA			
S-04		480	1	412	480	1	412	480	1 1/4	412	480	1 1/4	412	480	1 1/2	412			
CIRCLING		540	1	465	540	1	465	540	1 1/2	465	640	2	565	760	2 1/2	685			
NOTES:																			
CHART NOTE: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.										@ CAT E 800-2 1/2									
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON SIE VORTAC AIRWAY RADIALS 333 CW 059.																			
CITY AND STATE ATLANTIC CITY, NJ		ELEVATION: 75 TDZE: 68 AIRPORT NAME: ATLANTIC CITY INTL			FACILITY IDENTIFIER: ACY		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR RWY 4, AMDT 15C 12 OCTOBER 2017					SUP AMDT 15B DATE 10/16/2014							