

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
JAHNY	SIX	JAHNY6.JAHNY	FIVE	07/19/2018	<i>12 AUG 2021</i>

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**This is a corrected copy of the procedure published in NFDD 110.
** See page 2 for details. ****

DP ROUTE DESCRIPTION:**TAKEOFF RWY 6:** CLIMB ON HEADING 063.81 TO 1120, THEN AS ASSIGNED BY ATC, EXPECT RADAR VECTORS TO JAHNY. THENCE...**TAKEOFF RWY 24:** CLIMB ON HEADING 243.83 TO 1120, THEN AS ASSIGNED BY ATC, EXPECT RADAR VECTORS TO JAHNY. THENCE...**TAKEOFF RWY 11:** CLIMB ON HEADING 123.17 TO 1120, THEN DIRECT LUUBE, CROSS LUUBE AT OR ABOVE 2500, THEN ON DEPICTED ROUTE TO JAHNY. THENCE...**TAKEOFF RWY 12L, 12R:** CLIMB ON HEADING 123.19 TO 1120, THEN DIRECT HEFNR, CROSS HEFNR AT OR ABOVE 2500, THEN ON DEPICTED ROUTE TO JAHNY. THENCE...**TAKEOFF RWY 29:** CLIMB ON HEADING 303.18 TO 1120, THEN DIRECT HAGEE, CROSS HAGEE AT OR ABOVE 2500, THEN ON DEPICTED ROUTE TO JAHNY. THENCE...**TAKEOFF RWY 30L:** CLIMB ON HEADING 303.20 TO 1120, THEN DIRECT PYUNG, CROSS PYUNG AT OR ABOVE 2500, THEN ON DEPICTED ROUTE TO JAHNY. THENCE...**TAKEOFF RWY 30R:** CLIMB ON HEADING 303.21 TO 1120, THEN DIRECT PYUNG, CROSS PYUNG AT OR ABOVE 2500, THEN ON DEPICTED ROUTE TO JAHNY. THENCE...

... MAINTAIN 5000, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
MAPLES	JAHNY6.MAP	JAHNY	WESCO	TRACK 215.70	20.01	14200	2500	
			MAP TACAN	TRACK 227.35	37.26	FL180	2700	

PROCEDURAL DATA NOTES:**NOTE:** RNAV 1.**NOTE:** DME/DME/IRU OR GPS REQUIRED.**NOTE:** RADAR REQUIRED.**NOTE:** FOR USE BY TURBOJET AIRCRAFT ONLY.**TAKEOFF MINIMUMS:****RWY 6:** STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 1120 THEN MINIMUM CLIMB OF 260 FT PER NM TO 5000.**RWY 24:** STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 1120 THEN MINIMUM CLIMB OF 280 FT PER NM TO 5000.**RWY 11:** STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO LUUBE.**RWY 12L, 12R:** STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO HEFNR.**RWY 29:** STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO HAGEE.**RWY 30L, 30R:** STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO PYUNG.**TAKEOFF OBSTACLES NOTES:**

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:**LOST COMMUNICATIONS PROCEDURES:****ADDITIONAL FLIGHT DATA:**

REFERENCE MAG VAR: KSTL 1W, EPOCH YEAR: 2020

DME/DME ASSESSMENT: SAT (RNP 2.0)

CHART: TOP ALTITUDE: 5000

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
JAHNY	SIX	JAHNY6.JAHNY	FIVE	07/19/2018	12 AUG 2021

PILOT NAVIGATION AREA:

7 NM ARC CENTERED ON JAHNY (IF), CW
 FROM: POINT A (BEARING 171 DEGREES TO JAHNY)
 TO: POINT B (BEARING 261 DEGREES TO JAHNY)
 MINIMUM ALTITUDE - 10000

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
ST LOUIS LAMBERT INTL	KSTL	ST LOUIS	MO

COMMUNICATIONS:

ATIS, CLNC DEL, GND CON, GND METER, DEP CON, TOWER

FIXES AND/OR NAVAIDS:

DAFUS, TRAVS, ALLNT, WAARN, FLPPS

REMARKS:

ABBREVIATED AMENDMENT

FLIGHT INSPECTED BY

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJF-10) MEMO, DATED APRIL 29, 2020,
 SUBJECT: FLIGHT INSPECTION REVIEW NOT REQUIRED.

OFFICE**DATE**

Digitally signed by

LONNIE EVERHART

Jun 04, 2021

DEVELOPED BY

JON DENTON (JANTZEN TAYLOR)

Digitally signed by

LONNIE EVERHART

Jun 04, 2021

OFFICE**DATE**

AJV-A432

02/23/2021

APPROVED BY

LONNIE EVERHART

Digitally signed by

LONNIE EVERHART

Jun 04, 2021

OFFICE**DATE****TITLE**

AJV-A430

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A ☒ **ALPA** ☒ **AOPA** ☒ **APA** ☒ **HAI** ☐ **NBAA** ☒ **OTHER:** ZKC, STL APP CON, STL ATCT, AMGR

CHANGES - REASONS:

1. CHANGED COMPUTER CODE NUMBER FROM 5 TO 6 - REQUIRED FOR AMENDMENT.
2. REMOVED MAPLES (MAP) TRANSITION AND ALL ASSOCIATED ENTRIES - MAP VORTAC DECOMMISSIONED.
3. CHANGED DP ROUTE DESCRIPTION ALL RWYS FROM "CLIMB HEADING" TO "CLIMB ON HEADING" - IAW FAAO 8260.46G SEC 2 PARA 1-G.

6/4/2021: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON: 04/05/2021:

1. ADDED MAPLES (MAP) TRANSITION.
2. CHANGED MAPLES (MAP) VORTAC TO MAPLES (MAP) DME.
3. RESTORED FIX "WESCO" FROM CANCELLATION TO ACTIVE STATUS.

6/7/2021: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 6/4/2021.

1. CHANGED (MAP) DME TO (MAP) TACAN.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME		NUMBER		DP COMPUTER CODE		SUPERSEDED NUMBER		DATED		ACTUAL EFFECTIVE DATE	
JAHNY		SIX		JAHNY6.JAHNY		FIVE		07/19/2018		12 AUG 2021	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS		
RW06 (AER)	384448.04N/0902252.43W	N	-	-	-	-					
1120 MSL		-	-	VA	062.81	-			CG 500 FT/NM TO 1120		
		-	-	VM	062.81	-			CG 260 FT/NM TO 5000		
JAHNY	381745.71N/0905858.96W	Y	FB	DF	-	-					
RW11 (AER)	384535.83N/0902435.55W	N	-	-	-	-					
1120 MSL		-	-	VA	122.17	-	AT/ABOVE 1120		CG 500 FT/NM TO LUUBE		
LUUBE	384208.40N/0901735.03W	Y	FB	DF	-	-	AT/ABOVE 2500				
DAFUS	383808.82N/0901734.70W	Y	FB	TF	179.94	3.99					
TRAVS	383617.86N/0902122.28W	Y	FB	TF	238.16	3.50					
JAHNY	381745.71N/0905858.96W	Y	FB	TF	238.12	34.87					
RW12L (AER)	384506.41N/0902158.66W	N	-	-	-	-					
1120 MSL		-	-	VA	122.19	-	AT/ABOVE 1120		CG 500 FT/NM TO HEFNR		
HEFNR	384206.39N/0901624.55W	Y	FB	DF	-	-	AT/ABOVE 2500				
DAFUS	383808.82N/0901734.70W	Y	FB	TF	193.04	4.06					
TRAVS	383617.86N/0902122.28W	Y	FB	TF	238.16	3.50					
JAHNY	381745.71N/0905858.96W	Y	FB	TF	238.12	34.87					
RW12R (AER)*	384511.59N/0902239.98W*	N	-	-	-	-			*DISPL THLD (467)		
1120 MSL		-	-	VA	122.19	-	AT/ABOVE 1120		CG 500 FT/NM TO HEFNR		
HEFNR	384206.39N/0901624.55W	Y	FB	DF	-	-	AT/ABOVE 2500				

QUALITY
18

QUALITY
18
CHECKED

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
JAHNY		SIX		JAHNY6.JAHNY		FIVE		07/19/2018	<i>12 AUG 2021</i>
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
DAFUS	383808.82N/0901734.70W	Y	FB	TF	193.04	4.06			
TRAVS	383617.86N/0902122.28W	Y	FB	TF	238.16	3.50			
JAHNY	381745.71N/0905858.96W	Y	FB	TF	238.12	34.87			
RW24 (AER)	384522.38N/0902127.02W	N	-	-	-	-			
1120 MSL		-	-	VA	242.83	-			CG 500 FT/NM TO 1120
		-	-	VM	242.83	--			CG 280 FT/NM TO 5000
JAHNY	381745.71N/0905858.96W	Y	FB	DF	-	-			
RW29 (AER)	384448.46N/0902259.39W	N	-	-	-	-			
1120 MSL		-	-	VA	302.18	-	AT/ABOVE 1120		CG 500 FT/NM TO HAGEE
HAGEE	384735.74N/0902840.90W	Y	FB	DF	-	-	AT/ABOVE 2500		
WAARN	384536.12N/0903229.93W	Y	FB	TF	236.31	3.59			
FLPPS	383801.81N/0903821.02W	Y	FB	TF	211.23	8.84			
JAHNY	381745.71N/0905858.96W	Y	FB	TF	218.78	25.93			
RW30L (AER)*	384417.08N/0902049.42W*	N	-	-	-	-			*DISPL THLD (201)
1120 MSL		-	-	VA	302.20	-	AT/ABOVE 1120		CG 500 FT/NM TO PYUNG
PYUNG	384718.73N/0902700.07W	Y	FB	DF	-	-	AT/ABOVE 2500		
ALLNT	384502.97N/0903108.69W	Y	FB	TF	235.13	3.95			
FLPPS	383801.81N/0903821.02W	Y	FB	TF	218.85	9.00			
JAHNY	381745.71N/0905858.96W	Y	FB	TF	218.78	25.93			
RW30R (AER)	384418.99N/0902022.51W	N	-	-	-	-			

QUALITY
18
CHECKED

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>EFFECTIVE DATE</u>
JAHNY		SIX		JAHNY6.JAHNY		FIVE		07/19/2018	<i>12 AUG 2021</i>
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
1120 MSL		-	-	VA	302.21	-	AT/ABOVE 1120		CG 500 FT/NM TO PYUNG
PYUNG	384718.73N/0902700.07W	Y	FB	DF	-	-	AT/ABOVE 2500		
ALLNT	384502.97N/0903108.69W	Y	FB	TF	235.13	3.95			
FLPPS	383801.81N/0903821.02W	Y	FB	TF	218.85	9.00			
JAHNY	381745.71N/0905858.96W	Y	FB	TF	218.78	25.93			
JAHNY	381745.71N/0905858.96W	Y	-	IF	-	-			JAHNY6.MAP
WESCO	380116.68N/0911323.76W	Y	FB	TF	214.70	20.01			
MAP TACAN	373526.76N/0914718.85W	Y	FB	TF	226.35	37.26			

