

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97. 23								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.							
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE				ALTITUDE		MAP: 3.20 MILES AFTER MARIS OR AT GSH 10.20 DME.					
GSH VORTAC		MARIS 7.00 DME/RADAR		089.90/7.00				1800		CLIMB TO 2500 THEN RIGHT TURN DIRECT GSH VORTAC AND HOLD.					
										ADDITIONAL FLIGHT DATA:					
										FAS OBST: 990 TOWER 413210/855507					
NOPT FOR ARRIVALS		ON GSH VORTAC AIRWAY		RADIALS 181 CW 318.											

1. PT <u>NA</u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF)													
2. HOLD W GSH VORTAC, RT, 089.90 INBOUND, 2500 FT IN LIEU OF PT (IAF).													
3. FAC <u>089.90</u> FAF <u>MARIS</u> DIST FAF TO MAP <u>3.20</u> THLD <u>3.20</u>													
4. MIN. ALT <u>GSH VORTAC 2500, MARIS 1800</u>													
8. MSA FROM: <u>GSH VORTAC 3000</u>										MAG VAR: 0		EPOCH YEAR: 65	

MINIMUMS																
TAKEOFF:	<input checked="" type="checkbox"/>	STANDARD	SEE FAA FORM 8260-15 FOR THIS AIRPORT						ALTERNATE: N A		STANDARD					
CATEGORY	=====	A			B			C			D			E		
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/ HAA	MDA	VIS	HAT/ HAA	MDA	VIS	HAT/ HAA	MDA	VIS	HAT/ HAA
S-R09		1300	1	475	1300	1	475	1300	1 1/4	475	1300	1 1/2	475			
CIRCLING		1300	1	473	1300	1	473	1300	1 1/2	473	1380	2	553			

NOTES:

DME OR RADAR REQUIRED.

CITY AND STATE		ELEVATION: 827 TDZE: 825		FACILITY IDENTIFIER:		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:		SUP	
GOSHEN, IN		GOSHEN MUNI		GSH		VOR RWY 9, AMDT 12		AMDT 11	
								DATE 7 APR 88	