

**Federal Aviation
Administration**

Transmittal Letter 20-05

January 10, 2020

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
2/27/2020	MT	Twin Bridges	Twin Bridges	9/0157	1/7/2020	RNAV (GPS) RWY 35, Orig-A

AIRAC Date: 27 FEBRUARY 2020

FDC 9/0157 7S1 IAP TWIN BRIDGES, TWIN BRIDGES, MT. RNAV (GPS) RWY 35, ORIG-A... ALTERNATE MINIMUMS: STANDARD - CAT D 900-2 3/4, NA WHEN LOCAL WEATHER NOT AVAILABLE. DELETE NOTE: USE DILLON ALTIMETER SETTING; WHEN NOT RECEIVED, PROCEDURE NA. DELETE DILLON ASOS. DELETE NOTE: BARO-VNAV NA. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -24C OR ABOVE 54C. ADDITIONAL FLIGHT DATA: CHART VDP AT 1.69 NM TO RW35*. *LNAV ONLY. THIS IS RNAV (GPS) RWY 35, ORIG-B. 1912202322-PERM