

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH								
FROM	TO	COURSE AND DISTANCE	ALTITUDE									
TODDE	TEKAE (FO)	112.17 / 23.48	7000	LPV: DA LNAV/VNAV: DA LNAV: RW26 CLIMB TO 7000 DIRECT ZARAT AND HOLD. ADDITIONAL FLIGHT DATA: HOLD E, RT, 260.81 INBOUND. FAS OBST: 4188 RWY 26 380254N/1032958W CHART PINON CANYON MOA. CHART TWO BUTTES HIGH MOA. DISTANCE TO THLD FROM 250 HAT: 0.76 NM. CHART VDP AT 0.89 MILES TO RW26* *LNAV ONLY. WAAS CHANNEL # 93813 REFERENCE PATH ID: W26A								
KOWTO (IAF)	TEKAE (NOPT) (FB)	298.72 / 13.44	7000									
TEKAE (IF/IAF)	ACERI (FB)	261.00 / 9.89	5700									
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD E TEKAE, RT, 261.00 INBOUND, 7000 FT. IN LIEU OF PT (IAF) 3. FAC: <u>260.87</u> FAF: <u>ACERI</u> DIST FAF TO MAP: <u>4.66</u> THLD: <u>4.66</u> 4. MIN. ALT: <u>TEKAE 7000, ACERI 5700</u> 5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u> 6. MIN GS INCPT: <u>5700</u> GS ALT AT: <u>ACERI 5700</u> OM: <u> </u> MM: <u> </u> IM: <u> </u> 7. GS ANGLE: <u>3.00</u> TCH: <u>43.0</u> 34:1 IS CLEAR 8. MSA FROM: <u>RW26 6500</u>				MAG VAR: 9E EPOCH YEAR: 2005								
MINIMUMS												
TAKEOFF: <u> </u>	STANDARD <u>X</u>	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	STANDARD @								
CATEGORY =====>	A		B		C		D		E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	4438	1	250	4438	1	250	4438	1	250	4438	1	250
.NAV/VNAV DA	4438	1	250	4438	1	250	4438	1	250	4438	1	250
.NAV MDA	4480	1	292	4480	1	292	4480	1	292	4480	1	292
CIRCLING	4740	1	511	4740	1	511	4740	1 1/2	511	4780	2	551
NOTES: CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -23C (-9F) OR ABOVE 40C (104F). CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: BARO-VNAV AND VDP NA WHEN USING LAMAR ALTIMETER SETTING. SEE 8260-10												
CITY AND STATE		ELEVATION: 4229 TDZE: 4188		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:		SUP:				
LA JUNTA, CO		AIRPORT NAME: LA JUNTA MUNI				RNAV (GPS) RWY 26, AMDT 1		AMDT: ORIG				
						27 AUG 2009		DATED 07/10/2003				

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LAMAR ALTIMETER SETTING AND INCREASE ALL DA/MDA 180 FEET. INCREASE ALL VISIBILITY 3/4 MILE.

QUALITY
7
CHECKED

CITY AND STATE

LA JUNTA, CO

ELEVATION: 4229 TDZE: 4188

AIRPORT NAME:

LA JUNTA MUNI

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 26, AMDT 1

27 AUG 2009

SUP:

AMDT: ORIG

DATED: 07/10/2003

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

DATA FIELD

DATA

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KLHX
RUNWAY	RW26
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	0
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W26A
LTP/FTP LATITUDE	380253.5340N
LTP/FTP LONGITUDE	1032958.4245W
LTP/FTP ELLIPSOIDAL HEIGHT	+12439
FPAP LATITUDE	380253.2200N
FPAP LONGITUDE	1033151.2200W
THRESHOLD CROSSING HEIGHT (TCH)	00043.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0664
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

63ED299B

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K2
LTP ORTHOMETRIC HEIGHT	+12661
FPAP ORTHOMETRIC HEIGHT	+12661

QUALITY
7
CHECKED

CITY AND STATE

LA JUNTA, CO

ELEVATION: 4229 TDZE: 4188

AIRPORT NAME:

LA JUNTA MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 26, AMDT 1

27 AUG 2009

SUP:

AMDT: ORIG

DATED: 07/10/2003

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KLHXXK2FR26	AKOWTO	010KOWTOK2EA0E	A	IF						18000		A JS	
SUSAP KLHXXK2PR26	AKOWTO	020TEKAEK2EA0EE	010TF			29870134		+ 07000				A JS	
SUSAP KLHXXK2FR26	ATODDE	010TODDEK2EA0E	IF							18000		A JS	
SUSAP KLHXXK2PR26	ATODDE	020TEKAEK2EA0EY	020TF			11220235		+ 07000				A JS	
SUSAP KLHXXK2FR26	ATODDE	030TEKAEK2EA0EE	AR	HF		26100070		+ 07000				A JS	
SUSAP KLHXXK2FR26	R	010TEKAEK2EA0E	I	IF				+ 07000		18000		A JS	
SUSAP KLHXXK2FR26	R	020ACERIK2EA1E	F	051TF		26100099		+ 05700			RW26	K2PGA	JS
SUSAP KLHXXK2FR26	R	020ACERIK2EA2WALPV			ALNAV/VNAV	ALNAV						JS	
SUSAP KLHXXK2FR26	R	030RW26 K2PG0GY	M	031TF		26090047			04197		-300	A JS	
SUSAP KLHXXK2FR26	R	040ZARATK2EA0EYM	010DF					+ 07000				A JS	
SUSAP KLHXXK2FR26	R	050ZARATK2EA0EE	R020HM			26080070		+ 07000				A JS	

[illegible][illegible]

QUALITY
CHECKED

CITY AND STATE

LA JUNTA, CO

ELEVATION: 4229 TDZE: 4188

AIRPORT NAME:

LA JUNTA MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 26, AMDT 1

27 AUG 2009

SUP:

AMDT:	ORIG
-------	------

DATED: 07/10/2003

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
TODDE	TEKAE (FO)	112.17 / 23.48	7000	LPV: DA LNAV/VNAV: DA LNAV: RW26 CLIMB TO 7000 DIRECT ZARAT AND HOLD. ADDITIONAL FLIGHT DATA: HOLD E, RT, 260.81 INBOUND. FAS OBST: 4188 RWY 26 380254N/1032958W CHART PINON CANYON MOA. CHART TWO BUTTES HIGH MOA. DISTANCE TO THLD FROM 250 HAT: 0.76 NM. CHART VDP AT 0.89 MILES TO RW26* *LNAV ONLY. WAAS CHANNEL # 93813 REFERENCE PATH ID: W26A
KOWTO (IAF)	TEKAE (NOPT) (FB)	298.72 / 13.44	7000	
TEKAE (IF/IAF)	ACERI (FB)	261.00 / 9.89	5700	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD E TEKAE, RT, 261.00 INBOUND, 7000 FT. IN LIEU OF PT (IAF)
- FAC: 260.87 FAF: ACERI DIST FAF TO MAP: 4.66 THLD: 4.66
- MIN. ALT: TEKAE 7000, ACERI 5700
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: 5700 GS ALT AT: ACERI 5700 OM: MM: IM:
- GS ANGLE: 3.00 TCH: 43.0 34:1 IS CLEAR
- MSA FROM: RW26 6500

MAG VAR: 9E EPOCH YEAR: 2005

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	STANDARD @										
CATEGORY	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	4438	1	250	4438	1	250	4438	1	250	4438	1	250			
/VNAV DA	4438	1	250	4438	1	250	4438	1	250	4438	1	250			
/MDA	4480	1	292	4480	1	292	4480	1	292	4480	1	292			
CIRCLING	4740	1	511	4740	1	511	4740	1 1/2	511	4780	2	551			

NOTES:
 CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -23C (-9F) OR ABOVE 40C (104F).
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: BARO-VNAV AND VDP NA WHEN USING LAMAR ALTIMETER SETTING.
 SEE 8260-10

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE LA JUNTA, CO	ELEVATION: 4229 TDZE: 4188 AIRPORT NAME: LA JUNTA MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 26, AMDT 1	SUP:
				AMDT: ORIG
				DATED 07/10/2003

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

DATA FIELD

DATA

OPERATION TYPE 0
SBAS SERVICE PROVIDER IDENTIFIER 0
AIRPORT IDENTIFIER KLHX
RUNWAY RW26
APPROACH PERFORMANCE DESIGNATOR 0
ROUTE INDICATOR
REFERENCE PATH DATA SELECTOR 0
REFERENCE PATH IDENTIFIER (APPROACH ID) W26A
FTP LATITUDE 380253.5340N
FTP LONGITUDE 1032958.4245W
FTP ELLIPSOIDAL HEIGHT +12439
FPAP LATITUDE 380253.2200N
FPAP LONGITUDE 1033151.2200W
THRESHOLD CROSSING HEIGHT (TCH) 00043.0
TCH UNITS SELECTOR (METERS OR FEET USED) F
GLIDEPATH ANGLE (GPA) 03.00
COURSE WIDTH AT THRESHOLD 106.75
LENGTH OFFSET 0664
HORIZONTAL ALERT LIMIT (HAL) 40.0
VERTICAL ALERT LIMIT (VAL) 50.0

CRC REMAINDER

63ED299B

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE

K2

ORTHOMETRIC HEIGHT

+12661

P ORTHOMETRIC HEIGHT

+12661

QUALITY
7
CHECKED

CITY AND STATE LA JUNTA, CO	ELEVATION: 4229 TDZE: 4188 AIRPORT NAME: LA JUNTA MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 26, AMDT 1	SUP:
				AMDT: ORIG
				DATED: 07/10/2003

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	KOWTO	KOWTO	010	IAF	IF		FB				
	KOWTO	TEKAE	020		TF		FB	1.0	298.7 (308T)	013.4	07000
	TODDE	TODDE	010		IF		FB				
	TODDE	TEKAE	020		TF		FO	2.0	112.2 (121T)	023.5	07000
	TODDE	TEKAE	030	IAF	HF	R	FO		261.0 (270T)	007.0	07000
		TEKAE	010	FACF	IF		FB				07000
		ACERI	020	PAF	TF		FB	0.5	261.0 (270T)	009.9	05700
		RW26	030	MAP	TF		FO	0.3	260.9 (270T)	004.7	04197

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	ZARAT	040		DF		FO	1.0			07000
	ZARAT	050		HM	R	FO	2.0	260.8 (270T)	007.0	07000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ACERI	N380254.31	W1032404.46	N3802.905	W10324.074
	KOWTO	N375441.93	W1025805.95	N3754.697	W10258.099
	TEKAE	N380254.94	W1031133.32	N3802.916	W10311.555
	TODDE	N381507.57	W1033659.43	N3815.126	W10336.991
	ZARAT	N380249.22	W1034823.46	N3802.820	W10348.391
	RW26	N380253.53	W1032958.42	N3802.892	W10329.974

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW26	04154	43

QUALITY
CHECKED

CITY AND STATE LA JUNTA, CO	ELEVATION: 4229 TDZE: 4188	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 26, AMDT 1	SUP:
	AIRPORT NAME: LA JUNTA MUNI			AMDT: ORIG
				DATED: 07/10/2003