

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION NDB STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.27								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.							
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE				ALTITUDE		MAP: JUY NDB					
RUTEL INT BVG NDB		JUY NDB		185.67 / 24.65				2500		CLIMB TO 1200 THEN CLIMBING RIGHT TURN TO 2000 DIRECT JUY NDB AND HOLD. ADDITIONAL FLIGHT DATA: HOLD E, RT, 272.00 INBOUND. FAS OBST: 559 AAO 311956N/0861926W FAC CROSSES RWY C/L EXTENDED 1167 FROM THLD.					
		JUY NDB		267.53 / 21.12				2000							
1. PT <u> L </u> SIDE OF COURSE <u> 092.00 </u> OUTBOUND <u> 1900 </u> FT WITHIN <u> 5 </u> MILES OF <u> JUY NDB </u> (IAF) 2. _____ 3. FAC <u> 272.00 </u> FAF _____ DIST FAF TO MAP _____ THLD _____ 4. MIN. ALT _____ 8. MSA FROM: <u> JUY NDB 2500 </u>										MAG VAR: 2W EPOCH YEAR: 2005					
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: NA		STANDARD @									
CATEGORY =====>		COPTER													
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
H-29	860	1/2	560												
NOTES: CHART PLANVIEW NOTE: NOT FOR CIVIL USE CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CAIRNS AAF ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET.															
CITY AND STATE ANDALUSIA/OPP, AL				ELEVATION: 310 THRE: 300 AIRPORT NAME: SOUTH ALABAMA RGNL AT BILL BENTON FIELD		FACILITY IDENTIFIER: JUY		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: COPTER NDB RWY 29, ORIG 28 JUL 2011				SUP			
												AMDT NONE			
												DATE			

QUALITY
 5
 CHECKED