

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23							Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO		COURSE AND DISTANCE				ALTITUDE		MAP: 1.04 NM AFTER ITO VORTAC						
										CLIMBING RIGHT TURN TO 3000 ON ITO VORTAC R-002 THEN DIRECT ITO VORTAC AND HOLD.						
										ADDITIONAL FLIGHT DATA: HOLD E, LT, 259.00 INBOUND. CHART FAS OBST: 183 TOWER 194355N/1550132W						
1. PT <u>L</u> SIDE OF COURSE <u>079.03</u> OUTBOUND <u>1800</u> FT WITHIN <u>10</u> MILES OF <u>ITO VORTAC</u> (IAF)																
2.																
3. FAC <u>259.03</u> FAF <u>ITO VORTAC</u> DIST FAF TO MAP <u>1.04</u> THLD																
4. MIN. ALT <u>ITO VORTAC 700</u>																
8. MSA FROM: <u>ITO VORTAC 340-070 1500, 070-160 3000, 160-340 15000</u>																
MAG VAR: 11E EPOCH YEAR: 1985																
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD							
CATEGORY =====>		A			B			C			D			E		
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
CIRCLING		500	1	462	500	1	462	500	1 1/2	462	700	2	662			
NOTES:																
CHART NOTE: CIRCLING NA SOUTH OF RWY 8-26																
CHART NOTE: NIGHT LANDING: RWY 21 NA																
CITY AND STATE HILO, HI		ELEVATION: 38 AIRPORT NAME: HILO INTL			TDZE:		FACILITY IDENTIFIER: ITO		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR-B, ORIG-C 10 NOVEMBER 2016					SUP AMDT DATE		
														ORIG-B 03/12/2009		

