

U.S. Department
of Transportation

800 Independence Ave., S.W.
Washington, D.C. 20591

**Federal Aviation
Administration**

Transmittal Letter 15-26

November 26, 2015

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME,
LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
10-Dec-15	MN	Mankato	Mankato Rgnl	5/7273	10/23/15	RNAV (GPS) RWY 33, Orig

EFFECTIVE 10 DECEMBER 2015

FDC **5/7273** MKT IAP MANKATO RGNL, MANKATO, MN. RNAV (GPS) RWY 33, ORIG... LNAV MDA/HAT 1380/359 ALL CATS, VIS CAT C/D 5/8. CIRCLING CAT A MDA/HAA 1460/439. CHANGE LOCAL ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WASECA ALTIMETER SETTING: INCREASE LPV DA TO 1278 FT, LNAV/VNAV DA TO 1432 FT AND LNAV/VNAV VISIBILITY 1/8 MILE ALL CATS; INCREASE ALL MDA 60 FT AND LNAV CATS C AND D VISIBILITY 1/8 MILE. CHART NOTE: FOR INOPERATIVE MALSR, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 1/8 MILE AND LNAV CATS C AND D VISIBILITY TO 1 MILE. CHANGE WHEN USING WASECA ALTIMETER SETTING NOTE TO READ: FOR INOPERATIVE MALSR WHEN USING WASECA ALTIMETER SETTING, INCREASE LPV ALL CATS VISIBILITY TO 7/8 MILE AND LNAV CAT C AND D VISIBILITY TO 1 1/8 MILE. DELETE NOTE: INOPERATIVE TABLE DOES NOT APPLY TO LNAV CAT D. CHART VDP AT 0.98 MILES TO RW33*. CHART FAS OBST 1124 TREE 441304N/0935430W. THIS IS RNAV (GPS) RWY 33 ORIG-A. 1509091455-PERM