

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> 54J	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 27	<u>ORIGINAL/AMENDMENT</u> 2A	<u>CITY</u> DEFUNIAK SPRINGS	<u>STATE</u> FL		
<u>AIRPORT ELEVATION</u> 289	<u>TDZE</u> 288	<u>SUPERSEDED</u> RNAV (GPS) RWY 27	<u>ORIGINAL/AMENDMENT</u> 2	<u>DATED</u> 05/24/2018	<u>MAG VAR</u> 4W	<u>EPOCH YEAR</u> 2020
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 31 DECEMBER 2020	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
DARED		LAARA		TF	FB	1.00	201.95	12.11	3000
BRUSE	IAF	DAYWU		TF	FB	1.00	347.85	18.97	3000
LAARA	IAF	DAYWU		TF	FB	1.00	195.29	4.75	3000
DAYWU	IF	JAVAL		TF	FB	1.00	274.49	5.53	2000
JAVAL	FAF	RW27	MAP	TF	FO	0.30	274.43	5.26	
RW27	MAP	689 MSL		CA			274.43		
689 MSL		LAARA		DF	FO	1.00			3000

MISSED APPROACH

MAP:

LP: RW27
LNAV: RW27

MISSED APPROACH INSTRUCTIONS:

CLIMBING RIGHT TURN TO 3000 DIRECT LAARA AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF

(IAF)

2. PROFILE STARTS AT DAYWU

3. FAC: 274.43FAF: JAVALDIST FAF TO MAP: 5.26DIST FAF TO THLD: 5.26

4. MIN ALT: DAYWU 3000, JAVAL 2000

5. DIST TO THLD FROM OM:MM:IM:150 HAT:GS ANT:

6. MIN GP INCPT:GP ALT AT FAF :OM:MM:IM:

7. GP ANGLE:34:1: IS NOT CLEAR20:1: IS CLEARTCH:

8. MSA FROM: RW27 3100

PBN REQUIREMENTS NOTE:

RNP APCH.

NOTES:

CHART NOTE: CIRCLING NA TO RWYS 18 AND 36.
CHART NOTE: CIRCLING RWY 9 NA AT NIGHT.
CHART NOTE: RWY 27 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT DARED ON V241 EASTBOUND.

ADDITIONAL FLIGHT DATA:

HOLD E, RT, 275.31 INBOUND.
CHART FAS OBST: 617 TOWER 304403N/0860647W.
CHART 670 TOWER 304333N/0860244W.
CHART EGLIN D MOA.
CHART R-2914A.
CHART TYNDALL B MOA.
CHART VDP AT 1.73 NM TO RW27.
WAAS CHANNEL # 97725
REFERENCE PATH ID: W27A
CHART CIRCLING ICON.
CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.
LTP HAE: 57.2 M

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD - NA WHEN LOCAL WEATHER NOT AVAILABLE.

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LP MDA	880	1	592	880	1	592		NA			NA				
LNAV MDA	880	1	592	880	1	592		NA			NA				
CIRCLING	880	1	591	920	1	631		NA			NA				



CHANGES - REASONS

1. REMOVED CHART NOTE: DME/DME RNP -0.3 NA ADDED PBN REQUIREMENTS NOTE: RNP APCH - IAW. 19H 4-6-10(E), 8-6-8(B).
2. CHANGED CHART NOTE FROM: CIRCLING RWY 9, 36 NA AT NIGHT TO CIRCLING RWY 9 NA AT NIGHT - INCORPORATES NOTAM 0/4054.
3. ADDED CHART NOTE: CIRCLING NA TO RWYS 18 AND 36 - INCORPORATES NOTAM 0/4054.
4. ADDED NA WHEN LOCAL WEATHER NOT AVAILABLE TO ALTERNATE MINIMUMS - IAW 8260.19H 8-6-11.B (4).

COORDINATED WITH:

A4A ☐ **ALPA** ☒ **AOPA** ☒ **APA** ☐ **HAI** ☐ **NBAA** ☒ **OTHER:** ZJX, EGLIN APP CON, AMGR

FLIGHT CHECKED BY

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJF-10) MEMO, APRIL 29, 2020, SUBJECT:
FLIGHT INSPECTION REVIEW NOT REQUIRED

DEVELOPED BY

WARDELL HENNING (KATHERINE EUBANKS)

APPROVED BY

LONNIE EVERHART

Digitally signed by

JON DENTON

Nov 02, 2020

Digitally signed by

JON DENTON

Nov 02, 2020

OFFICE

Digitally signed by

JON DENTON

Nov 02, 2020

DATE**OFFICE**

AJV-A432

DATE

07/29/2020

OFFICE

AJV-A430

DATE**TITLE**

MANAGER

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	54J
RUNWAY	RW27
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W27A
LTP/FTP LATITUDE	304357.3100N
LTP/FTP LONGITUDE	0860858.1500W
LTP/FTP ELLIPSOIDAL HEIGHT	+00572
FPAP LATITUDE	304357.8910N
FPAP LONGITUDE	0861041.5290W
THRESHOLD CROSSING HEIGHT (TCH)	00000.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	00.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1672
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0
CRC REMAINDER	BE861B44

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+00846
FPAP ORTHOMETRIC HEIGHT	+00846

