

U.S. Department of Transportation  
Federal Aviation Administration

**RNAV STANDARD  
INSTRUMENT APPROACH PROCEDURE  
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	T O	COURSE AND DISTANCE	ALTITUDE	GLS: NA LNAV/VNAV NA LNAV: RW36
IGB VORTAC	UZZKUP WP (TF) (FB)	209.31/5.65	2500	CLIMB TO 1000 THEN CLIMBING LEFT TURN TO 2500 DIRECT CLOUT WP AND HOLD.
CLOUT WP	ZURXU WP (TF) (FB)	131.93/7.06	2500	
UZZKUP WP (IAF)	YOQED WP (NO PT) (TF) (FB)	270.46/5.00	2500	
ZURXU WP (IAF)	YOQED WP (NO PT) (TF) (FB)	090.36/5.00	2500	
YOQED WP (IF/IAF)	VISUE WP (TF) (FB)	000.41/5.00	2000	
RW36 (MAP)	CLOUT WP (DF) (FO)		2500	ADDITIONAL FLIGHT DATA: HOLD W, RT, 086 INBOUND.  FAS OBST: 369 TREE 333212/884014.

1. PT NA SIDE OF COURSE OUTBOUND FT WITHIN            MILES OF            (IAF)  
2. **HOLD S YOQED WP, RT, 000.41 INBOUND, 2500 FT. IN LIEU OF PT (IAF)**  
3. FAC: 000.41 FAF: VISUE WP DIST FAF TO MAP:            - THLD: 5.51  
4. MIN. ALT: **YOQED WP 2500, VISUE WP 2000**  
5. DIST TO THLD FROM OM:            MM:            IM:            150 HAT:            100 HAT:            GS ANT:             
6. MIN GS INCPT:            GS ALT AT:            OM:            MM:            IM:             
7. GS ANGLE:            TCH: 34:1 IS CLEAR  
8. MSA FROM: **RW36 3400**

CHART: 389 TREE 332918/884118

VISUE WP TO RW36: 3.00/40.

CHART: A-440.

FINAL SEGMENT: (TF).

MAG VAR: 0

EPOCH YEAR: 95

**MINIMUMS**

TAKEOFF:		STANDARD	X	SEE FAA FORM	8260-15	FOR THIS AIRPORT	ALTERNATE: N	A	X							
CATEGORY		A			B			C			D			E		
		DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA
GLS	DA		NA			NA			NA			NA				
LNAV/VNAV	DA		NA			NA			NA			NA				
LNAV	MDA	660	1	457	660	1	457	660	1 1/4	457		NA				
CIRCLING		920	1	715	1020	1 1/4	815	1020	2 1/2	815		NA				

NOTES:  
USE COLUMBUS AFB ALTIMETER SETTING.  
GPS OR RNP-0.3 REQUIRED. DME/DME RNP-0.3 NA.

CITY AND STATE  WEST POINT, MS	ELEVATION: 205 TDZE: 203 AIRPORT NAME: MCCHAREN FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>DEC 27 2001</b> RNAV (GPS) RWY 36, ORIG	SUP:
				AMDT: NONE
				DATED