

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
25-Jun-15	MS	West Point	Mccharen Field	5/3458	04/30/15	RNAV (GPS) RWY 36, Orig-A

EFFECTIVE 25-JUN-2015

FDC **5/3458** M83 IAP MCCHAREN FIELD, WEST POINT, MS. RNAV (GPS) RWY 36, ORIG-A... CHANGE ALTIMETER SETTING NOTE TO READ: USE GOLDEN TRIANGLE RGNL ALTIMETER SETTING, WHEN NOT RECEIVED, USE COLUMBUS ALTIMETER SETTING. DELETE NOTE: GPS OR RNP-0.3 REQUIRED. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: PROCEDURE NA AT NIGHT. 34:1 IS NOT CLEAR. THIS IS RNAV (GPS) RWY 36 ORIG-B. 1504281831-PERM