

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| <u>DP NAME</u> | <u>NUMBER</u> | <u>DP COMPUTER CODE</u> | <u>SUPERSEDED NUMBER</u> | <u>DATED</u> | <u>ACTUAL EFFECTIVE DATE</u> |
|----------------|---------------|-------------------------|--------------------------|--------------|------------------------------|
| MARFA | TWO | MARFA2.MRF | | | 26 DECEMBER 2024 |

| <u>TYPE:</u> | <u>OBSTACLE</u> | <u>COPTER</u> | <u>SID</u> | <u>SPECIAL</u> | <u>RNAV</u> |
|--------------|-------------------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|
| | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

DP ROUTE DESCRIPTION:

TAKEOFF RUNWAY 07: CLIMB ON COURSE 069.35 TO FONOS, THEN ON TRACK 063.87 TO SOCCR, THEN ON TRACK 349.36 TO CROSS COMAE AT OR ABOVE 15000, THEN ON TRACK 317.13 TO MRF VOR/DME.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

| <u>TRANSITION NAME</u> | <u>TRANSITION COMPUTER CODE</u> | <u>FROM FIX/NAVAID</u> | <u>TO FIX/NAVAID</u> | <u>COURSE</u> | <u>DISTANCE</u> | <u>MEA</u> | <u>MOCA</u> | <u>CROSSING ALTITUDE/FIXES</u> |
|------------------------|-------------------------------------|----------------------------|--------------------------|---------------|-----------------|------------|-------------|------------------------------------|
|------------------------|-------------------------------------|----------------------------|--------------------------|---------------|-----------------|------------|-------------|------------------------------------|

PBN REQUIREMENT NOTES:

RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

PROCEDURAL DATA NOTES:

TAKEOFF MINIMUMS:

RWY 07: STANDARD WITH MINIMUM CLIMB OF 350 FT PER NM TO 7000.

RWY 25: NA-ENVIRONMENTAL

TAKEOFF OBSTACLES NOTES:

CONTROLLING OBSTACLES:

3320 MSL AAO 291818.00N/1033712.00W (CLIMB GRADIENT), 5880 MSL AAO 292507.79N/1032603.57W (CGTA).

MSA:

T89 9100

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAGVAR: T89: 9E EPOCH YR 2000

DME/DME ASSESSMENT: NOT CONDUCTED

CHART: TOP ALTITUDE: ASSIGNED BY ATC

AIRPORTS SERVED:

| <u>AIRPORT ID</u> | <u>CITY</u> | <u>STATE</u> |
|-------------------|-------------|--------------|
| T89 | LAJITAS | TX |

MARFA

TWO

MARFA2.MRF

26 DECEMBER 2024

ZAB, UNICOM

PROCEDURE CONVERTED FROM SPECIAL TO PUBLIC PROCEDURE. NAME CHANGE ONLY.

CHRISTIAN F. BAUR

CHRISTIAN F. BAUR Digitally signed by CHRISTIAN F. BAUR
Date: 2024.10.05 17:58:48 -05'00'

HAC

09/04/2024

JOSH MATTHEWS

Josh Matthews Digitally signed by Josh Matthews
Date: 2024.10.05 17:59:03 -05'00'

HAC

09/04/2024

TONY LAWSON

Tony Lawson Digitally signed by Tony Lawson
Date: 2024.10.05 17:59:14 -05'00'

HAC

09/04/2024

CHIEF DESIGNER

ROUTINE

A4A ☐ ALPA ☐ AOPA ☐ APA ☐ HAI ☐ NBAA ☐ OTHER:ZAB, AMGR

CONCURRENT WITH RNAV (GPS) RWY 7 ORIG, RNAV (GPS) Y RWY 25 ORIG, RNAV (GPS) Z RWY 25 ORIG

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)

| <u>DP NAME</u> | | <u>NUMBER</u> | | <u>DP COMPUTER CODE</u> | | <u>SUPERSEDED NUMBER</u> | | <u>DATED</u> | <u>ACTUAL EFFECTIVE DATE</u> |
|-------------------|------------------------|---------------|--------------|-------------------------|-----------|--------------------------|-----------------|--------------|------------------------------|
| MARFA | | TWO | | MARFA2.MRF | | | | | 26 DECEMBER 2024 |
| <u>FIX/NAVAID</u> | <u>LAT/LONG</u> | <u>C</u> | <u>FO/FB</u> | <u>LEG TYPE</u> | <u>TC</u> | <u>DIST (NM)</u> | <u>ALTITUDE</u> | <u>SPEED</u> | <u>REMARKS</u> |
| RW07 (AER) | 291631.15N/1034144.81W | N | | | | | | | |
| FONOS | 291721.75N/1033704.58W | Y | FB | CF | 078.35 | 4.17 | | | CG 350 PER NM TO 7000 |
| SOCCR | 292107.09N/1032307.38W | Y | FB | TF | 072.87 | 12.76 | | | |
| COMAE | 293422.11N/1032333.41W | Y | FB | TF | 358.36 | 13.22 | AT/ABOVE 15000 | | |
| MRF VOR/DME | 301754.14N/1035717.12W | Y | FB | TF | 326.13 | 52.39 | | | |