

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.			
TERMINAL ROUTES				MISSED APPROACH			
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LPV: DA LNAV/VNAV: NA LNAV: RW35 CLIMB TO 3200 DIRECT WALIG AND HOLD. ADDITIONAL FLIGHT DATA: HOLD N, RT, 167.78 INBOUND. FAS OBST: 1259 TREE 333639N / 0850915W 1400 TOWER 333234N / 0850713W DIST TO THLD FROM 250 HAT: 0.73 NM * CHART VDP AT 1.37 NM TO RW35 * LNAV ONLY. ROUTE TYPE DESCRIPTION: A, R APCH ROUTE QUALIFIER 1: W, J APCH ROUTE QUALIFIER 2: S WAAS CHANNEL: 60907 REFERENCE PATH ID: W35A MAG VAR: 4W EPOCH YEAR: 05			
POSIY (IAF) (40E) (43A)	JUGIL (NoPT) (TF) (FB) (40E) (41E)	257.92 / 5.00	3200				
ONOUY (IAF) (40E) (43A)	JUGIL (NoPT) (TF) (FB) (40E) (41E)	077.82 / 5.00	3200				
JUGIL (IF / IAF) (40E) (43I)	TACUL (TF) (FB) (40E) (43F)	347.87 / 6.70	2900				
RW35 (MAP) (40G) (41Y) (43M)	1390 MSL (CA) (42M)	347.85					
1390 MSL	WALIG (DF) (FO) (40E) (41E) (43H)		3200				
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. <u>HOLD S JUGIL, RT, 347.87 INBOUND, 3200 FT. IN LIEU OF PT (IAF) (40E) (41E) (43C)</u> 3. FAC: <u>347.85</u> FAF: <u>TACUL</u> DIST FAF TO MAP: <u>5.39</u> THLD: <u>5.39</u> 4. MIN. ALT: <u>JUGIL 3200, TACUL 2900</u> 5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u> 6. MIN GS INCPT: <u>2900</u> GS ALT AT: <u> </u> OM: <u> </u> MM: <u> </u> IM: <u> </u> 7. GS ANGLE: <u>3.00</u> TCH: <u>46.9</u> <u>34:1 IS CLEAR</u> 8. MSA FROM: <u> </u>							
MINIMUMS							
TAKEOFF: <input checked="" type="checkbox"/> STANDARD		SEE FAA FORM 8260-15A FOR THIS AIRPORT		ALTERNATE: <input type="checkbox"/> N A		STANDARD @	
CATEGORY <u> </u>	A		B		C		D
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA
LPV DA	1390	1	250	1390	1	250	1390
LNAV/VNAV DA		NA			NA		
LNAV MDA	1580	1	440	1580	1	440	1580
CIRCLING	1680	1	499	1680	1	519	1680
NOTES: CHART NOTES: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE NEWNAN ALTIMETER SETTING AND INCREASE DA TO 1480 FEET; INCREASE ALL MDA'S 100 FEET. DME/DME RNP-0.3 NA. VDP NA WHEN USING NEWNAN ALTIMETER SETTING. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.							
CITY AND STATE CARROLLTON, GA		ELEVATION: 1161 TDZE: 1140		FACILITY IDENTIFIER: RNAV		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: MAR 17 2005 RNAV (GPS) RWY 35, ORIG	
		AIRPORT NAME: WEST GEORGIA REGIONAL-O V GRAY FIELD				SUP: AMDT: NONE	
						DATE	

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
 FLIGHT STANDARDS SERVICES TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

<u>TAA</u>	<u>FROM</u>	<u>TO</u>	<u>ALT</u>
1.	258/30 CW 078/30	258/24 CW 078/24	3500
2.	258/24 CW 078/24	JUGIL (IF / IAF) (NoPT)	3200
3.	078/30 CW 168/30	ONOU (IAF)	3200
4.	168/30 CW 258/30	POSIY (IAF)	3200

CITY AND STATE CARROLLTON, GA	ELEVATION: 1161 TDZE: 1140	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: MAR 17 2005 RNAV (GPS) RWY 35, ORIG	SUP:
	AIRPORT NAME: WEST GEORGIA REGIONAL-O V GRAY FIELD			AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV

STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE 0
SBAS SERVICE PROVIDER IDENTIFIER 0
AIRPORT IDENTIFIER KCTJ
RUNWAY RW35
APPROACH PERFORMANCE DESIGNATOR 0
ROUTE INDICATOR
REFERENCE PATH DATA SELECTOR 0
REFERENCE PATH DATA IDENTIFIER (APPROACH ID) W35A
LTP/FTP LATITUDE 333727.9800N
LTP/FTP LONGITUDE 0850859.0900W
LTP/FTP ELLIPSOIDAL HEIGHT +03094
FPAP LATITUDE 333820.2400N
FPAP LONGITUDE 0850917.2100W
THRESHOLD CROSSING HEIGHT (TCH) 00046.9
TCH UNITS SELECTOR (METERS OR FEET USED) F
GLIDEPATH ANGLE (GPA) 03.00
COURSE WIDTH AT THRESHOLD 099.00
LENGTH OFFSET 0000
HORIZONTAL ALERT LIMIT (HAL) 40.0
VERTICAL ALERT LIMIT (VAL) 50.0

CRC REMAINDER

29078A4F

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE K7
LTP ORTHOMETRIC HEIGHT +03384
FPAP ORTHOMETRIC HEIGHT +03384

CITY AND STATE	ELEVATION: 1161 TDZE: 1140	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
CARROLLTON, GA	AIRPORT NAME: WEST GEORGIA REGIONAL-O V GRAY FIELD	RNAV	MAR 17 2005 RNAV (GPS) RWY 35, ORIG	AMDT: NONE
				DATED: