

**Federal Aviation  
Administration**

**Transmittal Letter 24-09**

**March 1, 2024**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
4/18/2024	MO	Cape Girardeau	Cape Girardeau Rgnl	4/0787	2/5/2024	RNAV (GPS) RWY 28, Amdt 1A

**AIRAC Date: 18 APRIL 2024**

FDC 4/0787 CGI IAP CAPE GIRARDEAU RGNL, CAPE GIRARDEAU, MO. RNAV (GPS) RWY 28, AMDT 1A... LPV VISIBILITY 1 ALL CATS. LNAV/VNAV DA ALL CATS 848/HAT 507, VIS 1 3/8. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH - GPS. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CAIRO ALTIMETER SETTING AND INCREASE LPV DA TO 771 FT AND ALL VISIBILITIES 1/8 SM. INCREASE LNAV/VNAV DA TO 896 FT; INCREASE ALL MDAS 60 FT AND LNAV AND CIRCLING VISIBILITY CATS C/D 1/4 SM. CHANGE NOTE TO READ: FOR INOPERATIVE ALS, INCREASE LPV CAT A/B VISIBILITY TO 1 1/8 SM. INOPERATIVE TABLE DOES NOT APPLY TO LNAV/VNAV ALL CATS. FOR INOPERATIVE ALS WHEN USING CAIRO ALTIMETER SETTING, INCREASE LPV CAT A/B VISIBILITY TO 1 1/8 SM. CHANGE NOTE TO READ: RWY 28 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE ASTERISK FROM MINIMUM ALTITUDE: OLACI/2.10 NM TO RW28 1040\*. DELETE ASTERISK FROM VDP \*1.6 NM TO RW28. DELETE PROFILE NOTE: \*LNAV ONLY. THIS IS RNAV (GPS) RWY 28, AMDT 1B. 2402021623-PERM