

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
VOR STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
				MAP: OLU VOR/DME
				CLIMB TO 3200 THEN LEFT TURN DIRECT OLU VOR/DME AND HOLD.
				ADDITIONAL FLIGHT DATA: HOLD SE, RT, 329.00 INBOUND. CHART FAS OBST: 1637 TOWER 412808N/0971949W CHART 1661 TOWER 412944N/0972223W. CHART VDP AT 1.77 DME; DISTANCE VDP TO THLD 1.17 MILES. CHART APT ELEV 1447, TDZE 1447 CHRIS TO RW14: 3.11/40 CHART PLANVIEW NOTE: MAXIMUM ENTRY ALTITUDE 6000 AT OLU VOR/DME

1. PT R SIDE OF COURSE 309.20 OUTBOUND 3200 FT WITHIN 10 MILES OF OLU VOR/DME (IAF)
 2. _____
 3. FAC 129.20 FAF _____ DIST FAF TO MAP _____ THLD _____
 4. MIN. ALT CHRIS/OLU 2.70 DME 2180
 8. MSA FROM: OLU VOR/DME 180-360 4800, 360-180 3400

MAG VAR: 8E

EPOCH YEAR: 1980

MINIMUMS

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A		STANDARD @					
CATEGORY =====>	A			B			C			D			E			
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
S-14	2180	1	733	2180	1	733	2180	2	733	2180	2 1/4	733				
CIRCLING	2180	1	733	2180	1	733	2180	2	733	2180	2 1/4	733				

CHRIS FIX MINIMUMS

S-14	1860	1	413	1860	1	413	1860	1 1/4	413	1860	1 1/4	413				
CIRCLING	1940	1	493	1940	1	493	1940	1 1/2	493	2040	2	593				

NOTES:

CHART NOTE: INOPERATIVE TABLE DOES NOT APPLY.

@ CAT D 800-2 1/4

CITY AND STATE COLUMBUS, NE	ELEVATION: 1447 TDZE: 1447	FACILITY IDENTIFIER: OLU	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR RWY 14, AMDT 14A JUN 5 2008	SUP
	AIRPORT NAME: COLUMBUS MUNI			AMDT 14
				DATE 03/15/2007

