

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radiotelephone frequencies are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
SWALL	HUBAX (FB)	010.55 / 14.28	3200	LPV: DA LNAV/VNAV: DA LNAV: RW36 CLIMB TO 3100 DIRECT LALIC AND HOLD. ADDITIONAL FLIGHT DATA: HOLD N, RT, 181.34 INBOUND. CHART FAS OBST: 1279 TREE 361040N/0942945W CHART FAS OBST: 1487 TOWER 360907N/0943056W DISTANCE TO THLD FROM 250 HAT: 0.64 NM. CHART VDP AT 1.36 MILES TO RW36* LNAV ONLY. WAAS CHANNEL # 63105 REFERENCE PATH ID: W36A
RZC VORTAC	SODDO (FB)	218.82 / 20.65	3200	
SODDO (IAF)	CUVIT (NOPT) (FB)	271.38 / 5.00	3200	
HUBAX (IAF)	CUVIT (NOPT) (FB)	091.26 / 5.00	3200	
CUVIT (IF/IAF)	DIBAY (FB)	001.32 / 5.20	2800	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD S CUVIT, RT, 001.32 INBOUND, 3200 FT. IN LIEU OF PT (IAF)
- FAC: 001.32 FAF: DIBAY DIST FAF TO MAP: 4.87 THLD: 4.87
- MIN. ALT: CUVIT 3200, DIBAY 2800
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: 2800 GS ALT AT: DIBAY OM: MM: IM:
- GS ANGLE: 3.00 TCH: 52.0 34:1 IS NOT CLEAR
- MSA FROM: RW36 3600

MAG VAR: 4E

EPOCH YEAR: 1995

MINIMUMS

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N/A	STANDARD @											
CATEGORY	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LPV DA	1431	1	250	1431	1	250	1431	1	250	1431	1	250				
LNAV/VNAV DA	1549	1 1/4	368	1549	1 1/4	368	1549	1 1/4	368	1549	1 1/4	368				
LNAV MDA	1660	1	479	1660	1	479	1660	1 1/4	479	1660	1 1/2	479				
CIRCLING	1660	1	469	1720	1	529	1720	1 1/2	529	1760	2	569				

NOTES:

CHART NOTE: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE NORTHWEST ARKANSAS REGIONAL ALTIMETER SETTING AND INCREASE ALL DAS/MDAS 40 FEET.

CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 46C (114F).

CHART NOTE: DME/DME RNP-0.3 NA.

SEE 8260-10

@ N/A WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE SILOAM SPRINGS, AR	ELEVATION: 1191 TDZE: 1181 AIRPORT NAME: SMITH FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO.: RNAV (GPS) RWY 36, ORIG OCT 25 2007	SUP: AMDT: NONE DATED
---	---	-------------------------------------	---	------------------------------------