

**Federal Aviation
Administration**

Transmittal Letter 22-23

September 16, 2022

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
11/3/2022	ND	Grafton	Hutson Fld	2/6790	8/26/2022	RNAV (GPS) RWY 17, Orig

AIRAC Date: 3 NOVEMBER 2022

FDC 2/6790 GAF IAP HUTSON FLD, GRAFTON, ND. RNAV (GPS) RWY 17, ORIG... AIRPORT ELEVATION 825. CIRCLING CATS A/B HAA 515, CAT C MDA 1440/HAA 615, VIS CAT C 1 3/4. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH - GPS. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART NOTE: RWY 17 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHANGE NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16 C OR ABOVE 54 C. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE GRAND FORKS INTL ALTIMETER SETTING: INCREASE LPV DA TO 1141 FEET AND ALL VISIBILITIES 1/4 SM; INCREASE LNAV/VNAV DA TO 1297 FEET AND ALL VISIBILITIES 1/4 SM; INCREASE ALL MDAS 80 FEET AND VISIBILITY LNAV AND CIRCLING CAT C 1/4 SM. CHART NOTE: CIRCLING NA TO RWYS 8 AND 26. THIS IS RNAV (GPS) RWY 17, ORIG-A. 2208251247-PERM