

**Federal Aviation
Administration**

Transmittal Letter 22-21

August 19, 2022

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
10/6/2022	AL	Eufaula	Weedon Fld	2/3014	8/5/2022	VOR RWY 18, Amdt 8B

AIRAC Date: 6 OCTOBER 2022

FDC 2/3014 EUF IAP WEEDON FLD, EUFAULA, AL. VOR RWY 18, AMDT 8B... S-18 VIS CATS C/D 2. AFENY FIX MINIMUMS S-18 VIS CAT D 1 3/4. DELETE NOTE: *1080 WHEN USING COLUMBUS, GA ALTIMETER SETTING. CHART NOTE: *1140 WHEN USING COLUMBUS, GA ALTIMETER SETTING. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE COLUMBUS, GA ALTIMETER SETTING AND INCREASE ALL MDAS 100 FEET AND S-18 VISIBILITY CAT C/D 1/2 SM AND CIRCLING CATS A/C/D 1/4 SM; INCREASE AFENY FIX MINIMUMS S-18 CATS C/D AND CIRCLING CATS A/C/D 1/4 SM. CHART 676 TOWER 320213N/085074. FAC CROSSES RWY C/L EXTENDED 1919 FT FROM THLD. DELETE CLAYTON AWOS-3, 118.775. THIS IS VOR RWY 18, AMDT 8C. 2208031258-PERM