

**Federal Aviation
Administration**

Transmittal Letter 21-15

MAY 28, 2021

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
7/15/2021	LA	Natchitoches	Natchitoches Rgnl	1/4700	4/26/2021	RNAV (GPS) RWY 35, Amdt 1A

Airac Date: 15 JULY 2021

FDC 1/4700 IER IAP NATCHITOCHES RGNL, NATCHITOCHES, LA. RNAV (GPS) RWY 35, AMDT 1A... CIRCLING CAT C MDA 860/HAA 739, VISIBILITY CAT C 2. CHANGE UNCOMPENSATED BARO-VNAV NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C OR ABOVE 54C. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ALEXANDRIA INTL ALTIMETER SETTING: INCREASE LPV DA TO 462 FEET; INCREASE LNAV/VNAV DA TO 577 FEET AND VISIBILITY ALL CATS 1/4 SM; INCREASE ALL MDA 100 FEET AND LNAV CAT C VISIBILITY 1/4 SM AND CIRCLING CAT C VISIBILITY 1/2 SM. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH. THIS IS RNAV (GPS) RWY 35, AMDT 1B.
2104231331-PERM