

**Federal Aviation
Administration**

Transmittal Letter 19-26

November 1, 2019

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
12/5/2019	CA	Palm Springs	Palm Springs Intl	9/1391	10/24/2019	RNAV (RNP) Z RWY 13R, Amdt 1

AIRAC Date: 5 DECEMBER 2019

FDC 9/1391 PSP IAP PALM SPRINGS INTL, Palm Springs, CA. RNAV (RNP) Z RWY 13R, AMDT 1... 20:1 IS CLEAR. DELETE NOTE: GPS REQUIRED. DELETE NOTE: RF REQUIRED. PBN REQUIREMENTS NOTE: RNP AR APCH, RF REQUIRED. DELETE NOTE: PROCEDURE NA WHEN CONTROL TOWER CLOSED. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW 1C OR ABOVE 54C. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW 1C (34F) OR ABOVE 54C (130F). ALTERNATE MINIMUMS: STANDARD, NA WHEN CONTROL TOWER CLOSED. THIS IS RNAV (RNP) Z RWY 13R, AMDT 1A. 1910241414-PERM