

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JAYSN (RNAV)	ONE	JAYSN.JAYSN1	NONE		02/25/2021

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
BYRDY	BYRDY.JAYSN1	BYRDY	BYRDY						
			JAYSN	097.60	18.06	12000	7200		AT/BELOW FL190

ARRIVAL ROUTE DESCRIPTION:

FROM JAYSN ON TRACK 097.53/10.00 TO WAPID.

LANDING RWY 1L/R: FROM WAPID ON TRACK 139.23/15.41 TO CROSS PESHY AT OR ABOVE 15000 AND AT 250 KIAS, THEN ON TRACK 165.59/8.50 TO CROSS PAIRR AT OR ABOVE 14200, THEN ON TRACK 165.60/12.95 TO CROSS MEZKL AT OR BELOW 12000, THEN ON TRACK 150.65/6.34 TO LOOMI, THEN ON TRACK 117.92/7.13 TO CROSS ZINPI AT OR ABOVE 10000, THEN ON TRACK 080.84/5.11 TO BAUMM, THEN ON TRACK 030.29/5.03 TO CROSS ROAMN AT 8000 AND AT 210 KIAS, THEN ON TRACK 030.29. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 8L/R: FROM WAPID ON TRACK 139.23/15.41 TO CROSS PESHY AT OR ABOVE 15000 AND AT 250 KIAS, THEN ON TRACK 165.59/8.50 TO CROSS PAIRR AT OR ABOVE 14200, THEN ON TRACK 165.60/12.95 TO CROSS MEZKL AT OR BELOW 12000, THEN ON TRACK 150.65/6.34 TO LOOMI, THEN ON TRACK 117.92/7.13 TO CROSS ZINPI AT OR ABOVE 10000, THEN ON TRACK 080.84/5.11 TO BAUMM, THEN ON TRACK 006.28/7.98 TO CROSS YAGGR AT 8000 AND AT 210 KIAS, THEN ON HEADING 004.58 OR AS ASSIGNED BY ATC. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 19L/R: FROM WAPID ON TRACK 080.51/9.54 TO CROSS KEEKE AT OR ABOVE 12000, THEN ON TRACK 103.82/6.75 TO ECAKO, THEN ON TRACK 117.65/3.09 TO CROSS DRXLR AT OR ABOVE 10000, THEN ON TRACK 117.89/5.06 TO CROSS MYSHL AT OR ABOVE 8700, THEN ON TRACK 117.94/9.30 TO CROSS CUEVS AT OR ABOVE 6100, THEN ON TRACK 118.03/6.55 TO CROSS KORYN AT 4800, THEN ON TRACK 118.03. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 26L/R: FROM WAPID ON TRACK 139.23/15.41 TO CROSS PESHY AT OR ABOVE 15000 AND AT 250 KIAS, THEN ON TRACK 139.19/8.60 TO CROSS NEEMA AT OR ABOVE 14200, THEN ON TRACK 114.88/15.06 TO CROSS ENNVY AT OR ABOVE 11000, THEN ON TRACK 082.92/12.02 TO CROSS REDQN AT OR ABOVE 9000 AND AT 210 KIAS, THEN ON TRACK 083.06/2.40 TO TWAFL, THEN ON TRACK 079.32/2.17 TO CROSS BERBN AT 8000 AND AT 210 KIAS, THEN ON TRACK 079.32. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED

NOTE: RNAV 1

NOTE: GPS REQUIRED

NOTE: TURBOJET AIRCRAFT ONLY

CHART NOTE: DO NOT FILE--TO BE ASSIGNED BY ATC.

FIXES AND/OR HOLDING PATTERNS:

COMMUNICATIONS:

D-ATIS, APP CON, TWR.

AIRPORTS SERVED:

MC CARRAN INTL, LAS VEGAS, NV (KLAS)

QUALITY
14
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JAYSN (RNAV)	ONE	JAYSN.JAYSN1	NONE		02/25/2021

LOST COMMUNICATIONS PROCEDURE:

LANDING RUNWAY 1L: AT ROAMN EXECUTE ILS OR LOC RWY 1L APPROACH.

LANDING RUNWAY 8R: AT YAGGR EXECUTE RNAV (RNP) RWY 8R APPROACH, IF UNABLE, PROCEED VISUALLY VIA LAST TRACK TO INTERCEPT THE FINAL APPROACH COURSE; IF UNABLE, MAINTAIN 7000 DIRECT LAS VORTAC THEN DIRECT BLD VORTAC AND EXECUTE ILS OR LOC RWY 26L APPROACH.

LANDING RUNWAY 19L: AT KORYN PROCEED VISUALLY VIA LAST TRACK TO INTERCEPT THE FINAL APPROACH COURSE; IF UNABLE, MAINTAIN 7000 PROCEED DIRECT LAS VORTAC THEN DIRECT BLD VORTAC AND EXECUTE ILS OR LOC RWY 26L APPROACH.

LANDING RUNWAY 26L: AT BERBN EXECUTE ILS OR LOC RWY 26L APPROACH.

LANDING RUNWAY 26R: AT BERBN EXECUTE ILS OR LOC RWY 26R APPROACH.

REMARKS:

FIX BAUMM UTILIZES 25 DEGREE BANK ANGLE COUPLED WITH 39 KNOT TAILWIND COMPONENT.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: UNSAT.

REFERENCE MAGNETIC VARIATION = KLAS 11E/2020

CHART AT KORYN TERMINUS: KLAS LDG RWY 19L/R

CHART AT BERBN TERMINUS: KLAS LDG RWY 26L/R

CHART AT YAGGR TERMINUS: KLAS LDG RWY 8L/R

CHART AT ROAMN TERMINUS: KLAS LDG RWY 1L/R

FLIGHT INSPECTED BY:

SCOTT A THOMPSON

Name

FICO
Organization

3/6/2020

Date

Digitally signed by
JACOB POWERS
Mar 17, 2020

Signature

DEVELOPED BY:

BRADLEY MAYHUGH, LAS METROPLEX PROJECT
MANAGER

Name

DENVER ARTCC

Organization

9/02/2019

Date

Digitally signed by
JACOB POWERS
Mar 17, 2020

Signature

APPROVED BY:

PAT MULQUEEN, MANAGER

Name

AJV-A440

Organization

Date

Digitally signed by
JACOB POWERS
Mar 17, 2020

Signature

CHANGES:

REASONS:

03/12/2020: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 09/02/2019.

1. ADDED DO NOT CHART MOCA'S.

01/12/2021: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 03/17/2020.


1. REMOVED DO NOT CHART MOCAS FROM ADDITIONAL FLIGHT DATA.

2. ADDED EFFECTIVE DATE.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JAYSN (RNAV)	ONE	JAYSN.JAYSN1	NONE		02/25/2021
Graphic Depiction 1					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name JAYSN (RNAV)		Number ONE		STAR Computer Code JAYSN.JAYSN1		Superseded Number NONE		Dated	Effective Date 02/25/2021
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
BYRDY	363941.35N / 1162402.08W	Y		IF					BYRDY.JAYSN1
JAYSN	363353.41N / 1160247.26W	Y	FB	TF	108.60	18.06	AT/BELOW FL190		
Common Route									
JAYSN	363353.41N / 1160247.26W	Y		IF			AT/BELOW FL190		JAYSN.JAYSN1
WAPID	363041.89N / 1155101.55W	Y	FB	TF	108.53	10.00			
Runway Transition									
WAPID	363041.89N / 1155101.55W	Y		IF					
PESHY	361718.07N / 1154133.83W	Y	FB	TF	150.23	15.41	AT/ABOVE 15000	AT 250K	
PAIRR	360848.24N / 1154056.43W	Y	FB	TF	176.59	08.50	AT/ABOVE 14200		
MEZKL	355551.36N / 1153959.70W	Y	FB	TF	176.60	12.95	AT/BELOW 12000		
LOOMI	354949.76N / 1153732.46W	Y	FB	TF	161.65	06.34			
ZINPI	354520.49N / 1153043.57W	Y	FB	TF	128.92	07.13	AT/ABOVE 10000		
BAUMM	354510.45N / 1152426.79W	Y	FB	TF	091.84	05.11			
ROAMN	354857.47N / 1152021.90W	Y	FO	TF	041.29	05.03	AT 8000	AT 210K	
KLAS:RWY 1L,RWY 1R				FM	041.29				
Runway Transition									
WAPID	363041.89N / 1155101.55W	Y		IF					
PESHY	361718.07N / 1154133.83W	Y	FB	TF	150.23	15.41	AT/ABOVE 15000	AT 250K	
PAIRR	360848.24N / 1154056.43W	Y	FB	TF	176.59	08.50	AT/ABOVE 14200		
MEZKL	355551.36N / 1153959.70W	Y	FB	TF	176.60	12.95	AT/BELOW 12000		
LOOMI	354949.76N / 1153732.46W	Y	FB	TF	161.65	06.34			
ZINPI	354520.49N / 1153043.57W	Y	FB	TF	128.92	07.13	AT/ABOVE 10000		
BAUMM	354510.45N / 1152426.79W	Y	FB	TF	091.84	05.11			

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name JAYSN (RNAV)		Number ONE		STAR Computer Code JAYSN.JAYSN1		Superseded Number NONE		Dated	Effective Date 02/25/2021
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
YAGGR	355248.54N / 1152131.70W	Y	FO	TF	017.28	07.98	AT 8000	AT 210K	
KLAS:RWY 8L,RWY 8R				VM	015.58				
Runway Transition									
WAPID	363041.89N / 1155101.55W	Y		IF					
KEEKE	363026.21N / 1153911.55W	Y	FB	TF	091.51	09.54	AT/ABOVE 12000		
ECAKO	362735.74N / 1153135.85W	Y	FB	TF	114.82	06.75			
DRXLR	362539.64N / 1152836.27W	Y	FB	TF	128.65	03.09	AT/ABOVE 10000		
MYSHL	362228.74N / 1152343.77W	Y	FB	TF	128.89	05.06	AT/ABOVE 8700		
CUEVS	361637.22N / 1151446.98W	Y	FB	TF	128.94	09.30	AT/ABOVE 6100		
KORYN	361229.24N / 1150829.72W	Y	FO	TF	129.03	06.55	AT 4800		
KLAS:RWY 19L,RWY 19R				FM	129.03				
Runway Transition									
WAPID	363041.89N / 1155101.55W	Y		IF					
PESHY	361718.07N / 1154133.83W	Y	FB	TF	150.23	15.41	AT/ABOVE 15000	AT 250K	
NEEMA	360949.65N / 1153617.14W	Y	FB	TF	150.19	08.60	AT/ABOVE 14200		
ENNVY	360058.51N / 1152114.95W	Y	FB	TF	125.88	15.06	AT/ABOVE 11000		
REDQN	360008.26N / 1150628.33W	Y	FB	TF	093.92	12.02	AT/ABOVE 9000	AT 210K	
TWAFI	355958.01N / 1150331.31W	Y	FB	TF	094.06	02.40			
BERBN	355957.25N / 1150050.72W	Y	FO	TF	090.32	02.17	AT 8000	AT 210K	
KLAS:RWY 26L,RWY 26R				FM	090.32				