

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
VOR OR TACAN STANDARD INSTRUMENT APPROACH PROCEDURE  
TITLE 14 CFR PART 97.23**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> PMD	<u>PROCEDURE NAME</u> VOR OR TACAN Z RWY 25	<u>ORIGINAL/AMENDMENT</u> 8A	<u>CITY</u> PALMDALE	<u>STATE</u> CA
<u>AIRPORT ELEVATION</u> 2543	<u>TDZE</u> 2503	<u>SUPERSEDED</u> VOR OR TACAN RWY 25	<u>ORIGINAL/AMENDMENT</u> 8	<u>DATED</u> 05/24/2018
<u>FACILITY</u> PMD TACAN	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 12 JUNE 2025	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>MAG VAR</u> 15E
				<u>EPOCH YEAR</u> 1980
				<u>CANCEL/SUSPEND</u>

**TERMINAL ROUTES**

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
CIVOK/PMD 12.00 DME	IF	WUGIT/PMD 7.00 DME					265.10 (PMD R-085)	5.00	4300
WUGIT/PMD 7.00 DME		THERO/PMD 4.00 DME					265.10 (PMD R-085)	3.00	4000

**MISSED APPROACH**

**MAP:**

EKOTY/PMD 0.30 DME

**MISSED APPROACH INSTRUCTIONS:**

CLIMB TO 5000 ON PMD VORTAC R-282 THEN CLIMBING RIGHT TURN TO 7000 DIRECT PMD VORTAC AND HOLD.  
(TACAN AIRCRAFT CLIMBING RIGHT TURN TO 6700 ON PMD VORTAC R-298 TO FISCH INT/14.26 DME AND HOLD SE, LT, 298.00 INBOUND, CONTINUE CLIMB-IN-HOLD TO 6700).

**ALTERNATE MISSED APPROACH INSTRUCTIONS:**

**PROFILE:**

- PT
- TEARDROP R-070 OUTBOUND, R-265 INBOUND, 5200 WITHIN 15 NM. OF PMD VORTAC (IAF).
- FAC: 265.10 FAF: THERO/PMD 4.00 DME DIST FAF TO MAP: DIST FAF TO THLD: 4.47
- MIN ALT: CIVOK/PMD 12.00 DME 5200, WUGIT/PMD 7.00 DME 4300, THERO/PMD 4.00 DME 4000, STRAS/PMD 2.49 DME 3500
- MSA FROM: PMD VORTAC 070-180 11300, 180-340 7800, 340-070 5400



EQUIPMENT REQUIREMENTS NOTES:

DME REQUIRED.

NOTES:

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}).  
CHART NOTE: CIRCLING NA FOR CATS C, D, AND E SOUTH OF RWYS 4 AND 25.  
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON PMD VORTAC AIRWAY RADIALS 067 CW 104.  
CHART PROFILE NOTE: REMAIN WITHIN 15 NM OF PMD VORTAC.  
CHART PLANVIEW NOTE: CAUTION: HIGH TERRAIN 5 NM SW OF AIRPORT.

ADDITIONAL FLIGHT DATA:

2599 TREE 343618N/1180050W.

HOLD E, RT, 283.84 INBOUND.  
CHART FAS OBST: 2589 TREE 343631N/1180200W.  
CHART AT OR ABOVE 5200 AT PMD VORTAC.  
THERO TO RW25: 3.04/58.  
CHART CIRCLING ICON.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD - CAT D 1200-3, CAT E 1300-3

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
S-25	2840	1	337	2840	1	337	2840	1	337	2840	1	337	2840	1	337
CIRCLING	3020	1	477	3060	1	517	3140	1 1/2	597	3740	3	1197	3760	3	1217

CHANGES - REASONS

1. CHANGED PROCEDURE NAME FROM VOR OR TACAN RWY 25 TO VOR OR TACAN Z RWY 25 – 8260.3E CHANGE 1, 1-6-5.  
2. EQUIPMENT REQUIREMENT NOTES: ADDED DME REQUIRED AND REMOVED DME REQUIRED FROM CHART NOTES – 8-6-8.A (2) A.  
3. CHANGED PLANVIEW NOTE FROM CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON PMD VORTAC AIRWAY RADIALS 067 CW 142 TO CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON PMD VORTAC AIRWAY RADIALS 067 CW 104 - 8260.3E 2-3-1(A)1..



COORDINATED WITH:

A4A

☒

ALPA

☒

AOPA

☒

APA

☐

HAI

☐

NBAA

☒

OTHER: ZLA, JOSHUA APP CON, PMD ATCT, AMGR, HQ AFMC

FLIGHT CHECKED BY

PROCESSED IAW TECHNICAL SUPPORT GROUP (ATIS) DATED 07/07/2021 GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION

ALLAN WILL

Mar 26, 2025

OFFICE

DATE

DEVELOPED BY

RAYMOND JOHNSON

Digitally signed by

ALLAN WILL

Mar 20, 2025

OFFICE

AJV-A423

DATE

06/01/2023

APPROVED BY

ALLAN WILL

Digitally signed by

ALLAN WILL

Mar 20, 2025

OFFICE

AJV-A423

DATE

TITLE  
MANAGER

