

QUALITY
2

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.


NOTES, (CONT.):

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.

*LNAV ONLY

TAA

	FROM	TO	ALT
1.	084/30 CW 264/30 (NOPT) 084/10 CW 264/10	084/10 CW 264/10 ARUKY (IF/IAF) (FB)	3200 2000
2.	264/30 CW 084/30	ARUKY (IF/IAF) (FO)	2000



CITY AND STATE
YAZOO CITY, MS

ELEVATION: 105 THRE: 104
AIRPORT NAME:
YAZOO COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 17, ORIG
10 JANUARY 2013

SUP:
AMDT: NONE
DATED:

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	87I
RUNWAY	RW17
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	Q
REFERENCE PATH IDENTIFIER (APPROACH ID)	W17A
LTP/FTP LATITUDE	325325.1515N
LTP/FTP LONGITUDE	0902753.3495W
LTP/FTP ELLIPSOIDAL HEIGHT	+00049
FPAP LATITUDE	325156.3400N
FPAP LONGITUDE	0902742.5700W
THRESHOLD CROSSING HEIGHT (TCH)	00035.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1232
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

D6784946

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+00318
FPAP ORTHOMETRIC HEIGHT	+00318

QUALITY
CHECKED

CITY AND STATE
YAZOO CITY, MS

ELEVATION: 105 THRE: 104
AIRPORT NAME:
YAZOO COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 17, ORIG
10 JANUARY 2013

SUP:
AMDT: NONE
DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP 87I K7FR17	AARUKY	010ARUKYK7EA0EE	AR	HF			17410040	+	02000	18000		A	JS
SUSAP 87I K7FR17	R	010ARUKYK7EA0E	I	IF				+	02000	18000		A	JS
SUSAP 87I K7FR17	R	020UTDOLK7EA1E	F	051TF			17410050	+	01600			A	JS
SUSAP 87I K7FR17	R	020UTDOLK7EA2WALPV			ALNAV/VNAV	ALNAV							JS
SUSAP 87I K7FR17	R	021FEMIKK7EA0E	S	031TF			17420021	V	0092000935	-300		A	JS
SUSAP 87I K7FR17	R	030RW17 K7PGOGY	M	031TF			17420025		00139	-300		A	JS
SUSAP 87I K7FR17	R	040	0	M	CA		1742	+	00460			A	JS
SUSAP 87I K7FR17	R	050UTASYK7EA0EY		DF				+	02000			A	JS
SUSAP 87I K7FR17	R	060UTASYK7EA0EE		R020HM			35420040	+	02000			A	JS

[illegible][illegible]

QUALITY
CHECKED

CITY AND STATE YAZOO CITY, MS	ELEVATION: 105 THRE: 104 AIRPORT NAME: YAZOO COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 17, ORIG 10 JANUARY 2013	SUP:
				AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ARUKY	ARUKY	010	IAF	HF	R	FO		174.1 (174.1T)	004.0	AA 02000	
		ARUKY	010	FACF	IF		FB				AA 02000	
		UTDOL	020	FAF	TF		FB	0.5	174.1 (174.1T)	005.0	AA 01600	
		FEMIK	021	SDF	TF		FB	0.3	174.2 (174.2T)	002.1	AA 00920 GS 00935	
		RW17	030	MAP	TF		FO	0.3	174.2 (174.2T)	002.5	AT 00139	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		174.2 (174.2T)		AA 00460	
	UTASY	050		DF		FO				AA 02000	
	UTASY	060		HM	R	FO	2.0	354.2 (354.2T)	004.0	AA 02000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ARUKY	N330258.50	W0902903.10	N3302.975	W09029.052
	FEMIK	N325554.66	W0902811.52	N3255.911	W09028.192
	UTASY	N324225.01	W0902633.32	N3242.417	W09026.555
	UTDOL	N325759.49	W0902826.69	N3257.992	W09028.445
	RW17	N325325.15	W0902753.35	N3253.419	W09027.889

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW17	00104	35

CITY AND STATE
YAZOO CITY, MS

ELEVATION: 105 THRE: 104
AIRPORT NAME:
YAZOO COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 17, ORIG
10 JANUARY 2013

SUP:
AMDT: NONE
DATED: