

**Federal Aviation  
Administration**

**Transmittal Letter 18-16**

**June 15, 2018**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBE	FDC DATE	SUBJECT
19-Jul-18	MA	Stow	Minute Man Air Field	8/1767	6/11/18	RNAV (GPS) RWY 21, Orig-A

**AIRAC Date: 19 JULY 2018**

FDC **8/1767** 6B6 IAP MINUTE MAN AIR FIELD, Stow, MA. RNAV (GPS) RWY 21, ORIG-A... CHART VDP AT 1.95 NM TO RW21. CHART NOTE: CIRCLING RWY 3 NA AT NIGHT. DELETE NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: RWY 21 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. CHART NOTE: USE BEDFORD ALTIMETER SETTING; WHEN NOT RECEIVED, USE BOSTON ALTIMETER SETTING AND INCREASE ALL MDAS 60 FEET AND VISIBILITY CAT B 1/4 SM. DELETE NOTE: USE BRADFORD ALTIMETER SETTING. WHEN NOT RECEIVED, USE BOSTON ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET AND INCREASE CAT B VISIBILITY 1/4 SM. CHART NOTE: CIRCLING NA TO RWYS 12 AND 30. DELETE NOTE: CIRCLING NA TO RWY 12/30. THIS IS RNAV (GPS) RWY 21, ORIG-B. 1806111413-PERM