

**Federal Aviation  
Administration**

**Transmittal Letter 21-21**

**August 20, 2021**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows: .....EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
10/7/2021	MO	Kansas City	Kansas City Intl	1/8770	6/9/2021	ILS OR LOC RWY 19R, ILS RWY 19R (SA CAT I), ILS RWY

**AIRAC Date: 7 OCTOBER 2021**

FDC 1/8770 MCI IAP KANSAS CITY INTL, KANSAS CITY, MO. ILS OR LOC RWY 19R, AMDT 12 ... ILS RWY 19R (SA CAT I), AMDT 12 ... ILS RWY 19R (CAT II AND CAT III), AMDT 12 ... PROFILE VIEW MINIMUM ALTITUDE AT WESGI 5000, MINIMUM ALTITUDE AT BRTNY 4000. CHART IN PLANVIEW: BRTNY (IF). THIS IS ILS OR LOC RWY 19R, AMDT 12A...ILS RWY 19R (SA CAT I), AMDT 12A...ILS RWY 19R (CAT II AND CAT III), AMDT 12A. 2106081228-PERM