

**Federal Aviation
Administration**

Transmittal Letter 25-13

April 25, 2025

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
6/12/2025	TX	Monahans	Roy Hurd Meml	5/1716	3/12/2025	RNAV (GPS) RWY 12, Orig-A

AIRAC Date: 12 JUNE 2025

FDC 5/1716 E01 IAP ROY HURD MEML, MONAHANS, TX. RNAV (GPS) RWY 12, ORIG-A...
PBN REQUIREMENTS NOTE: RNP APCH GPS. CHANGE ALTIMETER SETTING NOTE TO
READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE INK ALTIMETER
SETTING AND INCREASE ALL MDAS 80 FEET AND LNAV VISIBILITY CAT C 3/8 SM, AND LP
VISIBILITY CAT C 1/4 SM, AND CIRCLING VISIBILITY CAT C 1/2 SM. CHANGE HELICOPTER
VISIBILITY NOTE TO READ: RWY 12 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NA. CHART NOTE: STRAIGHT-IN RWY 12 NA AT NIGHT, CIRCLING RWY 1, 12, 19 NA AT
NIGHT. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE NOTE: NIGHT LANDING: RWY 12
NA. DELETE WINK ALTIMETER SETTING MINIMUMS. ALTERNATE MINIMUMS: STANDARD-
NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) RWY 12, ORIG-B.
2503111731-PERM