

<b>RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33</b>				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.			
TERMINAL ROUTES				MISSED APPROACH			
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LP: RW03 LNAV: RW03  CLIMB TO 3000 DIRECT JEGUD AND HOLD.  ADDITIONAL FLIGHT DATA: HOLD NE, RT, 207.49 INBOUND. CHART FAS OBST: 749 TREE 352140N/0794811W WAAS CHANNEL # 61235 REFERENCE PATH ID: W03A ZIVOS TO RW03: 3.50/45. CHART CIRCLING ICON. CHART ASHEBORO AWOS-3 LTP HAE: 143.9 M			
RELPLY	PEKNN (FO)	274.99 / 4.00	3000				
GIPPR (IAF)	PEKNN (NOPT) (FB)	094.86 / 5.55	3000				
PEKNN (IF/IAF)	ZIVOS (FB)	027.22 / 6.55	2200				
ZIVOS (FAF)	ZEDOM/2.00 NM TO RW03 (FB)	027.42 / 2.26					
ZEDOM/2.00 NM TO RW03	RW03 (MAP) (FO)	027.42 / 2.00					
RW03 (MAP)	1032 MSL	027.42					
1032 MSL	JEGUD (FO)		3000				

  

1. PT <u>      </u> SIDE OF COURSE <u>      </u> OUTBOUND <u>      </u> FT WITHIN <u>      </u> MILES OF <u>      </u> (IAF)			
2. HOLD SW PEKNN, RT, 027.22 INBOUND, 3000 FT. IN LIEU OF PT (IAF)			
3. FAC: 027.42 FAF: ZIVOS		DIST FAF TO MAP: 4.26 THLD: 4.26	
4. MIN. ALT: PEKNN 3000, ZIVOS 2200, ZEDOM/2.00 NM TO RW03 1360			
5. DIST TO THLD FROM OM: <u>      </u> MM: <u>      </u> IM: <u>      </u> 150 HAT: <u>      </u> 100 HAT: <u>      </u> GS ANT: <u>      </u>			
6. MIN GS INCPT: <u>      </u> GS ALT AT: <u>      </u> OM: <u>      </u> MM: <u>      </u> IM: <u>      </u>			
7. GS ANGLE: <u>      </u> TCH: 34:1 IS NOT CLEAR			
8. MSA FROM: RW03 3100			

  

MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT												ALTERNATE: N A X			
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LP MDA	1060	1	487	1060	1	487		NA			NA				
LNAV MDA	1080	1	507	1080	1	507		NA			NA				
CIRCLING	1240	1	608	1340	1	708		NA			NA				

  

**NOTES:**  
 CHART NOTE: USE ASHEBORO ALTIMETER SETTING; WHEN NOT RECEIVED, USE ALBEMARLE ALTIMETER SETTING.  
 CHART NOTE: DME/DME RNP-0.3 NA.  
 CHART NOTE: PROCEDURE NA AT NIGHT.  
 CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

CITY AND STATE	ELEVATION: 632 THRE: 573	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
STAR, NC	AIRPORT NAME:		RNAV (GPS) RWY 3, ORIG	AMDT: NONE
	MONTGOMERY COUNTY		18 SEPTEMBER 2014	DATED

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	43A
RUNWAY	RW03
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W03A
LTP/FTP LATITUDE	352246.3295N
LTP/FTP LONGITUDE	0794733.7890W
LTP/FTP ELLIPSOIDAL HEIGHT	+01439
FPAP LATITUDE	352409.3900N
FPAP LONGITUDE	0794653.9500W
THRESHOLD CROSSING HEIGHT (TCH)	00045.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.50
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1528
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER

EEC5DDAD

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+01745
FPAP ORTHOMETRIC HEIGHT	+01745

QUALITY  
6  
CHECKED

CITY AND STATE

STAR, NC

ELEVATION: 632

THRE: 573

AIRPORT NAME:

MONTGOMERY COUNTY

FACILITY  
IDENTIFIER:

RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 3, ORIG

18 SEPTEMBER 2014

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP 43A K7FR03	AGIPPR	010GIPPRK7EA0E	A	IF					18000			A JS	
SUSAP 43A K7FR03	AGIPPR	020PEKNNK7EA0EE	B	010TF		09490056		+ 03000				A JS	
SUSAP 43A K7FR03	ARELPY	010RELPYK7EA0E		IF					18000			A JS	
SUSAP 43A K7FR03	ARELPY	020PEKNNK7EA0EY		020TF		27500040		+ 03000				A JS	
SUSAP 43A K7FR03	ARELPY	030PEKNNK7EA0EE	AR	HF		02720040		+ 03000				A JS	
SUSAP 43A K7FR03	R	010PEKNNK7EA0E	I	IF				+ 03000	18000			A JS	
SUSAP 43A K7FR03	R	020ZIVOSK7EA1E	F	051TF		02720066		+ 02200			RW03	K7PGA	JS
SUSAP 43A K7FR03	R	020ZIVOSK7EA2WALP			N	ALNAV							JS
SUSAP 43A K7FR03	R	021ZEDOMK7EA0E	S	031TF		02740023		V 0136001361		-350		A JS	
SUSAP 43A K7FR03	R	030RW03 K7PG0GY	M	031TF		02740020		00618		-350		A JS	
SUSAP 43A K7FR03	R	040	0	M	CA	0274		+ 01032				A JS	
SUSAP 43A K7FR03	R	050JEGUDK7EA0EY		DF				+ 03000				A JS	
SUSAP 43A K7FR03	R	060JEGUDK7EA0EE	R	HM		20750040		+ 03000				A JS	

[illegible][illegible]

QUALITY  
3  
6  
CHECKED

FAA FORM 8260 - 10 / April 2006 (Computer Generated)

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

MSA 123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012  
-----  
SUSAP 43A K7SRW03 K7PG 0 18018003125 M



CITY AND STATE STAR, NC	ELEVATION: 632	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 3, ORIG 18 SEPTEMBER 2014	SUP:
	AIRPORT NAME: MONTGOMERY COUNTY			AMDT: NONE
				DATED:

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	GIPPR	GIPPR	010	IAF	IF		FB					
	GIPPR	PEKNN	020		TF		FB	1.0	094.9(088.9T)	005.6	AA 03000	
	RELPLY	RELPLY	010		IF		FB					
	RELPLY	PEKNN	020		TF		FO	2.0	275.0(269.0T)	004.0	AA 03000	
	RELPLY	PEKNN	030	IAF	HF	R	FO		027.2(021.2T)	004.0	AA 03000	
		PEKNN	010	FACF	IF		FB				AA 03000	
		ZIVOS	020	FAF	TF		FB	0.5	027.2(021.2T)	006.6	AA 02200	
		ZEDOM	021	SDF	TF		FB	0.3	027.4(021.4T)	002.3	AA 01360	GS 01361
		RW03	030	MAP	TF		FO	0.3	027.4(021.4T)	002.0	AT 00618	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		027.4(021.4T)		AA 01032	
	JEGUD	050		DF		FO				AA 03000	
	JEGUD	060		HM	R	FO		207.5(201.5T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	GIPPR	N351234.90	W0795907.90	N3512.582	W07959.132
	JEGUD	N353334.11	W0794222.47	N3533.569	W07942.375
	PEKNN	N351241.36	W0795221.62	N3512.689	W07952.360
	RELPLY	N351245.70	W0794728.76	N3512.762	W07947.479
	ZEDOM	N352054.46	W0794827.41	N3520.908	W07948.457
	ZIVOS	N351848.16	W0794927.89	N3518.803	W07949.465
	RW03	N352246.33	W0794733.79	N3522.772	W07947.563

RUNWAY DATA	THRESHOLD	
RWY	ELEVATION	TCH
RW03	00573	45

CHECKED

CITY AND STATE <b>STAR, NC</b>	ELEVATION: <b>632</b>	THRE: <b>573</b>	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS) RWY 3, ORIG</b> <b>18 SEPTEMBER 2014</b>	SUP:
	AIRPORT NAME: <b>MONTGOMERY COUNTY</b>				AMDT: <b>NONE</b>
					DATED: