

**Federal Aviation  
Administration**

**Transmittal Letter 13-09**

**March 15, 2013**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
2-May-13	MI	Iron Mountain Kingsford	Ford	3/9905	3/4/2013	RNAV (GPS) RWY 1, ORIG

**AIRAC Date: 2 MAY 2013**

FDC 3/9905 IMT FI/P IAP FORD, IRON MOUNTAIN KINGSFORD, MI. RNAV (GPS)  
RWY 1, ORIG... CHART NOTES: CIRCLING TO RWY 31 NA AT NIGHT.  
HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.  
CHANGE NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS,  
LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 54C (130F). THIS IS RNAV (GPS)  
RWY 1, ORIG-A.