

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depictions attached.

| Arrival Name<br>WYNDE (RNAV) | Number<br>TWO                | STAR Computer Code<br>WYNDE.WYNDE2 | Superseded Number<br>ONE | Dated<br>10/10/2019 | Effective Date<br>5 NOV 2020 |      |      |     |                            |
|------------------------------|------------------------------|------------------------------------|--------------------------|---------------------|------------------------------|------|------|-----|----------------------------|
| TRANSITION ROUTES:           |                              |                                    |                          |                     |                              |      |      |     |                            |
| Transition Name              | Transition<br>Computer Codes | From<br>FIX/NAVAID                 | To<br>FIX/NAVAID         | Course              | Distance                     | MEA  | MOCA | MAA | Crossing Altitudes / Fixes |
| EMMMA                        | EMMMA.WYNDE2                 | EMMMA                              | EMMMA                    |                     |                              |      |      |     |                            |
|                              |                              |                                    | LTOUR                    | 265.08              | 15.05                        | 6000 | 2200 |     |                            |
|                              |                              |                                    | VIO VOR/DME              | 264.83              | 25.83                        | 6000 | 2300 |     |                            |
|                              |                              |                                    | DITCA                    | 259.40              | 09.99                        | 6000 | 2500 |     |                            |
|                              |                              |                                    | WLTER                    | 259.25              | 15.23                        | 6000 | 2100 |     |                            |
|                              |                              |                                    | RHIVR                    | 259.02              | 10.02                        | 6000 | 2100 |     |                            |
|                              |                              |                                    | PAITN                    | 258.88              | 20.67                        | 6000 | 2000 |     |                            |
|                              |                              |                                    | WYNDE                    | 252.97              | 18.32                        | 6000 | 1800 |     |                            |
| FLINT                        | FNT.WYNDE2                   | FNT VORTAC                         | FNT VORTAC               |                     |                              |      |      |     |                            |
|                              |                              |                                    | EMMMA                    | 265.63              | 37.08                        | 6000 | 2400 |     |                            |
|                              |                              |                                    | LTOUR                    | 265.08              | 15.05                        | 6000 | 2200 |     |                            |
|                              |                              |                                    | VIO VOR/DME              | 264.83              | 25.83                        | 6000 | 2300 |     |                            |
|                              |                              |                                    | DITCA                    | 259.40              | 09.99                        | 6000 | 2500 |     |                            |
|                              |                              |                                    | WLTER                    | 259.25              | 15.23                        | 6000 | 2100 |     |                            |
|                              |                              |                                    | RHIVR                    | 259.02              | 10.02                        | 6000 | 2100 |     |                            |
|                              |                              |                                    | PAITN                    | 258.88              | 20.67                        | 6000 | 2000 |     |                            |
|                              |                              |                                    | WYNDE                    | 252.97              | 18.32                        | 6000 | 1800 |     |                            |
| OBSTR                        | OBSTR.WYNDE2                 | OBSTR                              | OBSTR                    |                     |                              |      |      |     |                            |
|                              |                              |                                    | CSTLO                    | 195.89              | 31.65                        | 6000 | 3100 |     |                            |
|                              |                              |                                    | VIO VOR/DME              | 195.78              | 24.23                        | 6000 | 2400 |     |                            |
|                              |                              |                                    | WLTER                    | 259.40              | 25.22                        | 6000 | 2500 |     |                            |
|                              |                              |                                    | RHIVR                    | 259.02              | 10.02                        | 6000 | 2100 |     |                            |
|                              |                              |                                    | PAITN                    | 258.88              | 20.67                        | 6000 | 2000 |     |                            |
|                              |                              |                                    | WYNDE                    | 252.97              | 18.32                        | 6000 | 1800 |     |                            |
| ODAXY                        | ODAXY.WYNDE2                 | ODAXY                              | ODAXY                    |                     |                              |      |      |     |                            |
|                              |                              |                                    | GAULT                    | 251.33              | 87.91                        | 9000 | 3100 |     |                            |
|                              |                              |                                    | OBSTR                    | 195.97              | 23.50                        | 9000 | 3100 |     |                            |



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depictions attached.

| Arrival Name<br>WYNDE (RNAV) |                              |                    | Number<br>TWO    | STAR Computer Code<br>WYNDE.WYNDE2 | Superseded Number<br>ONE |      |      | Dated<br>10/10/2019 | Effective Date<br>5 NOV 2020 |
|------------------------------|------------------------------|--------------------|------------------|------------------------------------|--------------------------|------|------|---------------------|------------------------------|
| Transition Name              | Transition<br>Computer Codes | From<br>FIX/NAVAID | To<br>FIX/NAVAID | Course                             | Distance                 | MEA  | MOCA | MAA                 | Crossing Altitudes / Fixes   |
|                              |                              |                    | CSTLO            | 195.89                             | 31.65                    | 6000 | 3100 |                     |                              |
|                              |                              |                    | VIO VOR/DME      | 195.78                             | 24.23                    | 6000 | 2400 |                     |                              |
|                              |                              |                    | WLTER            | 259.40                             | 25.22                    | 6000 | 2500 |                     |                              |
|                              |                              |                    | RHIVR            | 259.02                             | 10.02                    | 6000 | 2100 |                     |                              |
|                              |                              |                    | PAITN            | 258.88                             | 20.67                    | 6000 | 2000 |                     |                              |
|                              |                              |                    | WYNDE            | 252.97                             | 18.32                    | 6000 | 1800 |                     |                              |
| SMUUV                        | SMUUV.WYNDE2                 | SMUUV              | SMUUV            |                                    |                          |      |      |                     |                              |
|                              |                              |                    | WYNDE            | 272.50                             | 43.65                    | 6000 | 2200 |                     |                              |
| SAULT STE<br>MARIE           | SSM.WYNDE2                   | SSM VOR/DME        | SSM VOR/DME      |                                    |                          |      |      |                     |                              |
|                              |                              |                    | JODEE            | 196.53                             | 69.92                    | 9000 | 2500 |                     |                              |
|                              |                              |                    | GAULT            | 196.26                             | 74.04                    | 9000 | 3200 |                     |                              |
|                              |                              |                    | OBSTR            | 195.97                             | 23.50                    | 9000 | 3100 |                     |                              |
|                              |                              |                    | CSTLO            | 195.89                             | 31.65                    | 6000 | 3100 |                     |                              |
|                              |                              |                    | VIO VOR/DME      | 195.78                             | 24.23                    | 6000 | 2400 |                     |                              |
|                              |                              |                    | WLTER            | 259.40                             | 25.22                    | 6000 | 2500 |                     |                              |
|                              |                              |                    | RHIVR            | 259.02                             | 10.02                    | 6000 | 2100 |                     |                              |
|                              |                              |                    | PAITN            | 258.88                             | 20.67                    | 6000 | 2000 |                     |                              |
|                              |                              |                    | WYNDE            | 252.97                             | 18.32                    | 6000 | 1800 |                     |                              |
| TRAVERSE<br>CITY             | TVC.WYNDE2                   | TVC VOR/DME        | TVC VOR/DME      |                                    |                          |      |      |                     | AT/BELOW FL240               |
|                              |                              |                    | PECOK            | 193.57                             | 40.29                    | 9000 | 3600 |                     |                              |
|                              |                              |                    | UFDUH            | 193.44                             | 18.16                    | 9000 | 2600 |                     | AT/BELOW FL240               |
|                              |                              |                    | BITTR            | 193.41                             | 35.88                    | 9000 | 2900 |                     |                              |
|                              |                              |                    | WLTER            | 193.30                             | 26.52                    | 6000 | 2700 |                     |                              |
|                              |                              |                    | PAITN            | 259.03                             | 30.68                    | 6000 | 2100 |                     |                              |
|                              |                              |                    | WYNDE            | 252.97                             | 18.32                    | 6000 | 1800 |                     |                              |
| UFDUH                        | UFDUH.WYNDE2                 | UFDUH              | UFDUH            |                                    |                          |      |      |                     | AT/BELOW FL240               |
|                              |                              |                    | BITTR            | 193.41                             | 35.88                    | 9000 | 2900 |                     |                              |



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depictions attached.

| Arrival Name<br>WYNDE (RNAV) |                              |                    | Number<br>TWO    | STAR Computer Code<br>WYNDE.WYNDE2 | Superseded Number<br>ONE |      |      | Dated<br>10/10/2019 | Effective Date<br>5 NOV 2020 |
|------------------------------|------------------------------|--------------------|------------------|------------------------------------|--------------------------|------|------|---------------------|------------------------------|
| Transition Name              | Transition<br>Computer Codes | From<br>FIX/NAVAID | To<br>FIX/NAVAID | Course                             | Distance                 | MEA  | MOCA | MAA                 | Crossing Altitudes / Fixes   |
|                              |                              |                    | WLTER            | 193.30                             | 26.52                    | 6000 | 2700 |                     |                              |
|                              |                              |                    | PAITN            | 259.03                             | 30.68                    | 6000 | 2100 |                     |                              |
|                              |                              |                    | WYNDE            | 252.97                             | 18.32                    | 6000 | 1800 |                     |                              |
| VICTORY                      | VIO.WYNDE2                   | VIO VOR/DME        | VIO VOR/DME      |                                    |                          |      |      |                     |                              |
|                              |                              |                    | DITCA            | 259.40                             | 09.99                    | 6000 | 2500 |                     |                              |
|                              |                              |                    | WLTER            | 259.25                             | 15.23                    | 6000 | 2100 |                     |                              |
|                              |                              |                    | RHIVR            | 259.02                             | 10.02                    | 6000 | 2100 |                     |                              |
|                              |                              |                    | PAITN            | 258.88                             | 20.67                    | 6000 | 2000 |                     |                              |
|                              |                              |                    | WYNDE            | 252.97                             | 18.32                    | 6000 | 1800 |                     |                              |

ARRIVAL ROUTE DESCRIPTION:

FROM WYNDE ON TRACK 252.72/10.00 TO FIYER, THEN ON TRACK 252.57/10.11 TO ERNNY, THEN ON TRACK 221.28/5.25 TO PAPPI, THEN ON TRACK 221.03/6.78 TO TUBEZ.

LANDING RWY 22L/R, 4L/R, 27L/C/R, 28L/C/R, 9L/C/R: FROM TUBEZ ON TRACK 220.97/6.78 TO VULCN, THEN ON TRACK 273.10/10.41 TO KURKK, THEN ON TRACK 272.82/11.09 TO BAMBB, THEN ON TRACK 272.82. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 10L/C/R: FROM TUBEZ ON TRACK 197.28/18.35 TO MONKZ, THEN ON TRACK 273.13/8.37 TO JORJO, THEN ON TRACK 270.47/12.86 TO POSSM, THEN ON TRACK 270.47. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED

NOTE: RNAV 1

NOTE: DME/DME/IRU OR GPS REQUIRED

NOTE: ORD LANDING WEST: EXPECT RADAR VECTORS TO FINAL APPROACH COURSE AFTER PAPPI.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT BITTR: HOLD N, RT, 193.41 INBOUND, 10 NM LEGS.

CHART HOLDING AT CSTLO: HOLD N, RT, 195.89 INBOUND, 12 NM LEGS.

CHART HOLDING AT EMMMA: HOLD E, RT, 265.63 INBOUND, 12 NM LEGS.

CHART HOLDING AT GAULT: HOLD N, RT, 196.26 INBOUND, 12 NM LEGS.

CHART HOLDING AT JODEE: HOLD N, RT, 196.53 INBOUND, 12 NM LEGS.

CHART HOLDING AT PAITN: HOLD E, RT, 258.88 INBOUND, 9 NM LEGS.

CHART HOLDING AT PECOK: HOLD N, RT, 193.57 INBOUND, 10 NM LEGS.

CHART HOLDING AT WLTER: HOLD E, LT, 259.40 INBOUND, 10 NM LEGS.

CHART HOLDING AT WYNDE: HOLD E, RT, 252.97 INBOUND, 9 NM LEGS.

COMMUNICATIONS:

ORD ATIS, CHICAGO APP CON.

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depictions attached.

| Arrival Name | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|--------------|--------|--------------------|-------------------|------------|----------------|
| WYNDE (RNAV) | TWO    | WYNDE.WYNDE2       | ONE               | 10/10/2019 | 5 NOV 2020     |

AIRPORTS SERVED:

CHICAGO O'HARE INTL, CHICAGO, IL (KORD)

LOST COMMUNICATIONS PROCEDURE:

REMARKS:

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)

REFERENCE MAGNETIC VARIATION = KORD 03W/2010

CHART AT BAMBB TERMINUS: KORD LDG RWY 4L/R, 9L/C/R, 22L/R, 27L/C/R, 28L/C/R

CHART AT POSSM TERMINUS: KORD LDG RWY 10L/C/R

FLIGHT INSPECTED BY:

SCOTT WIEBE

Name

FICO

Organization

8/5/2020

Date

*Digitally signed by*

**DAVID DANNER**

Sep 02, 2020

Signature

*Digitally signed by*

**DAVID DANNER**

Sep 02, 2020

DEVELOPED BY:

JOSEPH BOCIK, AIRSPACE AND

Name

CHICAGO ARTCC

Organization

05/28/2020

Date

*Digitally signed by*

**DAVID DANNER**

Sep 02, 2020

Signature

APPROVED BY:

PAT MULQUEEN

Name

AJV-A440

Organization

Date

Signature

CHANGES:

1. ADD RWYS 9C/27C TO NORTH DOWNWIND.
2. MOVE RWYS 10L/C TO SOUTH DOWNWIND.
3. REMOVE LOMEZ AS STAND ALONE WAYPOINT.


REASONS:

- 1, 2. NEW RUNWAY 9C/27C BEING COMMISSIONED.
3. NO LONGER NEEDED.

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depictions attached.

| Arrival Name        | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|---------------------|--------|--------------------|-------------------|------------|----------------|
| WYNDE (RNAV)        | TWO    | WYNDE.WYNDE2       | ONE               | 10/10/2019 | 5 NOV 2020     |
| Graphic Depiction 1 |        |                    |                   |            |                |



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

| Arrival Name<br>WYNDE (RNAV) | Number<br>TWO            | STAR Computer Code<br>WYNDE.WYNDE2 | Superseded Number<br>ONE | Dated<br>10/10/2019 | Effective Date<br>5 NOV 2020 |              |          |       |              |
|------------------------------|--------------------------|------------------------------------|--------------------------|---------------------|------------------------------|--------------|----------|-------|--------------|
| FIX/NAVAID                   | LAT/LONG                 | C                                  | FO/FB                    | LEG<br>TYPE         | TC                           | DIST<br>(NM) | ALTITUDE | SPEED | REMARKS      |
| En Route Transition          |                          |                                    |                          |                     |                              |              |          |       |              |
| EMMMA                        | 425303.96N / 0843450.40W | Y                                  |                          | IF                  |                              |              |          |       | EMMMA.WYNDE2 |
| LTOUR                        | 425057.69N / 0845505.90W | Y                                  | FB                       | TF                  | 262.08                       | 15.05        |          |       |              |
| VIO VOR/DME                  | 424712.18N / 0852949.46W | Y                                  | FB                       | TF                  | 261.83                       | 25.83        |          |       |              |
| DITCA                        | 424450.45N / 0854300.14W | Y                                  | FB                       | TF                  | 256.40                       | 09.99        |          |       |              |
| WLTER                        | 424111.39N / 0860303.94W | Y                                  | FB                       | TF                  | 256.25                       | 15.23        |          |       |              |
| RHIVR                        | 423845.44N / 0861614.15W | Y                                  | FB                       | TF                  | 256.02                       | 10.02        |          |       |              |
| PAITN                        | 423339.71N / 0864321.38W | Y                                  | FB                       | TF                  | 255.88                       | 20.67        |          |       |              |
| WYNDE                        | 422720.73N / 0870636.63W | Y                                  | FB                       | TF                  | 249.97                       | 18.32        |          |       |              |
| En Route Transition          |                          |                                    |                          |                     |                              |              |          |       |              |
| FNT VORTAC                   | 425800.38N / 0834449.08W | Y                                  |                          | IF                  |                              |              |          |       | FNT.WYNDE2   |
| EMMMA                        | 425303.96N / 0843450.40W | Y                                  | FB                       | TF                  | 262.63                       | 37.08        |          |       |              |
| LTOUR                        | 425057.69N / 0845505.90W | Y                                  | FB                       | TF                  | 262.08                       | 15.05        |          |       |              |
| VIO VOR/DME                  | 424712.18N / 0852949.46W | Y                                  | FB                       | TF                  | 261.83                       | 25.83        |          |       |              |
| DITCA                        | 424450.45N / 0854300.14W | Y                                  | FB                       | TF                  | 256.40                       | 09.99        |          |       |              |
| WLTER                        | 424111.39N / 0860303.94W | Y                                  | FB                       | TF                  | 256.25                       | 15.23        |          |       |              |
| RHIVR                        | 423845.44N / 0861614.15W | Y                                  | FB                       | TF                  | 256.02                       | 10.02        |          |       |              |
| PAITN                        | 423339.71N / 0864321.38W | Y                                  | FB                       | TF                  | 255.88                       | 20.67        |          |       |              |
| WYNDE                        | 422720.73N / 0870636.63W | Y                                  | FB                       | TF                  | 249.97                       | 18.32        |          |       |              |
| En Route Transition          |                          |                                    |                          |                     |                              |              |          |       |              |
| OBSTR                        | 434142.20N / 0851253.53W | Y                                  |                          | IF                  |                              |              |          |       | OBSTR.WYNDE2 |
| CSTLO                        | 431050.36N / 0852232.67W | Y                                  | FB                       | TF                  | 192.89                       | 31.65        |          |       |              |
| VIO VOR/DME                  | 424712.18N / 0852949.46W | Y                                  | FB                       | TF                  | 192.78                       | 24.23        |          |       |              |
| WLTER                        | 424111.39N / 0860303.94W | Y                                  | FB                       | TF                  | 256.40                       | 25.22        |          |       |              |
| RHIVR                        | 423845.44N / 0861614.15W | Y                                  | FB                       | TF                  | 256.02                       | 10.02        |          |       |              |
| PAITN                        | 423339.71N / 0864321.38W | Y                                  | FB                       | TF                  | 255.88                       | 20.67        |          |       |              |
| WYNDE                        | 422720.73N / 0870636.63W | Y                                  | FB                       | TF                  | 249.97                       | 18.32        |          |       |              |

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

| Arrival Name<br>WYNDE (RNAV) | Number<br>TWO            | STAR Computer Code<br>WYNDE.WYNDE2 | Superseded Number<br>ONE | Dated<br>10/10/2019 | Effective Date<br>5 NOV 2020 |              |                |       |              |
|------------------------------|--------------------------|------------------------------------|--------------------------|---------------------|------------------------------|--------------|----------------|-------|--------------|
| FIX/NAVAID                   | LAT/LONG                 | C                                  | FO/FB                    | LEG<br>TYPE         | TC                           | DIST<br>(NM) | ALTITUDE       | SPEED | REMARKS      |
| En Route Transition          |                          |                                    |                          |                     |                              |              |                |       |              |
| ODAXY                        | 443800.86N / 0831216.23W | Y                                  |                          | IF                  |                              |              |                |       | ODAXY.WYNDE2 |
| GAULT                        | 440436.79N / 0850537.13W | Y                                  | FB                       | TF                  | 248.33                       | 87.91        |                |       |              |
| OBSTR                        | 434142.20N / 0851253.53W | Y                                  | FB                       | TF                  | 192.97                       | 23.50        |                |       |              |
| CSTLO                        | 431050.36N / 0852232.67W | Y                                  | FB                       | TF                  | 192.89                       | 31.65        |                |       |              |
| VIO VOR/DME                  | 424712.18N / 0852949.46W | Y                                  | FB                       | TF                  | 192.78                       | 24.23        |                |       |              |
| WLTER                        | 424111.39N / 0860303.94W | Y                                  | FB                       | TF                  | 256.40                       | 25.22        |                |       |              |
| RHIVR                        | 423845.44N / 0861614.15W | Y                                  | FB                       | TF                  | 256.02                       | 10.02        |                |       |              |
| PAITN                        | 423339.71N / 0864321.38W | Y                                  | FB                       | TF                  | 255.88                       | 20.67        |                |       |              |
| WYNDE                        | 422720.73N / 0870636.63W | Y                                  | FB                       | TF                  | 249.97                       | 18.32        |                |       |              |
| En Route Transition          |                          |                                    |                          |                     |                              |              |                |       |              |
| SMUUV                        | 422758.77N / 0860738.37W | Y                                  |                          | IF                  |                              |              |                |       | SMUUV.WYNDE2 |
| WYNDE                        | 422720.73N / 0870636.63W | Y                                  | FB                       | TF                  | 269.50                       | 43.65        |                |       |              |
| En Route Transition          |                          |                                    |                          |                     |                              |              |                |       |              |
| SSM VOR/DME                  | 462443.60N / 0841853.54W | Y                                  |                          | IF                  |                              |              |                |       | SSM.WYNDE2   |
| JODEE                        | 451643.30N / 0844203.77W | Y                                  | FB                       | TF                  | 193.53                       | 69.92        |                |       |              |
| GAULT                        | 440436.79N / 0850537.13W | Y                                  | FB                       | TF                  | 193.26                       | 74.04        |                |       |              |
| OBSTR                        | 434142.20N / 0851253.53W | Y                                  | FB                       | TF                  | 192.97                       | 23.50        |                |       |              |
| CSTLO                        | 431050.36N / 0852232.67W | Y                                  | FB                       | TF                  | 192.89                       | 31.65        |                |       |              |
| VIO VOR/DME                  | 424712.18N / 0852949.46W | Y                                  | FB                       | TF                  | 192.78                       | 24.23        |                |       |              |
| WLTER                        | 424111.39N / 0860303.94W | Y                                  | FB                       | TF                  | 256.40                       | 25.22        |                |       |              |
| RHIVR                        | 423845.44N / 0861614.15W | Y                                  | FB                       | TF                  | 256.02                       | 10.02        |                |       |              |
| PAITN                        | 423339.71N / 0864321.38W | Y                                  | FB                       | TF                  | 255.88                       | 20.67        |                |       |              |
| WYNDE                        | 422720.73N / 0870636.63W | Y                                  | FB                       | TF                  | 249.97                       | 18.32        |                |       |              |
| En Route Transition          |                          |                                    |                          |                     |                              |              |                |       |              |
| TVC VOR/DME                  | 444004.50N / 0853300.04W | Y                                  |                          | IF                  |                              |              | AT/BELOW FL240 |       | TVC.WYNDE2   |
| PECOK                        | 440027.67N / 0854314.71W | Y                                  | FB                       | TF                  | 190.57                       | 40.29        |                |       |              |

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

| Arrival Name<br>WYNDE (RNAV) | Number<br>TWO            | STAR Computer Code<br>WYNDE.WYNDE2 | Superseded Number<br>ONE | Dated<br>10/10/2019 | Effective Date<br>5 NOV 2020 |              |                |       |              |
|------------------------------|--------------------------|------------------------------------|--------------------------|---------------------|------------------------------|--------------|----------------|-------|--------------|
| FIX/NAVAID                   | LAT/LONG                 | C                                  | FO/FB                    | LEG<br>TYPE         | TC                           | DIST<br>(NM) | ALTITUDE       | SPEED | REMARKS      |
| UFDUH                        | 434235.91N / 0854746.97W | Y                                  | FB                       | TF                  | 190.44                       | 18.16        | AT/BELOW FL240 |       |              |
| BITTR                        | 430717.68N / 0855638.18W | Y                                  | FB                       | TF                  | 190.41                       | 35.88        |                |       |              |
| WLTER                        | 424111.39N / 0860303.94W | Y                                  | FB                       | TF                  | 190.30                       | 26.52        |                |       |              |
| PAITN                        | 423339.71N / 0864321.38W | Y                                  | FB                       | TF                  | 256.03                       | 30.68        |                |       |              |
| WYNDE                        | 422720.73N / 0870636.63W | Y                                  | FB                       | TF                  | 249.97                       | 18.32        |                |       |              |
| En Route Transition          |                          |                                    |                          |                     |                              |              |                |       |              |
| UFDUH                        | 434235.91N / 0854746.97W | Y                                  |                          | IF                  |                              |              | AT/BELOW FL240 |       | UFDUH.WYNDE2 |
| BITTR                        | 430717.68N / 0855638.18W | Y                                  | FB                       | TF                  | 190.41                       | 35.88        |                |       |              |
| WLTER                        | 424111.39N / 0860303.94W | Y                                  | FB                       | TF                  | 190.30                       | 26.52        |                |       |              |
| PAITN                        | 423339.71N / 0864321.38W | Y                                  | FB                       | TF                  | 256.03                       | 30.68        |                |       |              |
| WYNDE                        | 422720.73N / 0870636.63W | Y                                  | FB                       | TF                  | 249.97                       | 18.32        |                |       |              |
| En Route Transition          |                          |                                    |                          |                     |                              |              |                |       |              |
| VIO VOR/DME                  | 424712.18N / 0852949.46W | Y                                  |                          | IF                  |                              |              |                |       | VIO.WYNDE2   |
| DITCA                        | 424450.45N / 0854300.14W | Y                                  | FB                       | TF                  | 256.40                       | 09.99        |                |       |              |
| WLTER                        | 424111.39N / 0860303.94W | Y                                  | FB                       | TF                  | 256.25                       | 15.23        |                |       |              |
| RHIVR                        | 423845.44N / 0861614.15W | Y                                  | FB                       | TF                  | 256.02                       | 10.02        |                |       |              |
| PAITN                        | 423339.71N / 0864321.38W | Y                                  | FB                       | TF                  | 255.88                       | 20.67        |                |       |              |
| WYNDE                        | 422720.73N / 0870636.63W | Y                                  | FB                       | TF                  | 249.97                       | 18.32        |                |       |              |
| Common Route                 |                          |                                    |                          |                     |                              |              |                |       |              |
| WYNDE                        | 422720.73N / 0870636.63W | Y                                  |                          | IF                  |                              |              |                |       | WYNDE.WYNDE2 |
| FIYER                        | 422351.97N / 0871916.21W | Y                                  | FB                       | TF                  | 249.72                       | 10.00        |                |       |              |
| ERNNY                        | 422019.39N / 0873203.06W | Y                                  | FB                       | TF                  | 249.57                       | 10.11        |                |       |              |
| PAPPI                        | 421611.90N / 0873625.93W | Y                                  | FB                       | TF                  | 218.28                       | 05.25        |                |       |              |
| TUBEZ                        | 421051.31N / 0874202.89W | Y                                  | FB                       | TF                  | 218.03                       | 06.78        |                |       |              |
| Runway Transition            |                          |                                    |                          |                     |                              |              |                |       |              |
| TUBEZ                        | 421051.31N / 0874202.89W | Y                                  |                          | IF                  |                              |              |                |       |              |





FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

| Arrival Name<br>WYNDE (RNAV)  |                          | Number<br>TWO |       | STAR Computer Code<br>WYNDE.WYNDE2 |        | Superseded Number<br>ONE |          | Dated<br>10/10/2019 | Effective Date<br>5 NOV 2020 |
|---|--------------------------|---------------|-------|------------------------------------|--------|--------------------------|----------|---------------------|------------------------------|
| FIX/NAVAID  | LAT/LONG                 | C             | FO/FB | LEG<br>TYPE                        | TC     | DIST<br>(NM)             | ALTITUDE | SPEED               | REMARKS                      |
| VULCN   | 420530.34N / 0874739.02W | Y             | FB    | TF                                 | 217.97 | 06.78                    |          |                     |                              |
| KURKK   | 420530.61N / 0880137.92W | Y             | FB    | TF                                 | 270.10 | 10.41                    |          |                     |                              |
| BAMBB   | 420527.50N / 0881631.34W | Y             | FO    | TF                                 | 269.82 | 11.09                    |          |                     |                              |
| KORD:RWY 4L,RWY 4R,RWY 9L,RWY 9C,RWY 9R,RWY 22L,RWY 22R,RWY 27L,RWY 27C,RWY 27R,RWY 28L,RWY 28C,RWY 28R |                          |               |       | FM                                 | 269.82 |                          |          |                     |                              |
| Runway Transition   |                          |               |       |                                    |        |                          |          |                     |                              |
| TUBEZ   | 421051.31N / 0874202.89W | Y             |       | IF                                 |        |                          |          |                     |                              |
| MONKZ   | 415303.59N / 0874806.47W | Y             | FB    | TF                                 | 194.28 | 18.35                    |          |                     |                              |
| JORJO   | 415304.14N / 0875918.78W | Y             | FB    | TF                                 | 270.13 | 08.37                    |          |                     |                              |
| POSSM   | 415228.78N / 0881630.63W | Y             | FO    | TF                                 | 267.47 | 12.86                    |          |                     |                              |
| KORD:RWY 10C,RWY 10L,RWY 10R  |                          |               |       | FM                                 | 267.47 |                          |          |                     |                              |

