

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE  
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> PACJ	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 14	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> CROOKED CREEK	<u>STATE</u> AK		
<u>AIRPORT ELEVATION</u> 177	<u>TDZE</u> 177	<u>SUPERSEDED</u>	<u>ORIGINAL/AMENDMENT</u> NONE	<u>DATED</u>	<u>MAG VAR</u> 11E	<u>EPOCH YEAR</u> 2025
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 2 DECEMBER 2021	<u>REQUIRED EFFECTIVE DATE</u> CONCURRENT WITH 20-AAL-55	<u>CANCEL/SUSPEND</u>		

**TERMINAL ROUTES**

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
BLCKW	IAF	AJOFY	NOPT	TF	FB	1.00	042.64	9.76	4000
CECBY	IAF	AJOFY	NOPT	TF	FB	1.00	223.13	10.24	4000
AJOFY	IF/IAF	EBSUF		TF	FB	1.00	132.89	6.62	2900
EBSUF	FAF	IZWEJ/5.03 NM TO RW14		TF	FB	0.30	143.77	1.32	
IZWEJ/5.03 NM TO RW14		RW14	MAP	TF	FO	0.30	143.77	5.03	
RW14	MAP	577 MSL		CA			143.77		
577 MSL		AJOFY		DF	FO	1.00			4000

**MISSED APPROACH**

**MAP:**

LP: RW14

**MISSED APPROACH INSTRUCTIONS:**

CLIMBING RIGHT TURN TO 4000 DIRECT AJOFY AND HOLD.

**ALTERNATE MISSED APPROACH INSTRUCTIONS:**



PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF

(IAF)

2. HOLD NW AJOFY, RT, 132.89 INBOUND, 4000 FT. IN LIEU OF PT (IF/IAF), MAX 7000.

3. FAF:

143.77

FAF:

EBSUF

DIST FAF TO MAP:

6.34

DIST FAF TO THLD:

6.34

4. MIN ALT: AJOFY 4000, EBSUF 2900, IZWEJ/5.03 NM TO RW14 2340

5. DIST TO THLD FROM FAF:

6.34

MM:

IM:

150 HAT:

GS ANT:

6. MIN GP INCPT:

GP ALT AT FAF :

OM:

MM:

IM:

7. GP ANGLE:

34:1

IS NOT CLEAR

20:1

IS CLEAR

TCH:

8. MSA FROM: RW14 4900

PBN REQUIREMENTS NOTE:

RNP APCH - GPS.

NOTES:

CHART NOTE: PROCEDURE NA AT NIGHT.  
CHART NOTE: RWY 14 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.  
CHART NOTE: USE SLEETMUTE ALTIMETER SETTING

ADDITIONAL FLIGHT DATA:

CHART SLEETMUTE AWOS-3  
CHART AT OR ABOVE 5000 AT CECBY.  
CHART AT OR ABOVE 5000 AT BLCKW.  
FAS OBST: 1099 AAO 615635N/1581110W.  
1499 AAO 615714N/1581208W.  
WAAS CHANNEL # 50145  
REFERENCE PATH ID: W14A  
EBSUF TO RW14: 4.00/40.  
LTP HAE: 60.5 M

MINIMUMS:  
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☒

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LP MDA	1800	1 1/4	1623		NA			NA			NA				

CHANGES - REASONS

ORIGINAL PROCEDURE.



AIRPORT ID  
PACJ

PROCEDURE NAME  
RNAV (GPS) RWY 14

ORIGINAL/AMENDMENT  
ORIG

CITY  
CROOKED CREEK

STATE  
AK

**COORDINATED WITH:**

A4A ☐ ALPA ☒ AOPA ☒ APA ☐ HAI ☐ NBAA ☒

OTHER: ENA FSS, ZAN ARTCC, AMGR, STATEWIDEAVIATION@ALASKA.GOV

**FLIGHT CHECKED BY**

*Digitally signed by*

ROBERT W NICHOLS

***LONNIE EVERHART***

Sep 08, 2021

*Digitally signed by*

***LONNIE EVERHART***

Sep 08, 2021

**OFFICE**

FPO

**DATE**

09/02/2021

**DEVELOPED BY**

DAVID TEFFETELLER (APRIL SARMENTO)

**OFFICE**

AJV-A433

**DATE**

05/21/2021

**APPROVED BY**

LONNIE EVERHART

*Digitally signed by*

***LONNIE EVERHART***

Sep 08, 2021

**OFFICE**

AJV-A430

**DATE**

**TITLE**  
MANAGER

QUALITY  
8  
CHECKED

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	PACJ
RUNWAY	RW14
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W14A
LTP/FTP LATITUDE	615230.7300N
LTP/FTP LONGITUDE	1580831.2600W
LTP/FTP ELLIPSOIDAL HEIGHT	+00605
FPAP LATITUDE	615110.3000N
FPAP LONGITUDE	1580711.3630W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	04.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1744
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0
CRC REMAINDER	72113FC3

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	PA
LTP ORTHOMETRIC HEIGHT	+00500
FPAP ORTHOMETRIC HEIGHT	+00500

