

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
ILS STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.29**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> KCRP	<u>PROCEDURE NAME</u> ILS OR LOC RWY 36	<u>ORIGINAL/AMENDMENT</u> 14B	<u>CITY</u> CORPUS CHRISTI	<u>STATE</u> TX		
<u>AIRPORT ELEVATION</u> 46	<u>TDZE</u> 40	<u>SUPERSEDED</u> ILS OR LOC RWY 36	<u>ORIGINAL/AMENDMENT</u> 14A	<u>DATED</u> 12/05/2019	<u>MAG VAR</u> 4E	<u>EPOCH YEAR</u> 2015
<u>FACILITY</u> I-OYC	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 2 NOVEMBER 2023	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
CRP VORTAC		HADON/I-OYC 13.06 DME					178.17	20.38	2000
OLON INT	IAF	HADON/I-OYC 13.06 DME	NOPT				310.14 & 355.11	4.69 (HDG) & 4.50 (I-OYC)	2000
JETTY INT	IAF	HADON/I-OYC 13.06 DME	NOPT				055.09 & 355.11	3.65 (HDG) & 2.27 (I-OYC)	2000
HADON/I-OYC 13.06 DME	IF/IAF	OSSOE/I-OYC 7.16 DME/RADAR					355.11	5.90 (I-OYC)	2000

MISSED APPROACH

MAP:

ILS: DA
LOC: TENUH/I-OYC 1.60 DME

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 700 THEN CLIMBING LEFT TURN TO 2000 ON HEADING 338 AND CRP VORTAC R-287 TO ATHIS INT/CRP 23.26 DME AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

QUALITY
35
CHECKED

AIRPORT ID

KCRP

PROCEDURE NAME

ILS OR LOC RWY 36

ORIGINAL/AMENDMENT

14B

CITY

CORPUS CHRISTI

STATE

TX

PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF

(IAF)

2. HOLD S HADON, RT, 355.11 INBOUND, 2000 FT. IN LIEU OF PT (IAF), MAX 6000.

3. FAF:

355.11

FAF: OSSOE/I-OYC 7.16 DME/RADAR

DIST FAF TO MAP:

DIST FAF TO THLD: 5.99

4. MIN ALT: HADON/I-OYC 13.06 DME 2000, OSSOE/I-OYC 7.16 DME/RADAR 2000, ALKOJ/I-OYC 3.18 DME 720

5. DIST TO THLD FROM OM:

MM:

IM:

150 HAT:

GS ANT: 1005

6. MIN GS INCPT:

2000

GS ALT AT PFAF :

OSSOE/I-OYC 7.16 DME/RADAR 2000

OM:

MM:

IM:

7. GS ANGLE:

3.00

34:1:

20:1:

TCH:

53.2

8. MSA FROM: CRP VORTAC 2100

EQUIPMENT REQUIREMENTS NOTE:

DME REQUIRED.

NOTES:

CHART PROFILE NOTE: ILS UNUSABLE INSIDE DA. LOC UNUSABLE WITHIN 1.6 DME.

CHART NOTE: FOR INOPERATIVE ALS, INCREASE S-ILS 36 CAT E VISIBILITY TO RVR 4000 AND S-LOC 36 CAT C/D/E VISIBILITY TO RVR 4500.

ADDITIONAL FLIGHT DATA:

CHART KNGW IN PLANVIEW.

HOLD W, RT, 106.98 INBOUND.

CHART FAS OBST: 90 TOWER (48-008947) 274330N/0972938W.

CHART CIRCLING ICON.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE:

NA

☐

ILS: STANDARD; LOC: STANDARD - CAT C 800-2 1/4, CAT D 800-2 1/2, CAT E 800-2 3/4

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
S-ILS 36	240	2400	200	240	2400	200	240	2400	200	240	2400	200	240	2400	200
S-LOC 36	340	2400	300	340	2400	300	340	2400	300	340	2400	300	340	2400	300
CIRCLING	500	1	454	780	1	734	820	2 1/4	774	820	2 1/2	774	820	2 3/4	774

CHANGES - REASONS

1. DELETED ASTERISK AT ALKOJ IN PROFILE LINE 4 AND "** LNAV ONLY" IN ADDITIONAL FLIGHT DATA -- UPDATED IAW 8260.19I, 1-1-5.F(12).

2. ADDED ID TO CHART FAS OBST IN ADDITIONAL FLIGHT DATA -- UPDATED IAW 8260.19I, 8-6-10.C.

3. CHANGED CIRCLING CAT B CMDA/HAA FROM "580/534" TO "780/734" -- NEW CONTROLLING OBSTACLE.

4. DELETED "NA WHEN LOCAL WEATHER NOT AVAILABLE" FROM ALTERNATE MINIMUMS -- AIRPORT DOES NOT HAVE A BACKUP ALTIMETER; UPDATED IAW 8260.19I, 8-6-11.B(4) MEMO.

5. MSA ALTITUDE CHANGED FROM "2200" TO "2100" -- UPDATED SURVEY DATA, OBSTACLE VERIFIED ON VOR RWY 18 FULL AMENDMENT.

6. DELETED "CHART: 07TE IN PLANVIEW" -- AIRFIELD IS ABANDONED.

FAA Form 8260-3 (11/16) Supersedes Previous Edition

Electronic Version

Page 2 of 3

QUALITY
35
CHECKED

COORDINATED WITH:

A4A ☒ ALPA ☒ AOPA ☒ APA ☒ HAI ☐ NBAA ☒ OTHER: ZHU, CRP APP CON, CRP ATCT, AMGR

FLIGHT CHECKED BY

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021 GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION

OFFICE

DATE

Digitally signed by
JASON KRETSCHMER

DEVELOPED BY

ALLAN WILL (DANIEL C JOHNSEN)

Digitally signed by

JASON KRETSCHMER

Aug 04, 2023

OFFICE

AJV-A423

DATE

04/28/2023

Aug 04, 2023

APPROVED BY

ALLAN WILL

Digitally signed by

JASON KRETSCHMER

Aug 04, 2023

OFFICE

AJV-A423

DATE

10/05/2023

TITLE

MANAGER