

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33							Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.										
TERMINAL ROUTES										MISSED APPROACH							
FROM		TO			COURSE AND DISTANCE			ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW01L CLIMB TO 3600 DIRECT ACUBO AND HOLD. ADDITIONAL FLIGHT DATA: HOLD N, RT, 196.05 INBOUND. CHART FAS OBST: 1365 TREE 373757N/0972701W DISTANCE TO THLD FROM 200 HAT: 0.47 NM. CHART VDP AT 0.80 MILES TO RW01L* *LNAV ONLY. WAAS CHANNEL # 61219 REFERENCE PATH ID: W01A LTP HAE: 371.3 M							
BACAY (IAF)		CUTIK (NOPT) (FB)			105.88 / 6.00			3600									
NESDE (IAF)		CUTIK (NOPT) (FB)			286.02 / 6.00			3600									
CUTIK (IF/IAF)		JETUX (FB)			015.95 / 6.00			3000									
JETUX (FAF)		HAGEK/1.80 NM TO RW01L (FB)			015.98 / 3.26												
HAGEK/1.80 NM TO RW01L		RW01L (MAP) (FO)			015.98 / 1.80												
RW01L (MAP)		1514 MSL			015.98												
1514 MSL		ACUBO (FO)						3600									
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD S CUTIK, RT, 015.95 INBOUND, 3600 FT. IN LIEU OF PT (IAF) 3. FAC: 015.98 FAF: JETUX DIST FAF TO MAP: 5.06 THLD: 5.06 4. MIN. ALT: CUTIK 3600, JETUX 3000, HAGEK/1.80 NM TO RW01L 1920* 5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u> 6. MIN GS INCPT: 3000 GS ALT AT: JETUX 3000 OM: <u> </u> MM: <u> </u> IM: <u> </u> 7. GS ANGLE: 3.00 TCH: 52.3 34:1 IS CLEAR 8. MSA FROM: <u> </u>										MAG VAR: 4E EPOCH YEAR: 2015							
MINIMUMS																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD								
CATEGORY >>>>>	A			B			C			D			E				
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA		
LPV DA	1514	2400	200	1514	2400	200	1514	2400	200	1514	2400	200					
LNAV/VNAV DA	1615	2400	301	1615	2400	301	1615	2400	301	1615	2400	301					
LNAV MDA	1620	2400	306	1620	2400	306	1620	2400	306	1620	2400	306					
CIRCLING	1800	1	467	1800	1	467	1800	1 1/2	467	1900	2	567					
NOTES: CHART NOTE: INOPERATIVE TABLE DOES NOT APPLY TO LNAV CAT D. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 54C (130F). CHART NOTE: FOR INOPERATIVE ALSF-2, INCREASE LNAV CAT C/D VISIBILITY TO RVR 4500. CHART NOTE: DME/DME RNP-0.3 NA. (SEE FORM 8260-10)																	
CITY AND STATE				ELEVATION: 1333 TDZE: 1314				FACILITY IDENTIFIER:				PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:	
WICHITA, KS				AIRPORT NAME:				RNAV				RNAV (GPS) Y RWY 1L, AMDT 1B				AMDT: 1A	
				WICHITA DWIGHT D. EISENHOWER NATIONAL								13 NOVEMBER 2014				DATED 04/05/2012	



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

*LNAV ONLY

CHART NOTE: SIMULTANEOUS APPROACH AUTHORIZED WITH ILS OR LOC RWY 1R.

CHART NOTE: LNAV PROCEDURE NA DURING SIMULTANEOUS OPERATIONS.

CHART NOTE: USE OF FD OR AP PROVIDING RNAV TRACK GUIDANCE REQUIRED DURING SIMULTANEOUS OPERATIONS.

TAA

	FROM	TO	ALT
1.	286/30 CW 106/30 (NOPT)	CUTIK (IF/IAF) (FB)	3600
2.	106/30 CW 196/30	BACAY (IAF) (FB)	3600
3.	196/30 CW 286/30	NESDE (IAF) (FB)	3600

QUALITY
6
CHECKED

CITY AND STATE

WICHITA, KS

ELEVATION: 1333

TDZE: 1314

AIRPORT NAME:

WICHITA DWIGHT D. EISENHOWER NATIONAL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) Y RWY 1L, AMDT 1B

13 NOVEMBER 2014

SUP:

AMDT: 1A

DATED: 04/05/2012

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KICT
RUNWAY	RW01L
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	Y
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W01A
LTP/FTP LATITUDE	373806.0670N
LTP/FTP LONGITUDE	0972645.5905W
LTP/FTP ELLIPSOIDAL HEIGHT	+03713
FPAP LATITUDE	373941.7600N
FPAP LONGITUDE	0972601.7900W
THRESHOLD CROSSING HEIGHT (TCH)	00052.3
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0000
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0

CRC REMAINDER

C8CF0F9C

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+04001
FPAP ORTHOMETRIC HEIGHT	+04001

QUALITY
6
CHECKED

CITY AND STATE

WICHITA, KS

ELEVATION: 1333

TDZE: 1314

AIRPORT NAME:

WICHITA DWIGHT D. EISENHOWER NATIONAL

 FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) Y RWY 1L, AMDT 1B

13 NOVEMBER 2014

SUP:

AMDT: 1A


DATED: 04/05/2012

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

QUALITY
6
CHECKED

FAA FORM 8260 - 10 / April 2006 (Computer Generated) Page 4 of 5 Pages

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE												
FLIGHT STANDARDS SERVICES - FAR PART 97.33												
ARINC SUMMARY - 424-18 - RNAV (GPS)												
ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	BACAY	BACAY	010	IAF	IF		FB					
	BACAY	CUTIK	020		TF		FB	1.0	105.9 (109.9T)	006.0	AA 03600	
	CUTIK	CUTIK	010	IAF	HF	R	FO		016.0 (020.0T)	004.0	AA 03600	
	NESDE	NESDE	010	IAF	IF		FB					
	NESDE	CUTIK	020		TF		FB	1.0	286.0 (290.0T)	006.0	AA 03600	
		CUTIK	010	FACF	IF		FB				AA 03600	
		JETUX	020	FAF	TF		FB	0.5	016.0 (020.0T)	006.0	AA 03000	
		HAGEK	021	SDF	TF		FB	0.3	016.0 (020.0T)	003.3	AA 01920	GS 01938
		RW01L	030	MAP	TF		FO	0.3	016.0 (020.0T)	001.8	AT 01365	
MISSED APPROACH		FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
			040		CA		FB		016.0 (020.0T)		AA 01514	
		ACUBO	050		DF		FO				AA 03600	
		ACUBO	060		HM	R	FO		196.1 (200.1T)	004.0	AA 03600	
POINT DATA		WAYPOINT	LAT IN SECS		LONG IN SECS		LAT IN MINS		LONG IN MINS			
		ACUBO	N375008.22		W0972114.25		N3750.137		W09721.238			
		BACAY	N372944.24		W0973835.96		N3729.737		W09738.599			
		CUTIK	N372741.47		W0973130.74		N3727.691		W09731.512			
		HAGEK	N373624.46		W0972732.07		N3736.408		W09727.535			
		JETUX	N373320.24		W0972856.26		N3733.337		W09728.938			
		NESDE	N372538.28		W0972425.90		N3725.638		W09724.432			
		RW01L	N373806.07		W0972645.59		N3738.101		W09726.760			
RUNWAY DATA		RWY	THRESHOLD ELEVATION		TCH							
		RW01L	01313		52							



CITY AND STATE WICHITA, KS	ELEVATION: 1333	TDZE: 1314	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: WICHITA DWIGHT D. EISENHOWER NATIONAL		RNAV	RNAV (GPS) Y RWY 1L, AMDT 1B 13 NOVEMBER 2014	AMDT: 1A
					DATED: 04/05/2012