

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES						MISSED APPROACH									
FROM	TO	COURSE AND DISTANCE		ALTITUDE	LPV: DA LNAV/VNAV: DA LNAV: RW14 CLIMB TO 3600 DIRECT JOJTY AND ON TRACK 146.01 TO USOMY AND HOLD. ADDITIONAL FLIGHT DATA: HOLD SE, RT, 326.07 INBOUND. CHART FAS OBST: 1446 TOWER 374051N/0972643W DISTANCE TO THLD FROM 250 HAT: 0.63 NM. CHART VDP AT 1.00 MILES TO RW14* *LNAV ONLY. WAAS CHANNEL # 87017 REFERENCE PATH ID: W14A LTP HAE: 377.3 M										
FEBIT (IAF)	CUMUM (NOPT) (FB)	055.85 / 6.00		3600											
GABYE (IAF)	CUMUM (NOPT) (FB)	235.99 / 6.00		3600											
CUMUM (IF/IAF)	FAXIM (FB)	145.92 / 6.09		3200											
FAXIM (FAF)	EKEBE/1.50 NM TO RW14 (FB)	145.96 / 4.12													
EKEBE/1.50 NM TO RW14	RW14 (MAP) (FO)	145.96 / 1.50													
RW14 (MAP)	1583 MSL	145.96													
(SEE FORM 8260-10)															
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD NW CUMUM, RT, 145.92 INBOUND, 3600 FT. IN LIEU OF PT (IAF) 3. FAC: <u>145.96</u> FAF: <u>FAXIM</u> DIST FAF TO MAP: <u>5.62</u> THLD: <u>5.62</u> 4. MIN. ALT: CUMUM 3600, FAXIM 3200, EKEBE/1.50 NM TO RW14 1860* 5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u> 6. MIN GS INCPT: <u>3200</u> GS ALT AT: FAXIM 3200 OM: <u> </u> MM: <u> </u> IM: <u> </u> 7. GS ANGLE: <u>3.00</u> TCH: <u>50.3</u> 34:1 IS CLEAR 8. MSA FROM: <u> </u>												MAG VAR: 4E EPOCH YEAR: 2015			
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD						
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	1583	3/4	250	1583	3/4	250	1583	3/4	250	1583	3/4	250			
LNAV/VNAV DA	1799	1 3/4	466	1799	1 3/4	466	1799	1 3/4	466	1799	1 3/4	466			
LNAV MDA	1700	1	367	1700	1	367	1700	1	367	1700	1	367			
CIRCLING	1800	1	467	1800	1	467	1800	1 1/2	467	1900	2	567			
NOTES: CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 54C (130F). CHART NOTE: DME/DME RNP-0.3 NA.															
CITY AND STATE WICHITA, KS		ELEVATION: 1333 TDZE: 1333 AIRPORT NAME: WICHITA DWIGHT D. EISENHOWER NATIONAL		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 14, AMDT 2A 13 NOVEMBER 2014				SUP: AMDT: 2 DATED 09/23/2010					



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33


Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
1583 MSL	JOJTY (FB)		
JOJTY	USOMY (FO)	146.01 / 10.48	3600

TAA

	FROM	TO	ALT
1.	056/30 CW 236/30 (NOPT)	056/14 CW 236/14	4100
2.	056/14 CW 236/14	CUMUM (IF/IAF) (FB)	3600
3.	236/30 CW 326/30	GABYE (IAF) (FB)	3600
4.	326/30 CW 056/30	FEBIT (IAF) (FB)	3600



CITY AND STATE WICHITA, KS	ELEVATION: 1333 TDZE: 1333 AIRPORT NAME: WICHITA DWIGHT D. EISENHOWER NATIONAL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 14, AMDT 2A 13 NOVEMBER 2014	SUP:
				AMDT: 2
				DATED: 09/23/2010

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KICT
RUNWAY	RW14
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	Y
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W14A
LTP/FTP LATITUDE	373927.1615N
LTP/FTP LONGITUDE	0972624.2720W
LTP/FTP ELLIPSOIDAL HEIGHT	+03773
FPAP LATITUDE	373809.9000N
FPAP LONGITUDE	0972528.1800W
THRESHOLD CROSSING HEIGHT (TCH)	00050.3
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0832
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

1334CB9D

CRC REMAINDER**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+04060
FPAP ORTHOMETRIC HEIGHT	+04060



CITY AND STATE

WICHITA, KS

ELEVATION: 1333

TDZE: 1333

AIRPORT NAME:

WICHITA DWIGHT D. EISENHOWER NATIONAL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) Y RWY 14, AMDT 2A

13 NOVEMBER 2014

SUP:

AMDT:

2

DATED:

09/23/2010

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

WP	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAEAEENRT	CUMUM	K30	W	N37493610W097334767				E0040	NAR		CUMUM		
SUSAEAEENRT	EKEBE	K30	W	N37404519W097272096				E0039	NAR		EKEBE		
SUSAEAEENRT	FAXIM	K30	W	N37441946W097295681				E0040	NAR		FAXIM		
SUSAEAEENRT	FEBIT	K30	W	N37463528W097402059				E0041	NAR		FEBIT		
SUSAEAEENRT	GABYE	K30	W	N37523656W097271422				E0039	NAR		GABYE		
SUSAEAEENRT	JOJTY	K30	W	N37374311W097250874				E0039	NAR		JOJTY		
SUSAEAEENRT	USOMY	K30	W	N37283786W097183395				E0038	NAR		USOMY		

[illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KICTK3FR14-Y	ACUMUM	010CUMUMK3EA0EE	AR	HF		14590040	+	03600	18000		A	JS
SUSAP	KICTK3FR14-Y	AFEBIT	010FEBITK3EA0E	A	IF					18000		A	JS
SUSAP	KICTK3FR14-Y	AFEBIT	020CUMUMK3EA0EE	B	010TF		05590060	+	03600			A	JS
SUSAP	KICTK3FR14-Y	AGABYE	010GABYEK3EA0E	A	IF					18000		A	JS
SUSAP	KICTK3FR14-Y	AGABYE	020CUMUMK3EA0EE	B	010TF		23600060	+	03600			A	JS
SUSAP	KICTK3FR14-Y	R	010CUMUMK3EA0E	I	IF			+	03600	18000		A	JS
SUSAP	KICTK3FR14-Y	R	020FAXIMK3EA1E	F	051TF		14590061	+	03200			A	JS
SUSAP	KICTK3FR14-Y	R	020FAXIMK3EA2WALPV			ALNAV/VNAV	ALNAV						JS
SUSAP	KICTK3FR14-Y	R	021EKEBEK3EA0E	S	031TF		14600041	V	0186001862		-300	A	JS
SUSAP	KICTK3FR14-Y	R	030RW14 K3PGOGY	M	031TF		14600015		01382		-300	A	JS
SUSAP	KICTK3FR14-Y	R	040	O	M	CA	1460	+	01583			A	JS
SUSAP	KICTK3FR14-Y	R	050JOJTYK3EA0E		DF							A	JS
SUSAP	KICTK3FR14-Y	R	060USOMYK3EA0EY		010TF		1460	+	03600			A	JS
SUSAP	KICTK3FR14-Y	R	070USOMYK3EA0EE	R	HM		32610040	+	03600			A	JS

[illegible][illegible]

CITY AND STATE WICHITA, KS	ELEVATION: 1333	TDZE: 1333	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) Y RWY 14, AMDT 2A 13 NOVEMBER 2014	SUP:
	AIRPORT NAME: WICHITA DWIGHT D. EISENHOWER NATIONAL	FACILITY IDENTIFIER: RNAV		AMDT: 2
				DATED: 09/23/2010

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	CUMUM	CUMUM	010	IAF	HF	R	FO		145.9 (149.9T)	004.0	AA 03600	
	FEBIT	FEBIT	010	IAF	IF		FB					
	FEBIT	CUMUM	020		TF		FB	1.0	055.9 (059.9T)	006.0	AA 03600	
	GABYE	GABYE	010	IAF	IF		FB					
	GABYE	CUMUM	020		TF		FB	1.0	236.0 (240.0T)	006.0	AA 03600	
		CUMUM	010	FACF	IF		FB				AA 03600	
		FAXIM	020	FAF	TF		FB	0.5	145.9 (149.9T)	006.1	AA 03200	
		EKEBE	021	SDF	TF		FB	0.3	146.0 (150.0T)	004.1	AA 01860 GS 01862	
		RW14	030	MAP	TF		FO	0.3	146.0 (150.0T)	001.5	AT 01382	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		146.0 (150.0T)		AA 01583	
	JOJTY	050		DF		FB					
	USOMY	060		TF		FO	1.0	146.0 (150.0T)		AA 03600	
	USOMY	070		HM	R	FO		326.1 (330.1T)	004.0	AA 03600	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	CUMUM	N374936.10	W0973347.67	N3749.602	W09733.795
	EKEBE	N374045.19	W0972720.96	N3740.753	W09727.349
	FAXIM	N374419.46	W0972956.81	N3744.324	W09729.947
	FEBIT	N374635.28	W0974020.59	N3746.588	W09740.343
	GABYE	N375236.56	W0972714.22	N3752.609	W09727.237
	JOJTY	N373743.11	W0972508.74	N3737.719	W09725.146
	USOMY	N372837.86	W0971833.95	N3728.631	W09718.566
	RW14	N373927.16	W0972624.27	N3739.453	W09726.405

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW14	01332	50

QUALITY
4
CHECKED

CITY AND STATE WICHITA, KS	ELEVATION: 1333	TDZE: 1333	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) Y RWY 14, AMDT 2A 13 NOVEMBER 2014	SUP:
	AIRPORT NAME: WICHITA DWIGHT D. EISENHOWER NATIONAL				AMDT: 2
					DATED: 09/23/2010