

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE		
HOLOB (IAF)	CUKBO (NOPT) (FB)	085.12 / 5.00	2200	LPV: DA LNAV/VNAV: DA LNAV: RW35	
OYUGA (IAF)	CUKBO (NOPT) (FB)	265.23 / 5.00	2200	CLIMB TO 2200 DIRECT PUYOS AND HOLD.	
CUKBO (IF/IAF)	JAVMU (FB)	355.18 / 6.04	2200		
				ADDITIONAL FLIGHT DATA: HOLD N, RT, 175.18 INBOUND. CHART FAS OBST: 597 ELEVATOR 333703N/0952703W CHART FAS OBST: 609 ELEVATOR 333720N/0952730W CHART VDP AT 0.88 MILES TO RW35* *LNAV ONLY. WAAS CHANNEL # 63001 REFERENCE PATH ID: W35A DISTANCE TO THLD FROM 250 HAT: 0.64 NM	
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD S CUKBO, RT, 355.18 INBOUND, 2200 FT. IN LIEU OF PT (IAF) 3. FAC: 355.18 FAF: JAVMU DIST FAF TO MAP: 5.01 THLD: 5.01 4. MIN. ALT: CUKBO 2200, JAVMU 2200 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: 2200 GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: 3.00 TCH: 53.0 34:1 IS NOT CLEAR 8. MSA FROM: _____				MAG VAR: 4E EPOCH YEAR: 2005	

MINIMUMS																
TAKEOFF:		STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT			ALTERNATE: N A			STANDARD @						
CATEGORY		A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LPV DA	782	3/4	250	782	3/4	250	782	3/4	250	782	3/4	250				
LNAV/VNAV DA	925	1 1/4	393	925	1 1/4	393	925	1 1/4	393	925	1 1/4	393				
LNAV MDA	860	1	328	860	1	328	860	1	328	860	1	328				
CIRCLING	960	1 1/4	412	1000	1 1/4	452	1000	1 1/2	452	1100	2	552				

NOTES:
 CHART NOTE: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE SULPHUR SPRINGS ALTIMETER SETTING AND INCREASE ALL DAS/MDAS 80 FT. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C (4F) OR ABOVE 47C (118F).
 CHART NOTE: DME/DME RNP-0.3 NA.
 CONTINUED ON PAGE 2

CITY AND STATE PARIS, TX	ELEVATION: 548 TDZE: 532	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG NOV 23 2006	SUP:
	AIRPORT NAME: COX FIELD			AMDT: NONE
				DATED

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

CHART NOTE: BARO-VNAV AND VDP NA WHEN USING SULPHUR SPRINGS ALTIMETER SETTING.

TAA

	FROM	TO	ALT
1.	265/30 CW 340/30 (NOPT)	265/22 CW 340/22	2500
2.	265/22 CW 340/22	CUKBO (IF/IAF) (FB)	2200
	340/30 CW 085/30 (NOPT)	CUKBO (IF/IAF) (FB)	2200
3.	085/30 CW 175/30	HOLOB (IAF) (FB)	2200
4.	175/30 CW 265/30	OYUGA (IAF) (FB)	2200

CITY AND STATE

PARIS, TX

ELEVATION: 548 TDZE: 532

AIRPORT NAME:

COX FIELD

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 35, ORIG

NOV 23 2006

SUP:

AMDT:

NONE

DATED:

QA
B
APPROVED

**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KPRX
RUNWAY	RW35
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	0
REFERENCE PATH DATA SELECTOR	W35A
REFERENCE PATH IDENTIFIER (APPROACH ID)	333741.9900N
LTP/FTP LATITUDE	0952714.9300W
LTP/FTP LONGITUDE	+01336
LTP/FTP ELLIPSOIDAL HEIGHT	333911.2400N
FPAP LATITUDE	0952716.4600W
FPAP LONGITUDE	00053.0
THRESHOLD CROSSING HEIGHT (TCH)	F
TCH UNITS SELECTOR (METERS OR FEET USED)	03.00
GLIDEPATH ANGLE (GPA)	106.75
COURSE WIDTH AT THRESHOLD	0920
LENGTH OFFSET	40.0
HORIZONTAL ALERT LIMIT (HAL)	50.0
VERTICAL ALERT LIMIT (VAL)	

CRC REMAINDER

14F8251E

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+01604
FPAP ORTHOMETRIC HEIGHT	+01604

CITY AND STATE

PARIS, TX

ELEVATION: 548 TDZE: 532

AIRPORT NAME:

COX FIELD

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./ AMDT NO./ EFFECTIVE DATE:

RNAV (GPS) RWY 35, ORIG

NOV 23 2006

SUP:

AMDT: NONE

DATED: