

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: IKOCI CLIMB TO 4000 DIRECT ZANEM AND VIA 258.53 TRACK TO JIDGA AND HOLD. ADDITIONAL FLIGHT DATA: HOLD W, RT, 079.27 INBOUND. CHART FAS OBST: 249 TREE 665406N/1565255W OTECI TO RW27: 3.09/45 CHART: AMBLER AWOS-3, 125.50.
TEKUC (IAF)	VIGUC (NOPT) (FB)	184.67 / 6.00	4100	
WEKDO (IAF)	VIGUC (NOPT) (FB)	004.44 / 8.66	4100	
VIGUC (IF/IAF)	OTECI (FB)	274.58 / 8.00	2800	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD E VIGUC, RT, 274.58 INBOUND, 4100 FT. IN LIEU OF PT (IAF)**
- FAC: 274.29 FAF: OTECI DIST FAF TO MAP: 7.80 THLD: 8.00
- MIN. ALT: **VIGUC 4100, OTECI 2800, UKICI/1.80 NM TO IKOCI 820**
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34.1 IS NOT CLEAR
- MSA FROM:

MAG VAR: 19E

EPOCH YEAR: 2005

MINIMUMS

TAKEOFF: <input type="checkbox"/>	STANDARD <input checked="" type="checkbox"/>	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: NA <input checked="" type="checkbox"/>												
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	640	1	503	640	1	503	640	1 1/2	503	640	1 1/2	503			
CIRCLING	700	1	563	700	1	563	700	1 1/2	563	740	2	603			

NOTES:
 CHART NOTE: CIRCLING NA N OF RWY 9-27.
 CHART NOTE: PROCEDURE NA AT NIGHT.
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
 SEE 8260-10

CITY AND STATE KOBUK, AK	ELEVATION: 137 TDZE: 137 AIRPORT NAME: KOBUK	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO.: RNAV (GPS) RWY 27, ORIG DEC 20 2007	SUP: AMDT: NONE DATED
------------------------------------	---	-------------------------------------	---	------------------------------------

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

CHART NOTE: USE AMBLER ALTIMETER SETTING.

TAA

	FROM	TO	ALT
1.	185/30 CW 004/30	185/6 CW 004/6	7500
2.	185/6 CW 004/6	VIGUC (IF/IAF) (FB)	4600
3.	004/30 CW 095/30	WEKDO (IAF) (FB)	6300
4.	095/30 CW 185/30	095/15 CW 185/15 (IAF) (FB)	8000
5.	095/15 CW 185/15	TEKUC (IAF) (FB)	6700

CITY AND STATE

KOBUK, AK

ELEVATION: 137 TDZE: 137

AIRPORT NAME:

KOBUK

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO. / AMDT NO.:

RNAV (GPS) RWY 27, ORIG

DEC 20 2007

SUP:

AMDT: NONE

DATED:



Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible][illegible]

CITY AND STATE KOBUK, AK	ELEVATION: 137 TDZE: 137 AIRPORT NAME: KOBUK	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO.: RNAV (GPS) RWY 27, ORIG DEC 20 2007	SUP:
				AMDT: NONE
				DATED: A

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-15

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	TEKUC	TEKUC	010	IAF	IF		FB				
	TEKUC	VIGUC	020		TF		FB	1.0	184.7 (204T)	006.0	04100
	VIGUC	VIGUC	010		HF	R	FB		274.6 (294T)	007.0	04100
	WEKDO	WEKDO	010	IAF	IF		FB				
	WEKDO	VIGUC	020		TF		FB	1.0	004.4 (023T)	008.7	04100
		VIGUC	010	FACF	IF		FB				04100
		OTECI	020	FAF	TF		FB	0.5	274.6 (294T)	008.0	02800
		UKICI	021	SDF	TF		FB	0.3	274.4 (293T)	006.0	00820
		IKOCI	030	MAP	TF		FB	0.3	274.4 (293T)	001.8	00243

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
		040		CA		FB	1.0	274.4 (293T)		00537
	ZANEM	050		DF		FB	1.0			
	JIDGA	060		TF		FO	1.0	258.5 (278T)		04000
	JIDGA	070		HM	R	FO	2.0	079.3 (098T)	007.0	04000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	IKOCI	N665434.32	W1565234.18	N6654.572	W15652.570
	JIDGA	N665740.40	W1574222.45	N6657.673	W15742.374
	OTECI	N665131.01	W1563423.13	N6651.517	W15634.386
	TEKUC	N665349.45	W1560943.56	N6653.824	W15609.726
	UKICI	N665352.20	W1564822.00	N6653.870	W15648.367
	VIGUC	N664820.81	W1561548.88	N6648.347	W15615.815
	WEKDO	N664026.15	W1562431.04	N6640.436	W15624.517
	ZANEM	N665528.72	W1565801.09	N6655.479	W15658.018
	RW27	N665438.99	W1565302.22	N6654.650	W15653.037

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW27	00132	45

CITY AND STATE
KOBUK, AK

ELEVATION: 137 TDZE: 137
AIRPORT NAME:
KOBUK

FACILITY
 IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO.:
RNAV (GPS) RWY 27, ORIG
DEC 20 2007

SUP:
 AMDT: **NONE**
 DATED: **A**