

U.S. Department of Transportation
Federal Aviation Administration

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW30
PSM VORTAC	SILVE WP (TF) (FB)	153.00/14.12	2000	
SEROC WP (IAF)	DIPGY WP (TF) (FB)	216.36/5.64	2000	CLIMBING LEFT TURN TO 2000 DIRECT PSM VORTAC AND HOLD
SILVE WP (IAF)	DIPGY WP (TF) (FB)	034.02/10.50	2000	
CEKAY WP (IAF)	DIPGY WP (TF) (FB)	321.19/6.09	2000	ADDITIONAL FLIGHT DATA: HOLD SW, RT, 052.12 INBOUND FAS OBST: 319 AAO 430645/704139 IBEYU TO RW30: 3.00/40 FINAL SEGMENT (TF)
DIPGY WP (IF)	IBEYU WP (TF) (FB)	306.33/6.00	1700	
RW30 (MAP)	580 MSL (CA)	306.24		
580 MSL	PSM VORTAC (DF) (FO)		2000	

1. PT NA SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. PROFILE STARTS AT DIPGY WP
3. FAC: 306.24 FAF: IBEYU WP DIST FAF TO MAP: - THLD: 4.88
4. MIN. ALT: DIPGY WP 2000, IBEYU WP 1700
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:
7. GS ANGLE: TCH: 34:1 IS NOT CLEAR
8. MSA FROM: RW30 3100

MAG VAR: 16W

EPOCH YEAR: 95

MINIMUMS

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A	FOR THIS AIRPORT	ALTERNATE: N A	X									
CATEGORY	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	580	1	455	580	1	455		NA			NA				
CIRCLING	680	1	555	680	1	555		NA			NA				

NOTES:
PROCEDURE NA AT NIGHT
USE PORTSMOUTH, NH. ALTIMETER SETTING
GPS OR RNP-0.3 REQUIRED. DME/DME RNP-0.3 NA.

CITY AND STATE	ELEVATION: 125 TDZE: 125	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
ELIOT, ME	AIRPORT NAME: LITTLEBROOK AIR PARK	RNAV	SEP - 4 2003 RNAV (GPS) RWY 30, ORIG	AMDT: NONE
				DATE

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV

STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

PROCEDURE NA FOR ARRIVAL AT SILVE ON V139 SOUTHBOUND, AT SEROC ON V167 NORTHBOUND, AND AT CEKAY ON V167 SOUTHBOUND.

CITY AND STATE	ELEVATION: 125 TDZE: 125	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
ELIOT, ME	AIRPORT NAME: LITTLEBROOK AIR PARK	RNAV	SEP - 4 2003 RNAV (GPS) RWY 30, ORIG	AMDT: NONE
				DATED: