

**Federal Aviation
Administration**

Transmittal Letter 22-04

December 24, 2021

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
1/27/2022	NY	Plattsburgh	Plattsburgh Intl	1/7558	12/7/2021	RNAV (GPS) RWY 17, Amdt 1B

AIRAC Date: 27 JANUARY 2022

FDC 1/7558 PBG IAP PLATTSBURGH INTL, PLATTSBURGH, NY. RNAV (GPS) RWY 17, AMDT 1B... CIRCLING CAT C MDA 800/HAA 566, CAT D MDA 960/HAA 726, CAT E MDA 1100/HAA 866, CAT D VIS 2 1/4, CAT E VIS 3. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE BURLINGTON INTL ALTIMETER SETTING AND INCREASE ALL DA 54 FEET, ALL MDA 60 FEET, LPV ALL CATS VISIBILITY 1/4 MILE, LNAV/VNAV ALL CATS VISIBILITY 1/8 MILE, LNAV CATS C, D AND E VISIBILITY 1/4 MILE AND CIRCLING CAT C/D VISIBILITY 1/4 MILE. THIS IS RNAV (GPS) RWY 17, AMDT 1C. 2112071409-PERM