

U.S. Department of Transportation
Federal Aviation Administration

**RNAV STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	T O	COURSE AND DISTANCE	ALTITUDE	
JOBOD WP	ERENE WP (NoPT) (TF) (FB)	180.78 / 16.25	4100 ⁴⁵⁰⁰	LNAV: RW31 CLIMB TO 4100 THEN TURN LEFT DIRECT OJPOT WP AND HOLD. ADDITIONAL FLIGHT DATA: FAS OBST: 2527 TREE 445840/1011518 CEYMU WP TO RW31: 3.04 / 45
ERENE WP (IAF)	OJPOT WP (NoPT) (TF) (FB)	226.73 / 5.00	4100	
TUZCO WP (IAF)	OJPOT WP (NoPT) (TF) (FB)	305.37 / 9.91	4100	
OJPOT WP (IAF/IF)	CEYMU WP (TF) (FB)	316.66 / 5.03	4100	
RW31 (MAP)	OJPOT WP (DF) (FO)		4100	

1. PT NA SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD SE OJPOT WP, RT, 316.66 INBOUND, 4100 FT IN LIEU OF PT (IAF)
3. FAC: 306.00 FAF: CEYMU WP DIST FAF TO MAP: THLD: 4.98
4. MIN. ALT: OJPOT WP 4100, CEYMU WP 4100
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:
7. GS ANGLE: TCH: 34:1 IS CLEAR
8. MSA FROM: RW31 3900

FINAL SEGMENT (TF)

MAG VAR: 9E

EPOCH YEAR: 95

MINIMUMS

TAKEOFF:		STANDARD	X	SEE FAA FORM 8260-15A	FOR THIS AIRPORT	ALTERNATE: N A	X									
CATEGORY		A			B			C			D			E		
		DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA
LNAV	MDA	3020	1	573	3020	1	573		NA			NA				
CIRCLING		3240	1	793	3240	1 1/4	793		NA			NA				

NOTES:

GPS OR RNP-0.3 REQUIRED, DME/DME RNP-0.3 NA.

USE PIERRE ALTIMETER SETTING.

CITY AND STATE	ELEVATION: 2447 TDZE: 2447	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
EAGLE BUTTE, SD	AIRPORT NAME: CHEYENNE EAGLE BUTTE	RNAV	13JUN02 RNAV (GPS) RWY 31, OHIG	AMDT: NONE
			TL 02-10	DATED

U.S. Department of Transportation
Federal Aviation Administration

**RNAV STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
JOBOD WP	ERENE WP (NoPT) (TF) (FB)	180.78 / 16.25	4100 4500	LNAV: RW31 CLIMB TO 4100 THEN TURN LEFT DIRECT OJPOT WP AND HOLD.
ERENE WP (IAF)	OJPOT WP (NoPT) (TF) (FB)	226.73 / 5.00	4100	
TUZCO WP (IAF)	OJPOT WP (NoPT) (TF) (FB)	305.37 / 9.91	4100	
OJPOT WP (IAF/IF)	CEYMU WP (TF) (FB)	316.66 / 5.03	4100	
RW31 (MAP)	OJPOT WP (DF) (FO)		4100	ADDITIONAL FLIGHT DATA: FAS OBST: 2527 TREE 445840/1011518 CEYMU WP TO RW31: 3.04 / 45

- PT NA SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD SE OJPOT WP, RT, 316.66 INBOUND, 4100 FT IN LIEU OF PT (IAF)**
- FAC: 306.00 FAF: CEYMU WP DIST FAF TO MAP: - THLD: 4.98
- MIN. ALT: OJPOT WP 4100, CEYMU WP 4100
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS CLEAR
- MSA FROM: RW31 3900

FINAL SEGMENT (TF)

MAG VAR: 9E

EPOCH YEAR: 95

MINIMUMS

TAKEOFF:	<input type="checkbox"/>	STANDARD	<input checked="" type="checkbox"/>	SEE FAA FORM 8260-15A	FOR THIS AIRPORT	ALTERNATE: N	<input type="checkbox"/>	A	<input checked="" type="checkbox"/>								
CATEGORY	A			B			C			D			E				
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA		
NAV MDA	3020	1	573	3020	1	573		NA			NA						
IRCLING	3240	1	793	3240	1 1/4	793		NA			NA						

NOTES:
GPS OR RNP-0.3 REQUIRED, DME/DME RNP-0.3 NA.

USE PIERRE ALTIMETER SETTING.

CITY AND STATE	ELEVATION: 2447 TDZE: 2447	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
EAGLE BUTTE, SD	AIRPORT NAME: CHEYENNE EAGLE BUTTE	RNAV	RNAV (GPS) RWY 31, ORIG	AMDT: NONE
				DATED

ALL AFFECTED PROCEDURES REVIEWED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		COORDINATES OF FACILITIES		REQUIRED EFFECTIVE DATE ROUTINE	
COORDINATED WITH:					
ATA <input checked="" type="checkbox"/>	AAT <input checked="" type="checkbox"/>	ALPA <input type="checkbox"/>	APA <input checked="" type="checkbox"/>	AOPA <input checked="" type="checkbox"/>	NBAA <input checked="" type="checkbox"/>
				OTHER (specify) <input checked="" type="checkbox"/> ZMP, HON FSS, AIRPORT MANAGER	
FLIGHT CHECKED BY					
NAME: LARRY MANCUSO				FIFO SAC	DATE: 7-24-01
DEVELOPED BY					
NAME: DONALD R. HARMER (DARRYEL ADAMS)				FIFO AVN-140	DATE: 05/01/2001
APPROVED BY					
NAME: RICK A. WEBB				FIFO AVN-140	DATE:
CHANGES: ORIGINAL PROCEDURE					
REASONS: CHI FPO REQUEST / AFS-420 REQUIREMENT					