

<b>RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33</b>				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.			
<b>TERMINAL ROUTES</b>				<b>MISSED APPROACH</b>			
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW20			
MALTT	MUTOE (FB)	022.41 / 13.38	8200	CLIMBING LEFT TURN TO 7000 DIRECT IREME AND HOLD.  ADDITIONAL FLIGHT DATA: CHART FAS OBST: 4304 TWR 423331N/1134454W JAMID TO RW20: 3.75/40.			
SHONE	JADUP (FB)	082.57 / 16.40	8200				
JADUP (IAF)	IREME (NOPT) (FB)	112.44 / 5.00	7000				
MUTOE (IAF)	IREME (NOPT) (FB)	292.56 / 4.75	7000				
IREME (IF/IAF)	HIKLO (FB)	202.50 / 6.00	6000				
HIKLO (FAF)	JAMID/1.55 NM TO RW20 (FB)	202.45 / 3.45					
(SEE FORM 8260-10)							

  

1. PT		SIDE OF COURSE		OUTBOUND		FT WITHIN		MILES OF		(IAF)	
2. HOLD NE IREME, RT, 202.50 INBOUND, 7000 FT. IN LIEU OF PT (IAF)											
3. FAC:		202.45		FAF: HIKLO		DIST FAF TO MAP:		5.00		THLD: 5.00	
4. MIN. ALT: IREME 7000, HIKLO 8000, JAMID/1.55 NM TO RW20 4800											
5. DIST TO THLD FROM OM:		MM:		IM:		150 HAT:		100 HAT:		GS ANT:	
6. MIN GS INCPT:		GS ALT AT:		OM:		MM:		IM:			
7. GS ANGLE:		TCH: 34:1 IS NOT CLEAR									
8. MSA FROM: RW20 11600											

  

<b>MINIMUMS</b>															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @			
CATEGORY ==>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	4660	1	408	4660	1	408	4660	1 1/4	408		NA				
CIRCLING	4660	1	506	4660	1	506	4660	1 1/2	506		NA				

  

**NOTES:**  
 CHART NOTE: DME/DME RNP-0.3 NA.  
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.  
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT SHONE ON V444 NORTHWEST BOUND.  
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MALTT ON V101 SOUTHEAST BOUND.  
 (SEE FORM 8260-10)

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

QUALITY  
1  
CHECKED

CITY AND STATE	ELEVATION: 4154 TDZE: 4152	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
BURLEY, ID	AIRPORT NAME: BURLEY MUNI		RNAV (GPS) RWY 20, ORIG-A <b>25 AUG 2011</b>	AMDT: ORIG
				DATED 04/15/2004

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES, (CONT.):**

FROM	TO	COURSE AND DISTANCE	ALTITUDE
JAMND/1.55 NM TO RW20	RW20 (MAP) (FO)	202.42 / 1.55	
RW20 (MAP)	4554 MSL	202.42	
4554 MSL	IREME (FO)		7000

**NOTES, (CONT.):**

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE TWIN FALLS ALTIMETER SETTING AND INCREASE ALL MDA 80 FT.

CHART NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 20 PROCEDURE NA AT NIGHT.

CHART NOTE: WHEN VGSI INOP CIRCLING RWYS 2 AND 24 NA AT NIGHT.

CHART NOTE: CIRCLING TO RWY 6 NA AT NIGHT.

QUALITY  
2  
CHECKED

**CITY AND STATE**

BURLEY, ID

**ELEVATION:** 4154

**TDZE:** 4152

**AIRPORT NAME:**

BURLEY MUNI

**FACILITY IDENTIFIER:**

RNAV

**PROCEDURE NO./AMDT NO./EFFECTIVE DATE:**

RNAV (GPS) RWY 20, ORIG-A

25 AUG 2011

**SUP:**

**AMDT:**

ORIG

**DATED:**

04/15/2004

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KBYIK1FR20	AIREME	010IREMEK1EA0EE	AR	HF		20250070	+	07000	18000		B	JS
SUSAP	KBYIK1FR20	AMALTT	010MALTTK1EA0E		IF					18000		B	JS
SUSAP	KBYIK1FR20	AMALTT	020MUTOEK1EA0E	A	020TF		02240134	+	08200			B	JS
SUSAP	KBYIK1FR20	AMALTT	030IREMEK1EA0EE	B	010TF		29260048	+	07000			B	JS
SUSAP	KBYIK1FR20	ASHONE	010SHONEK1EA0E		IF					18000		B	JS
SUSAP	KBYIK1FR20	ASHONE	020JADUPK1EA0E	A	020TF		08260164	+	08200			B	JS
SUSAP	KBYIK1FR20	ASHONE	030IREMEK1EA0EE	B	010TF		11240050	+	07000			B	JS
SUSAP	KBYIK1FR20	R	010IREMEK1EA0E	I	IF			+	07000	18000		B	JS
SUSAP	KBYIK1FR20	R	020HIKLOK1EA1E	F	051TF		20250060	+	06000		RW20	K1PGB	JS
SUSAP	KBYIK1FR20	R	020HIKLOK1EA2WN			N	ALNAV						JS
SUSAP	KBYIK1FR20	R	021JAMIDK1EA0E	S	031TF		20250035	V	0480004802	-375		B	JS
SUSAP	KBYIK1FR20	R	030RW20	K1PGOGY	M	031TF	20240016		04182	-375		B	JS
SUSAP	KBYIK1FR20	R	040		0	M	2024	+	04554			B	JS
SUSAP	KBYIK1FR20	R	050IREMEK1EA0EY	L	DF			+	07000			B	JS
SUSAP	KBYIK1FR20	R	060IREMEK1EA0EE	R	HM		20250070	+	07000			B	JS

[illegible]

QUALITY  
CHECKED

CITY AND STATE  BURLEY, ID	ELEVATION: 4154 AIRPORT NAME:  BURLEY MUNI	TDZE: 4152  FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 20, ORIG-A  25 AUG 2011	SUP:
				AMDT: ORIG
				DATED: 04/15/2004

# RNAV STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY  
CHECKED

CITY AND STATE  BURLEY, ID	ELEVATION: 4154	TDZE: 4152	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:  RNAV (GPS) RWY 20, ORIG-A  25 AUG 2011	SUP:	
	AIRPORT NAME:  BURLEY MUNI				AMDT:	ORIG
					DATED:	04/15/2004