

**Federal Aviation
Administration**

Transmittal Letter 21-09

March 9, 2021

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
4/22/2021	VA	Staunton/ Waynesboro/ Harrisonburg	Shenandoah Valley Rgnl	1/6480	2/23/2021	NDB RWY 5, Amdt 10

22 APRIL 2021

FDC 1/6480 SHD IAP SHENANDOAH VALLEY RGNL,
STAUNTON/WAYNESBORO/HARRISONBURG, VA. NDB RWY 5, AMDT 10... CHANGE
ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT
RECEIVED, USE CHARLOTTESVILLE ALTIMETER SETTING AND INCREASE ALL MDAS 140
FEET AND VISIBILITY S-5 AND CIRCLING CAT C 1/2 SM, CAT D 1/4 SM. ALTERNATE
MINIMUMS STANDARD EXCEPT CAT D 900-2 3/4. NA WHEN LOCAL WEATHER NOT
AVAILABLE. CIRCLING CAT C MDA 1900/HAA 699, CAT D MDA 2060/HAA 859. CIRCLING
CAT C VIS 2, CAT D VIS 2 3/4. THIS IS NDB RWY 5, AMDT 10A. 2102221935-PERM