

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name PRICY (RNAV)	Number ONE	STAR Computer Code PRICY.PRICY1	Superseded Number NONE	Dated	Effective Date 22 APR 2021				
TRANSITION ROUTES:									
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
BAYNE	BAYNE.PRICY1	BAYNE	BAYNE						
			BULKS	117.16	29.50	FL180	1700		BETWEEN FL190 AND FL200
			PRICY	071.64	25.92	12000	2000		AT/ABOVE 13000
BULKS	BULKS.PRICY1	BULKS	BULKS						BETWEEN FL190 AND FL200
			PRICY	071.64	25.92	12000	2000		AT/ABOVE 13000
CHIVE	CHIVE.PRICY1	CHIVE	CHIVE						BETWEEN FL240 AND FL260
			DECKS	095.83	31.50	FL180	1700		AT/ABOVE FL210
			BULKS	096.90	13.91	FL180	1700		BETWEEN FL190 AND FL200
			PRICY	071.64	25.92	12000	2000		AT/ABOVE 13000
CHRG	CHRG.PRICY1	CHRG	CHRG						
			DAAWG	092.84	48.83	FL180	1300		
			CHIVE	093.27	34.63	FL180	1300		BETWEEN FL240 AND FL260
			DECKS	095.83	31.50	FL180	1700		AT/ABOVE FL210
			BULKS	096.90	13.91	FL180	1700		BETWEEN FL190 AND FL200
			PRICY	071.64	25.92	12000	2000		AT/ABOVE 13000
DOZES	DOZES.PRICY1	DOZES	DOZES						AT FL230
			QUAYL	070.00	34.59	FL180	1500		AT/ABOVE FL210
			BULKS	070.28	13.91	FL180	1700		BETWEEN FL190 AND FL200
			PRICY	071.64	25.92	12000	2000		AT/ABOVE 13000

ARRIVAL ROUTE DESCRIPTION:

KMCO: FROM PRICY ON TRACK 071.34/4.90 TO BOCCE, THEN ON TRACK 068.30/5.11 TO JUMBA.

LANDING KMCO RWY 17L/R, 18L/R: FROM JUMBA ON TRACK 068.22/15.48 TO CROSS TAYYE BETWEEN 10000 AND 12000 AND AT 250 KIAS, THEN ON TRACK 059.88/7.49 TO ARHIP, THEN ON TRACK 005.99/3.25 TO CROSS GIRAF AT OR ABOVE 8000, THEN ON TRACK 005.99/6.94 TO DVOLA, THEN ON TRACK 006.02/7.96 TO CROSS LYENS AT 5000 AND AT 210 KIAS, THEN ON TRACK 006.02. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING KMCO RWY 35L/R, 36L/R: FROM JUMBA ON TRACK 103.82/19.95 TO CROSS LORRA AT 7000 AND AT 210 KIAS. EXPECT RADAR VECTORS TO ILS OR LOC RWY 35L/R OR ILS OR LOC RWY 36R APPROACH.

LANDING KLEE/KSFB/KISM/KMLB/KORL: FROM PRICY ON TRACK 071.34/4.90 TO BOCCE, THEN ON TRACK 056.00/5.72 TO CROSS OTKEE AT 11000 AND AT 250 KIAS, THEN ON TRACK 056.00 OR AS ASSIGNED BY ATC. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED

NOTE: RNAV 1

QUALITY
14
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
PRICY (RNAV)	ONE	PRICY.PRICY1	NONE		22 APR 2021

NOTE: DME/DME/IRU OR GPS REQUIRED

NOTE: Descend via MACH number until intercepting 280 KIAS. Maintain 280 KIAS until slowed by the STAR or assigned by ATC.

NOTE: Expect "descend via" clearance and landing direction (north or south) by ARTCC. For vertical navigation planning, landing south, select Rwy 18R, landing north, select Rwy 36L.

NOTE: MCO approach will issue landing runway.

NOTE: MCO Landing North: Expect RADAR Vectors prior to LORRA.

NOTE: MCO Landing South: Expect RADAR Vectors prior to LYENS.

NOTE: Landing all Satellite Airports, Expect RADAR Vectors prior to OTKEE.

NOTE: BULKS, CHIVE and DOZES Transitions, ATC Assigned only.

NOTE: GNSS required on CHRGE ENROUTE TRANSITION from CHRGE TO DAAWG.

NOTE: JET AIRCRAFT ONLY.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT CHIVE: HOLD W, RT, 093.27 INBOUND, 10 NM LEGS.

CHART HOLDING AT DAAWG: HOLD W, RT, 091.84 INBOUND, 10 NM LEGS.

CHART HOLDING AT DECKS: HOLD W, RT, 095.83 INBOUND, 10 NM LEGS.

CHART HOLDING AT DOZES: HOLD W, RT, 070.00 INBOUND, 10 NM LEGS.

CHART HOLDING AT FAZES: HOLD S, LT, 349.33 INBOUND, 10 NM LEGS.

CHART HOLDING AT MOANS: HOLD SW, LT, 026.49 INBOUND, 10 NM LEGS.

CHART HOLDING AT PRICY: HOLD W, RT, 071.64 INBOUND, 10 NM LEGS.

CHART HOLDING AT TOSHE: HOLD S, LT, 340.00 INBOUND, 10 NM LEGS.

CHART MOANS, FAZES, TOSHE, EXBAN, HAMMY as STANDALONE WAYPOINTS.

COMMUNICATIONS:

ORLANDO INTL D-ATIS

ORLANDO APP CON

KISSIMMEE GATEWAY ATIS

ORLANDO SANFORD INTL ATIS

EXECUTIVE ATIS

AIRPORTS SERVED:

ORLANDO INTL, ORLANDO, FL (KMCO)

EXECUTIVE, ORLANDO, FL (KORL)

KISSIMMEE GATEWAY, ORLANDO, FL (KISM)

LEESBURG INTL, LEESBURG, FL (KLEE)

MELBOURNE INTL, MELBOURNE, FL (KMLB)

ORLANDO SANFORD INTL, ORLANDO, FL (KSFB)

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
PRICY (RNAV)	ONE	PRICY.PRICY1	NONE		22 APR 2021

LOST COMMUNICATIONS PROCEDURE:

KMCO LANDING NORTH: Continue track to LORRA, then proceed direct EXBAN, intercept Rwy 36L final approach course, conduct approach.

KMCO LANDING SOUTH: Continue track to LYENS, then proceed direct HAMMY, intercept Rwy 18R final approach course, conduct approach.

REMARKS:

ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.

MEAs AT or ABOVE FL180 for COMM and DME/DME/IRU SOLUTIONS.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)

REFERENCE MAGNETIC VARIATION = KMCO 06W/2015

CHART AT OTKEE TERMINUS: LDG KLEE/KSFB/KISM/KORL/KMLB

CHART AT LYENS TERMINUS: LDG KMCO RWY 17L/R, 18L/R

CHART AT LORRA TERMINUS: LDG KMCO RWY 35L/R, 36L/R

FLIGHT INSPECTED BY:

JAMES HAWLEY

Name

FICO

Organization

2/23/21

Date

Signature

DEVELOPED BY:

VICKI TURNER

Name

Design and Implementation Program Manager,
AJV-E22

Organization

08/07/2020

Date

Signature

APPROVED BY:

PAT MULQUEEN, MANAGER

Name

AJV-A440

Organization

Date

Signature

CHANGES:REASONS:

QUALITY
14
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name PRICY (RNAV)		Number ONE		STAR Computer Code PRICY.PRICY1		Superseded Number NONE		Dated	Effective Date 22 APR 2021
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
BAYNE	280320.24N / 0825541.52W	Y		IF					BAYNE .PRICY1
BULKS	275236.12N / 0822438.96W	Y	FB	TF	111.16	29.50	FL190BFL200	AT 280K	
PRICY	280316.76N / 0815757.83W	Y	FB	TF	065.64	25.92	AT/ABOVE 13000		
En Route Transition									
BULKS	275236.12N / 0822438.96W	Y		IF			FL190BFL200	AT 280K	BULKS.PRICY1
PRICY	280316.76N / 0815757.83W	Y	FB	TF	065.64	25.92	AT/ABOVE 13000		
En Route Transition									
CHIVE	275249.14N / 0831553.44W	Y		IF			FL240BFL260		CHIVE.PRICY1
DECKS	275250.13N / 0824020.64W	Y	FB	TF	089.83	31.50	AT/ABOVE FL210		
BULKS	275236.12N / 0822438.96W	Y	FB	TF	090.90	13.91	FL190BFL200	AT 280K	
PRICY	280316.76N / 0815757.83W	Y	FB	TF	065.64	25.92	AT/ABOVE 13000		
En Route Transition									
CHRG	274844.48N / 0844955.93W	Y		IF					CHRG.PRICY1
DAAWG	275115.40N / 0835455.52W	Y	FB	TF	086.84	48.83			
CHIVE	275249.14N / 0831553.44W	Y	FB	TF	087.27	34.63	FL240BFL260		
DECKS	275250.13N / 0824020.64W	Y	FB	TF	089.83	31.50	AT/ABOVE FL210		
BULKS	275236.12N / 0822438.96W	Y	FB	TF	090.90	13.91	FL190BFL200	AT 280K	
PRICY	280316.76N / 0815757.83W	Y	FB	TF	065.64	25.92	AT/ABOVE 13000		
En Route Transition									
DOZES	273125.83N / 0831350.46W	Y		IF			AT FL230		DOZES.PRICY1
QUAYL	274633.59N / 0823847.40W	Y	FB	TF	064.00	34.59	AT/ABOVE FL210		
BULKS	275236.12N / 0822438.96W	Y	FB	TF	064.28	13.91	FL190BFL200	AT 280K	
PRICY	280316.76N / 0815757.83W	Y	FB	TF	065.64	25.92	AT/ABOVE 13000		

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name PRICY (RNAV)	Number ONE	STAR Computer Code PRICY.PRICY1		Superseded Number NONE		Dated		Effective Date 22 APR 2021	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
Common Route									
PRICY	280316.76N / 0815757.83W	Y		IF			AT/ABOVE 13000		PRICY.PRICY1
BOCCE	280519.65N / 0815255.73W	Y	FB	TF	065.34	04.90			
JUMBA	280742.38N / 0814748.84W	Y	FB	TF	062.30	05.11			
Common Route									
PRICY	280316.76N / 0815757.83W	Y		IF			AT/ABOVE 13000		PRICY.PRICY1
BOCCE	280519.65N / 0815255.73W	Y	FB	TF	065.34	04.90			
OTKEE	280900.61N / 0814758.51W	Y	FO	TF	050.00	05.72	AT 11000	AT 250K	
KISM,KLEE,KMLB, KORL,KSFB				FM	050.00				
Runway Transition									
JUMBA	280742.38N / 0814748.84W	Y		IF					
TAYYE	281455.62N / 0813218.23W	Y	FB	TF	062.22	15.48	10000B12000	AT 250K	
ARHIP	281921.10N / 0812526.85W	Y	FB	TF	053.88	07.49			
GIRAF	282236.62N / 0812526.90W	Y	FB	TF	359.99	03.25	AT/ABOVE 8000		
DVOLA	282933.86N / 0812527.00W	Y	FB	TF	359.99	06.94			
LYENS	283732.43N / 0812526.85W	Y	FO	TF	000.02	07.96	AT 5000	AT 210K	
KMCO:RWY 17L,RWY 17R,RWY 18L,RWY 18R				FM	000.02				
Runway Transition									
JUMBA	280742.38N / 0814748.84W	Y		IF					
LORRA	280457.20N / 0812527.91W	Y	FB	TF	097.82	19.95	AT 7000	AT 210K	
KMCO:RWY 35L,RWY 35R,RWY 36L,RWY 36R									

QUALITY
14
CHECKED