

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
SPOUT	BITBE (FB)	216.55 / 10.68	2400	LNAV: RW36 CLIMB TO 2600 DIRECT APIRE AND HOLD. ADDITIONAL FLIGHT DATA: HOLD N, RT, 175.79 INBOUND. CHART FAS OBST: 499 TREE 322122N/0944329W AMUTE TO RW36: 3.05/51
GGG VORTAC	PIPES (FO)	175.58 / 14.01	2400	
GODHO	DIDRE (FB)	150.73 / 12.19	2800	
DIDRE (IAF)	PIPES (NOPT) (FB)	102.09 / 4.99	2400	
BITBE (IAF)	PIPES (NOPT) (FB)	282.09 / 5.01	2400	
PIPES (IF/IAF)	AMUTE (FB)	012.19 / 6.28	2200	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD S PIPES, RT, 012.19 INBOUND, 2400 FT. IN LIEU OF PT (IAF)
- FAC: 355.79 FAF: AMUTE DIST FAF TO MAP: 5.52 THLD: 5.52
- MIN. ALT: PIPES 2400, AMUTE 2200, BOYAN/3.00 NM TO RW36 1380
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS NOT CLEAR
- MSA FROM: RW36 2800

MAG VAR: 3E

EPOCH YEAR: 2010

MINIMUMS

TAKEOFF:		STANDARD	X	SEE FAA FORM 8260-15A	FOR THIS AIRPORT			ALTERNATE: N A			STANDARD @					
CATEGORY ==>		A			B			C			D			E		
		DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA		760	1	395	760	1	395	760	1	395	760	1 1/4	395			
CIRCLING		860	1	495	860	1	495	860	1 1/2	495	920	2	555			

NOTES:

CHART NOTE: DME/DME RNP-0.3 NA.

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE GILMER ALTIMETER SETTING AND INCREASE

ALL MDA 60 FEET AND LNAV CAT C AND D VISIBILITY 1/4 MILE.

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE LONGVIEW, TX	ELEVATION: 365 TDZE: 365 AIRPORT NAME: EAST TEXAS REGIONAL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, AMDT 1 NOV 20 2008	SUP: <u>RNAV (GPS) RWY 35</u> AMDT: <u>ORIG</u> DATED <u>07/05/2007</u>
------------------------------------	--	---------------------------------	--	---

QUALITY
2
CHECKED

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible][illegible]

CITY AND STATE LONGVIEW, TX	ELEVATION: 365 TDZE: 365 AIRPORT NAME: EAST TEXAS REGIONAL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, AMDT 1 NOV 20 2008	SUP: RNAV (GPS) RWY 35
				AMDT: ORIG
				DATED: 07/05/2007

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

35580030	00416	-305	B JS
	+ 02600		B JS
17580040	+ 02600		B JS

SUSAP KGGGK4GRW36 0061093558 N32223800W094425861-0200 +0084900365000051150R

SUSAP KGGGK4SRW36 K4PG	0	18018002825	M
------------------------	---	-------------	---

SUP:	RNAV (GPS) RWY 35
AMDT:	ORIG
DATED:	07/05/2007

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	GGG	GGG	010		IF		FB				
	GGG	PIPES	020	IAF	TF		FO	2.0	175.6 (179T)	014.0	02400
	GGG	PIPES	030		HF	R	FO		012.2 (015T)	004.0	02400
	GODHO	GODHO	010		IF		FB				
	GODHO	DIDRE	020	IAF	TF		FB	2.0	150.7 (154T)	012.2	02800
	GODHO	PIPES	030		TF		FB	1.0	102.1 (105T)	005.0	02400
	SPOUT	SPOUT	010		IF		FB				
	SPOUT	BITBE	020	IAF	TF		FB	2.0	216.6 (220T)	010.7	02400
	SPOUT	PIPES	030		TF		FB	1.0	282.1 (285T)	005.0	02400
		PIPES	010	FACF	IF		FB				02400
		AMUTE	020	FAF	TF		FB	0.5	012.2 (015T)	006.3	02200
		BOYAN	021	SDF	TF		FB	0.3	355.8 (359T)	002.5	01380
		RW36	030	MAP	TF		FO	0.3	355.8 (359T)	003.0	00416

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	APIRE	040		DF		FO	1.0			02600
	APIRE	050		HM	R	FO	2.0	175.8 (179T)	004.0	02600

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	GGG	N322503.91	W0944511.50	N3225.065	W09445.192
	AMUTE	N321706.37	W0944250.36	N3217.106	W09442.839
	APIRE	N323539.73	W0944318.11	N3235.662	W09443.302
	BITBE	N320943.41	W0943904.77	N3209.724	W09439.080
	BOYAN	N321937.67	W0944254.12	N3219.628	W09442.902
	BOYAN	N321937.67	W0944254.12	N3219.628	W09442.902
	DIDRE	N321219.93	W0945027.38	N3212.332	W09450.456
	GODHO	N322317.22	W0945648.94	N3223.287	W09456.816
	PIPES	N321101.72	W0944446.95	N3211.029	W09444.783
	SPOUT	N321758.76	W0943104.13	N3217.979	W09431.069
	RW36	N322238.00	W0944258.61	N3222.633	W09442.977

RUNWAY DATA	THRESHOLD	TCH
RWY	ELEVATION	
RW36	00365	51

CITY AND STATE LONGVIEW, TX	ELEVATION: 365 TDZE: 365	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, AMDT 1 NOV 20 2008	SUP: RNAV (GPS) RWY 35
	AIRPORT NAME: EAST TEXAS REGIONAL			AMDT: ORIG
				DATED: 07/05/2007