

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR/DME STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23					Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.								
TERMINAL ROUTES					MISSED APPROACH								
FROM	TO	COURSE AND DISTANCE	ALTITUDE	MAP: ZUTRI/14.32 DME									
TAS VORTAC (IAF)	RESOY/8.00 DME	115.51/8.00	10000	CLIMBING RIGHT TURN TO 12000 DIRECT TAS VORTAC AND HOLD. ADDITIONAL FLIGHT DATA: FAS OBST: 7229 TREES 362855N/1053919W FAC CROSSES MID POINT OF RWY 4-22									
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD NW TAS VORTAC, RT, 116.00 INBOUND, 12000 FT. IN LIEU OF PT (IAF) 3. FAC 115.51 FAF RESOY _____ DIST FAF TO MAP _____ - THLD _____ 4. MIN. ALT TAS VORTAC 12000, RESOY 10000 8. MSA FROM: TAS VORTAC 360-180 14400, 180-360 12600										MAG VAR: 13E		EPOCH YEAR: 65	
MINIMUMS													
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A		#				
CATEGORY ==>	A		B		C		D		E				
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
CIRCLING	8000	1 1/4	909	8000	1 1/4	909	8000	2 3/4	909	8000	3	909	
NOTES:										# CAT A, B 1000-2, CAT C 1000-2 3/4, CAT D 1000-3			
CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. CHART NOTE: NOPT FOR ARRIVAL ON TAS VORTAC AIRWAY RADIAL 353.													
CITY AND STATE		ELEVATION: 7091 TDZE:		FACILITY IDENTIFIER:		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:			SUP				
TAOS, NM		AIRPORT NAME: TAOS RGNL		TAS		JUL 07 2005 VOR/DME-B, AMDT 3			AMDT 2B				
									DATE 01/25/01				