

**Federal Aviation
Administration**

Transmittal Letter 21-23

September 17, 2021

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
11/4/2021	PA	Erie	Erie Intl/Tom Ridge Fld	1/8422	9/7/2021	RNAV (GPS) RWY 6, Amdt 1B

AIRAC Date: 4 NOVEMBER 2021

FDC 1/8422 ERI IAP ERIE INTL/TOM RIDGE FLD, ERIE, PA. RNAV (GPS) RWY 6, AMDT 1B... CIRCLING CAT B MDA 1380/HAA 648, CAT C MDA 1440/HAA 708, CAT D MDA 1660/HAA 928, CAT C VIS 2, CAT D VIS 3. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ASHTABULA, OH ALTIMETER SETTING: INCREASE LPV DA TO 1078 FEET; INCREASE LNAV/VNAV DA TO 1351 FEET AND VISIBILITY 3/8 SM; INCREASE ALL MDAS 100 FEET AND VISIBILITY CAT C AND D 1/4 SM. CHANGE NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -19C OR ABOVE 54C. PBN REQUIREMENTS NOTE: RNP APCH-GPS. ALTERNATE MINIMUMS STANDARD EXCEPT CAT D 1000-3, NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) RWY 6, AMDT 1C. 2108301613-PERM