

**Federal Aviation
Administration**

Transmittal Letter 22-01

November 12, 2021

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
12/30/2021	OK	Muskogee	Muskogee- Davis Rgnl	1/3777	10/28/2021	RNAV (GPS) RWY 31, Amdt 1D

AIRAC Date: 30 DECEMBER 2021

FDC 1/3777 MKO IAP MUSKOGEE-DAVIS RGNL, MUSKOGEE, OK. RNAV (GPS) RWY 31, AMDT 1D... CIRCLING CAT A MDA 1140/HAA 528, CAT B MDA 1180/HAA 568, CAT C MDA 1320/HAA 708, CAT D MDA 1400/HAA 788, VIS CAT C 2, CAT D 2 1/2. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE TAHLEQUAH ALTIMETER SETTING: INCREASE LPV DA TO 934, LNAV/VNAV DA TO 1230, AND VISIBILITY LPV AND LNAV/VNAV ALL CATS 1/4 SM; INCREASE ALL MDA 100 FEET AND VISIBILITY LNAV CAT C/D/E AND CIRCLING CAT C 1/4 SM, AND CIRCLING CAT D 1/2 SM. ALTERNATE MINIMUMS: STANDARD EXCEPT CAT D 800-2 1/2, CAT E 1000-3, NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) RWY 31, AMDT 1E. 2108231633-PERM