

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97.23					Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
TERMINAL ROUTES					MISSED APPROACH				
FROM	TO	COURSE AND DISTANCE	ALTITUDE	MAP: 3.64 MILES AFTER IJOZU INT/BKW 4.50 DME OR AT SUSYO/BKW 0.86 DME FIX CLIMB TO 4600 THEN CLIMBING LEFT TURN TO 4900 DIRECT BKW VORTAC AND HOLD. ADDITIONAL FLIGHT DATA: HOLD W, RT, 107.20 INBOUND. CHART FAS OBST: 2701 TOWER 374646N/0810920W CHART: 2705 TOWER 374714N/0811418W CHART VDP AT 1.79 DME; DISTANCE VDP TO THLD 1.33 MILES. IJOZU TO RW10: 3.41/51. FAC 500R OF RWY C/L EXTENDED 3000 FROM THLD.					
BKW VORTAC	IJOZU INT/BKW 4.50 DME	287.20 / 4.50	5000						
CINDO INT/BKW 17.49 DME (IF/IAF)	VUPUC INT/BKW 8.50 DME (NOPT)	107.20 / 8.99 (BKW R-287)	5000						
VUPUC INT/BKW 8.50 DME	IJOZU INT/BKW 4.50 DME	107.20 / 4.00 (BKW R-287)	4000						
1. PT <u>L</u> SIDE OF COURSE <u>287.20</u> OUTBOUND <u>5000</u> FT WITHIN <u>10</u> MILES OF <u>IJOZU</u> (IAF) 2. _____ 3. FAC <u>107.20</u> FAF <u>IJOZU INT/BKW 4.50 DME</u> DIST FAF TO MAP <u>3.64</u> THLD <u>4.04</u> 4. MIN. ALT <u>VUPUC 5000, IJOZU 4000</u> 8. MSA FROM: <u>BKW VORTAC 5400</u>					MAG VAR: 6W EPOCH YEAR: 1985				
MINIMUMS									
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT			ALTERNATE: N A		STANDARD @	
CATEGORY >>>>>	A		B		C		D		E
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-10	2960	1	458	2960	1	458	2960	1 1/4	458
CIRCLING	3120	1	616	3180	1	676	3180	2	676
NOTES: CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT CINDO VIA V45 NORTHBOUND. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE BLUEFIELD ALTIMETER SETTING AND INCREASE SEE 8260-10									
CITY AND STATE		ELEVATION: 2504 TDZE: 2502		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:		SUP VOR OR GPS RWY	
BECKLEY, WV		AIRPORT NAME:		BKW		VOR RWY 10, AMDT 13		10	
		RALEIGH COUNTY MEMORIAL				02 JUL 2009		AMDT 12B	
								DATE 06/08/2006	

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

VOR STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - - FAR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

ALL MDA 120 FEET AND S-10 CATS C AND D AND CIRCLING CATS B, C AND D VISIBILITY 1/4 MILE.

CHART NOTE: VDP NA WHEN USING BLUEFIELD ALTIMETER SETTING.

CITY AND STATE

BECKLEY, WV

ELEVATION: 2504 TDZE: 2502

AIRPORT NAME:

RALEIGH COUNTY MEMORIAL

FACILITY
IDENTIFIER:

BKW

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

VOR RWY 10, AMDT 13

02 JUL 2009

SUP: VOR OR GPS RWY
10

AMDT: 12B

DATED: 06/08/2006