

**Federal Aviation
Administration**

Transmittal Letter 19-02

November 30, 2018

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
3-Jan-19	NC	Rockingham	Richmond County	8/1535	11/26/18	RNAV (GPS) RWY 32, Orig-B

AIRAC Date: 3 JANUARY 2019

FDC **8/1535** RCZ CHART RICHMOND COUNTY, Rockingham, NC. RNAV (GPS) RWY 32, ORIG-B... LPV DA 633/HAT 277 ALL CATS. LNAV CAT C VIS 1-1/8. DELETE NOTE: NIGHT LANDING RWY 32 NA. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. CHART NOTE: RWY 32 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: BARO-VNAV NA WHEN USING MACKALL AAF ALTIMETER SETTING. CHART NOTE: BARO-VNAV AND VDP NA WHEN USING MACKALL AAF ALTIMETER SETTING. CHART NOTE: CIRCLING RWY 14 NA AT NIGHT. CHART NOTE: CIRCLING NA TO RWYS 4 AND 22. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MACKALL AAF ALTIMETER SETTING AND INCREASE ALL DA 39 FEET AND ALL MDA 40 FEET AND INCREASE LNAV/VNAV ALL CATS AND LNAV CAT C VISIBILITY 1/4 MILE. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MACKALL AAF ALTIMETER SETTING AND INCREASE ALL DA 39 FEET AND ALL MDA 40 FEET AND INCREASE LNAV CAT C VISIBILITY 3/8 SM. CHART VDP AT 1.08 NM TO RW32*. THIS IS RNAV (GPS) RWY 32, ORIG-C. 1811271608-PERM